



Hornsby Shire Council
**Hornsby Quarry Rehabilitation - Targeted Detailed Site
Contamination Investigation**

September 2019

Executive summary

GHD Pty Ltd (GHD) was commissioned by the Hornsby Shire Council (the Council) to undertake a targeted detailed site contamination investigation (DSI) at the Hornsby Quarry in Hornsby, New South Wales (NSW).

Hornsby Quarry is a former breccia hard rock quarry that was operated by private business from the early 1900s and ceased quarry operations in the early 2000s. The quarry is considered a safety risk and has therefore been closed to the public since that time. The site is owned by the Council who intend to develop it into publically useable recreation space including several sports ovals.

The objective of this DSI was to assess, to the extent practicable using available information, the potential for contamination to be present at the site as a result of historical or current use of the site, which may pose a risk to human health or the environment. GHD completed a desktop study, site walkover and limited soil and surface water sampling program.

A field investigation conducted on 6 August 2019 included: four push tube / solid stem augered boreholes and three shallow hand augered holes at the former workshop area; three trenches across selected areas of the south-western fill area; three trenches across the eastern fill area; three soil grab samples from the northern fill area; and, one surface water sample from the diversion channel at the base of the northern fill slope.

All analytical results were reported below the nominated human and ecological criteria, with the exception of nickel and zinc results in some soil samples. GHD consider these results to be related to the natural rock and soil properties of the sampled material, and are not considered to be indicative of contamination.

Visual and olfactory indicators of hydrocarbon contamination were noted in two boreholes adjacent to the southern and eastern sides of the underground storage tank (UST). These samples reported results below the selected site assessment criteria.

The extent of hydrocarbon contamination associated with the UST is currently unknown and requires further investigation, or removal, of the potentially contaminated soils during removal of the UST.

Based on the findings of this investigation, GHD consider the risk of exposure to contaminants of potential concern (COPC) for on-site and off-site receptors to be low, however, we acknowledge the potential for contamination to exist associated with the UST.

Based on the completed scope of work, and in consideration of the proposed future recreational land use for the site, GHD recommend the following:

- Removal of the UST in accordance with the Department of Environment, Climate Change and Water NSW, *Guidelines for Implementing the Protection of the Environment Operations (Underground Petroleum Storage Systems) Regulation 2008*, which states that “where two years have elapsed since fuel was put into or taken from a tank, it must be abandoned (after removing the fuel) in accordance with the Occupational Health and Safety (Dangerous Goods) Regulation 2001”. This would include site validation following removal and preparation of a validation report prepared by a suitable qualified person, such as a contaminated land consultant, in addition to completion of any soil or groundwater remediation following decommissioning of the UST, if remediation is required.
- A construction environment and management plan (CEMP) developed for the redevelopment works, should include:

- An unexpected finds protocol should be developed to manage potential unexpected finds, including ACM, at the workshop area and the fill areas.
- The management of surface aesthetics (with regard to anthropogenic materials in soils) during removal and reshaping of spoil in the fill areas.
- A remedial action plan (RAP) should be developed for the removal of the UST and associated impacted soils (if required).

Table of contents

1.	Introduction	1
1.1	Background	1
1.2	Objective	1
1.3	Scope of work	2
1.4	Limitations	2
2.	Desktop study	3
2.1	Site identification	3
2.1	Site walkover	3
2.2	Environmental setting	5
2.3	Review of historical information	7
2.4	Regulatory information	11
2.5	Previous investigations	14
3.	Preliminary conceptual site model	0
3.1	Potential Sources of Contamination	0
3.2	Pathways	1
3.3	Receptors	1
3.4	Potential source-pathway-receptor linkages	1
4.	Data quality objectives	5
5.	Basis of the assessment	8
5.1	Relevant guidelines	8
5.2	Soil assessment criteria	8
5.3	Surface water assessment criteria	9
5.4	Aesthetic Considerations	10
6.	Methodology	11
6.1	General	11
6.2	Workplace health and safety	11
6.3	Sampling locations and details	11
6.4	Laboratory analysis	14
7.	Quality Assurance and Quality Control	15
7.1	Field program	15
7.2	Field quality control	15
7.3	Laboratory program	16
7.4	QA/QC Results	16
8.	Results	19
8.1	Visual Observations	19
8.2	Soil analytical Results	20

8.3	Surface water results	22
9.	Revised conceptual site model	23
9.1	Assessment of exposure risks for on-site receptors	25
9.2	Assessment of exposure risks to off-site receptors	25
9.3	Remaining data gaps	25
10.	Conclusions and recommendations	26
10.1	Conclusions	26
10.2	Recommendations	26
11.	Limitations	28

Table index

Table 1	Site details	3
Table 2	Review of historical aerial photographs	7
Table 3	Publically available information	11
Table 4	Preliminary conceptual site model	2
Table 5	Data quality objectives	5
Table 6	Soil sampling investigation summary	12
Table 7	Analytical schedule	14
Table 8	Field QA/QC assessment	17
Table 9	Laboratory QA/QC assessment	18
Table 10	Soil analytical criteria exceedance summary	20
Table 11	Revised CSM	23

Appendices

Appendix A - Figures

Appendix B – Lot Search Report and SafeWork NSW Site Search for Storage of Hazardous Chemicals

Appendix C – Photo logs

Appendix D – Borehole logs

Appendix E – Tables

Appendix F – Laboratory Documentation

Appendix G – Airmet Certificate

1. Introduction

1.1 Background

Hornsby Shire Council (the Council) engaged GHD Pty Ltd (GHD) to undertake a targeted detailed site investigation (DSI) of the Hornsby Quarry, New South Wales (NSW).

Hornsby Quarry is a former breccia hard rock quarry that was operated by private business from the early 1900s and ceased quarry operation in the early 2000s. The quarry is considered a safety risk and has therefore been closed to the public since that time.

The Council acquired the site in 2002 and has since undertaken a number of investigations and studies with regards to the future of the site and the environmental and technical constraints that the site poses. The Council has resolved to ultimately develop the site as community parkland. Figure 1 (Appendix A) provides a site location plan.

Several environmental studies have been undertaken to support the rectification works at the site, one of which includes a previous site investigation¹ which highlighted a number of potentially contaminated areas, specifically:

- The former workshop area to the west of the quarry, and associated buildings, above and below ground fuel tanks (ASTs and USTs), electrical transformer and detonator magazine
- The northern fill slope
- The eastern fill area
- The south-western fill area

At proposal stage, a site walkover was undertaken by a Senior Environmental Geologist from GHD, with Council's Project Manager on 8 July 2019. The walkover was limited to a small heritage cemetery at the southern side of the quarry, the former western workshop area, the south-western fill area, and the access road at the base of northern fill slope. Access to the eastern fill area was not available due to the operations of a construction compound (NorthConnex roads project) at the site.

Following the site walkover, it was discovered that the residual items at the former workshop area consisted of two banded ASTs (one empty, one containing diesel fuel) underneath an awning, one petrol UST (containing 50 mm of fuel – see Section 2.5.3), one fuel bowser, a small locked and inaccessible metal building, and patches of concrete hardstand. The transformer, detonator magazine and all other buildings had been removed from site. All electrical services had also been removed from site.

Council confirmed that the contamination investigation was to be limited to the abovementioned areas, and was not to include the heritage cemetery or a crushing plant facility located at the southern entrance gate to the quarry.

1.2 Objective

This DSI was requested by an independent assessor as part of the Development Application (DA) assessment process, in order to meet the requirements of State Environmental Planning Policy for the Remediation of Land (SEPP 55). According to SEPP 55, *Clause 7 Contamination and remediation to be considered in determining development application*:

¹ Parsons Brinckerhoff 2004, Hornsby Quarry and Environs Land Capability Study and Master Plan, October 2004

“(1) A consent authority must not consent to the carrying out of any development on land unless:

- (a) it has considered whether the land is contaminated, and
- (b) if the land is contaminated, it is satisfied that the land is suitable in its contaminated state (or will be suitable, after remediation) for the purpose for which the development is proposed to be carried out”

This DSI includes a desk study and a targeted contamination investigation:

- Assess the potential for current and historical activities, on- and off-site, to have resulted in contamination within the site e.g. quarrying operations, adjacent community activities
- Identify areas of known or suspected contamination based on a review of the available data, including site features that are likely to have caused site contamination e.g. fuel storage tanks, asbestos clad buildings, fill materials
- Determine whether further investigation and / or mitigation is required for potential contamination is required

The report includes an assessment of the site’s suitability for a recreational land use.

1.3 Scope of work

The scope of works included:

- Desktop review of available data including a review of existing site investigation information, historical aerial photographs, a search of public records including the contaminated land register, and mapping including topographic, soil, geological and hydrogeological
- A site inspection to establish current site conditions
- A targeted intrusive soil and surface water sampling program including:
 - Drilling of four boreholes targeting the underground storage tank (UST) and aboveground storage tanks (ASTs)
 - Trenching in six locations targeting the east and southwest landfill areas on site
 - Hand augering of three boreholes in the workshop area
 - Shallow grab soil samples in the northern fill area
 - Grab sample of a surface water sample at the diversion channel below the northern fill area
 - Allowance for collection of an additional surface water sample following a rainfall event was included, however the sample was not collected due to the lack of rain
- Laboratory analysis of selected soil samples for contaminants of potential concern (COPC) identified in the preliminary conceptual site model (CSM).
- Data interpretation and preparation of this report documenting the findings of the investigation

1.4 Limitations

This report has been prepared in accordance with GHD limitations provided in Section 11.

2. Desktop study

The following section was prepared by reviewing publically available information and acquisition of a LotSearch report (Reference LS007759 EP, 6 August 2019) (a copy is presented in Appendix B).

2.1 Site identification

A summary of site identification details is provided in Table 1. Figures 1 and 2 (Appendix A) provide the site location and layout plan.

Table 1 Site details

Information	Details	
Street Address	Hornsby Quarry, Quarry Road, Hornsby, NSW 2077	
Lot and DP Number	Lot number	Deposited Plan number
	A, B, C, D, E	DP318676
	1	DP926103
	75	DP752053
	1	DP114323
	1,2	DP169188
Site Owner	Hornsby Shire Council	
Site Area	40.53 hectares (Ha)	
Local Government Area	Hornsby Council	
Local Land Use Zoning	RE1 – Public Recreation	
Current Land Use	Former quarry	
Surrounding Land Use	North: Bushland then residential. West: Bushland and Rosemead Trail (bushwalking trail). South: Bushland then residential. East: Residential and commercial	

2.1 Site walkover

A suitably qualified GHD Environmental Geologist conducted a site visit on 8 July 2019. During the site visit, photographs and notes were taken and are provided as Appendix C.

The site visit commenced at the gates at the northern end of Quarry Road next to the crushing facility, and continued north past Old Man's Valley Cemetery, and along the western and northern access roads above the quarry. No access was possible to the eastern side of the quarry, or the quarry itself, which, at the time of the visit, was under the active operation of NorthConnex. GHD understands these operations ceased approximately a week after the site visit, and cessation of these operations was confirmed during the site investigation. Details of the areas visited are provided in Figure 3 (Appendix A).

The following key observations were made at the time of the site visit.

The Old Man's Cemetery

During the site visit, Council indicated that no redevelopment work was proposed for the cemetery.

It was noted that conservation work has been carried out at the cemetery to preserve the historical significance of the area. The cemetery was fenced and locked (see Photos Hornsby 4029 – 4304, Appendix C).

GHD note that the explosives store observed at the cemetery during the investigation by Parsons Brinckerhoff, *Hornsby Quarry and Environs Land Capability Study and Master Plan: Volume 1 – Technical Investigations, October 2004*, was not present during this visit.

Former workshop area

The following residual infrastructure was observed during the site walkover in the former workshop area (see Photos Hornsby 4041 – 4060):

- Two bunded ASTs (one empty, one containing diesel fuel) underneath an awning. The tanks are covered in graffiti, but appear to be otherwise in good condition. Council indicated that these tanks will likely be retained post redevelopment. Minor hydrocarbon staining was noted at the outlet taps of the ASTs, and was entirely contained within the concrete bunding (see photos Hornsby 4057-4058, Appendix C)
- One petrol underground storage tank (UST) (containing 50 mm of fuel – see Section 2.5.3). No hydrocarbon staining was noted on the surface concrete pad covering the UST (see Photos Hornsby 4052-4053)
- Two fuel bowzers (and potentially related underground petroleum storage systems). Hydrocarbon staining was noted on the concrete base pad (see Photo Hornsby-4055, Appendix C)
- One small locked, inaccessible and heavily corroded metal building. Council suggested it may have been used for tool storage (see Photos Hornsby 4041 – 4047, Appendix C)
- Patches of concrete hard-stand (see Photos Hornsby 4048 – 4052, Appendix C)
- No evidence of asbestos containing building material fragments (ACM) was observed, although it is understood that there were such buildings present at this area, which have since been demolished and removed from site
- There was no evidence of an explosives magazine, or the transformer at the former workshop area, although they were noted during the Parsons Brinckerhoff (October 2004) investigation

South-western fill area

Photographs of this area are provided in Appendix C (Hornsby 4105 – 4111, 54A112, 54A113)

The south-western fill area also contains material from the quarry, and has been shaped into a moderately to gently sloping hill which is covered by long grasses.

Council indicated that some of this material is intended to be removed and used to backfill the quarry.

No evidence of anthropogenic materials was observed during the site visit.

Northern fill area

Photographs of this area are provided in Appendix C (Hornsby 4063 – 4066, Hornsby 4076, Hornsby 4083 – 4092).

The slope of this fill area is very steep, at greater than 45 degrees in places, and is comprised of poorly consolidated fill material including rocks / boulders of basaltic breccia, and weathered sandstones and clays. GHD understand the source of this spoil material was the quarry.

The steepness of the slope and the unconsolidated nature of the spoil material has resulted in several slipped slopes. In other areas, the fill has been covered by well established, mature trees including large eucalypts.

Council indicated that due to safety concerns related to the ground instability, this northern slope area would require re-shaping, including the development of an access track across the slope. The material removed during the reshaping process is intended to be used as fill material for the quarry.

A surface water diversion channel runs along the base of the northern fill slopes, and diverts surface water runoff from the eastern and northern slopes offsite to the south-west. The water was noted to be pooled in places and free of sheen.

A strip of geo-fabric was observed at the base of one of the slipped areas which is designed to prevent (or limit) incursion of soils into the diversion channel.

No evidence of anthropogenic materials was observed during the site visit.

Additional observations

- The current relative height level (RL) in the void is RL 53 Australian height datum (AHD) to RL 58 AHD, after placement of approximately 1.2 million cubic metres of fill by NorthConnex. Council will place the fill material from the south west fill area and the northern spoil mound into the void to create a final (safe) landform.
- Council propose to create a lake setting at the eastern end of the quarry to retain exposure of the quarry wall which displays the diatreme intrusion contact at this end of the quarry. The Council also intend to reshape the floor of the western end of the quarry to provide public access.
- Groundwater present in the base of the quarry is currently pumped out through lay-flat pipe and dispersed to ground at the top of a gully at the southern end of the former workshop area. Council indicated that they have a borehole licence to undertake this work.
- GHD understand from Council that the spoil material in the quarry from the NorthConnex project was classified as excavated natural material (ENM). No further information was provided to GHD for review.

Council indicated that the eastern fill area, known locally as Old Mans Valley, will be reshaped during redevelopment. GHD understand that the area is intended to be used for public recreation, including sporting ovals.

2.2 Environmental setting

2.2.1 Topography

The site is situated between 53 and 148 m AHD (LotSearch, 2019). The site has very steep embankments from the perimeter of the site to the centre of quarry. The pre-existing site topography (prior to the quarry development) consisted of a moderately steep gully running from north-east downwards to the south-west of the site. Surrounding landforms to the north and east are generally steep, with topography sloping moderately away from the quarry towards the south and west.

2.2.2 Hydrology and drainage

Surface water is expected to follow the local topography on site. Along the northern margin of the quarry void the diversion channel diverts storm water westwards from Old Mans Valley in the east and from Manor Road in the north.

A natural waterway runs through the site from north east to south east. This waterway flows into Jimmy Bancks Creek, 670 m south of the site. Waitara and Berowra Creeks are 680 and 980 m west of the site.

2.2.3 Soils

The Atlas of Australian Soils classify the site as being in the Kandosol and Sodosol Soil Orders (LotSearch, 2019).

- Kandosol is described as dissected sandstone plateau of moderate to strong relief with sandstone pillars, ledges, and slabs with level to undulating ridges, irregularly benched slopes, steep ridges, cliffs, canyons, narrow sandy valleys.
- Sodosol is described as dissected plateau remnants with flat to undulating ridge tops with moderate to steep side slopes.

The 'eSPADE' database published by the NSW Environment and Heritage (NSW Environment and Heritage, 2019) describes the soil and landscape as follows:

- Landscape: *gently undulating to steep low hills on deeply weathered basaltic breccia. Local relief to 70 m, slopes range from 3% to 65%. Diatremes (volcanic necks) and shallow intrusions often located in sandstone valley floors. Mostly cleared, tall open-forest (wet sclerophyll forests) and weedy infested closed-forest (rainforest).*
- Soils: *deep (150-300 cm) Yellow Podzolic Soils (Dy4.11) on upper and midslopes, Yellow-Brown Earths (Gn2.41) and Red Podzolic Soils (Dr4.11) on sandstone alluvium; Yellow Podzolic Soils (Dy2.21) on volcanic breccia; deep (>200cm) Structured Loams (Um6.21) in drainage lines. Associated soils include Prairie Soils (Gn3.91, Gn4.31), deep Krasnozems (Gn3.11) and Chocolate Soils (Db1.11, Db4.11).*
- Limitations: *highly plastic, low wet-strength, highly reactive subsoil, occasional steep slopes with an extreme soil erosion hazard and localised mass movement hazard.*

2.2.4 Acid Sulfate Soils

The NSW Office of Environment and Heritage Acid Sulfate Soils Risk Map (NSW Government, n.d.) indicates the site is within an area with no known occurrence of Acid Sulfate Soils.

The Atlas of Australian Acid Sulfate Soils indicates the site is Class B (low probability of occurrence. 6 to 70% chance of occurrence) and Class C (extremely low probability of occurrence. 1 to 5 % chance of occurrence with occurrences in small localised areas).

2.2.5 Geology

The Sydney 1:100,000 *Geological Series Sheet 9130* (NSW Government Department of Resources and Geoscience, 1983) indicates the site is underlain by a Jurassic diatreme comprising volcanic breccia with various amounts of sedimentary breccia and basalt. The diatreme intruded the surrounding Triassic Hawkesbury Sandstone and Ashfield Shale of the Wianamatta Group, and produced a north-east to south-west elongated body which extends for approximately 1.5 kilometres and is less than 400 metres wide (Herbert, 1983, in Parsons Brinckerhoff (2004), *Hornsby Quarry and Environs Land Capability Study and Master Plan: Volume 1 – Technical Investigations, October 2004*).

The Hornsby Quarry diatreme forms part of the Hornsby – Thornleigh diatreme complex and was formed as a maar-diatreme volcano during the Early Jurassic, around 200 million years ago. The diatreme was created as a result of rising mafic magma intersecting the water table, producing a steam pressure driven explosion which forced pyroclastic ejecta upwards and

which subsequently fell to create a small ring-like cavity, and associated volcanic breccia, sedimentary breccia and basalt.

The quarry was mined for its hard rock basalt which was crushed and used as road base material and gravels. The eastern face of the quarry has exposed a vertical cross-section through the diatreme, and is valued for its expression of this geological phenomenon. It provides exposure to geological information that is important to understanding the history of creation of the Sydney Basin, and Council intend to preserve this exposure as part of the redevelopment plans for the quarry.

2.2.6 Groundwater

A search of the NSW Department of Primary Industries Office of Water Groundwater Bore Map revealed that there are six registered groundwater wells within two kilometres of the site. The closest registered bore to the site was a monitoring bore (GW111573) situated 1118 m to the north east. This bore was drilled to a depth of 5.0 m below ground level and sits in silty clay, weathered shale and sandstone.

Standing water levels in all six bores was recorded between 0.63 metres and 2.0 metres below ground level (bgl), however, depth to groundwater at the site itself is unknown, but expected to be relatively deep based on the water ponding at the base of the quarry. Salinity levels are not anticipated to be an issue at the site, and no dryland salinity is reported for the site in the National Assessment database (National Land and Water Resources audit, 2013), or the Dryland Salinity Potential of Western Sydney map (Department of Infrastructure, Planning and Natural Resources, March 2003).

Groundwater in the region surrounding the site is expected to flow from the north east to the south west.

2.3 Review of historical information

2.3.1 Historical aerial photographs and topographical maps

A selection of aerial photographs and topographical maps were examined in order to ascertain past activities and land uses at the property. The years examined were 1920, 1930, 1951, 1956, 1961, 1965, 1970, 1975, 1982, 1991, 2003, 2009, 2015 and 2019. The aerial photographs are included in the Lotsearch report provided as Appendix B. A summary of the information gained from the review of historical aerial photography is provided in Table 2.

Table 2 Review of historical aerial photographs

Year	On site observations	Off site observations
1920 (LotSearch, 2019) topography map	According to the 1920 topography map, the site is largely uncleared, with a moderately steep gully running from north-east to south-west across the site. Several scattered buildings are apparent on the image.	The surrounding land includes: East: Hornsby township and rail line North: Some residential development and a rifle range West: Uncleared bush land South: Natural vegetation then residential properties.
1930 (LotSearch, 2019) black and white photo, and	The site in the 1930 aerial photograph appears largely cleared of natural vegetation	The surrounding land includes: East: Natural vegetation then a natural waterway.

Year	On site observations	Off site observations
1942 topography map	<p>(~15% natural vegetation in the site footprint), with crop use evident within the quarry footprint. Lines of trees, typical of an orchard, is present in the northwest corner of the site. A cleared area of land is present in the far southwest corner of the site. The north western corner of the present day quarry is disturbed, potentially excavated.</p> <p>A natural waterway is present in the southeast corner of the site, and another in the southwest. Several unsealed roads dissect the site, leading from the south to the crops and orchard areas.</p>	<p>North: Natural vegetation then an unsealed road and crops.</p> <p>East: Natural vegetation then Pacific Highway. The land on either side of Pacific Highway appears subdivided to residential blocks.</p> <p>South: Natural vegetation then residential houses.</p>
1951 (LotSearch, 2019) black and white photo	<p>The site in the 1951 aerial appears to have been quarried. The area where the present day quarry is filled with water. Crop use is not evident in this aerial.</p> <p>The cleared area in the southwest in the 1930s area has tree coverage in this aerial. The waterways in the southeast and southwest corners of the site remain unchanged from the 1930s aerial.</p>	<p>The surrounding land remains unchanged with the exception of:</p> <p>North: Natural vegetation then an unsealed road, an oval and several structures reminiscent of residential dwellings.</p> <p>East: Natural vegetation then light commercial buildings surrounding Pacific Highway.</p>
1956 (LotSearch, 2019) black and white photo	<p>The quarry no longer has water in the pit. The natural waterways in both the southwest and southeast of the site are present, with more vegetation cover in the southeast as compared to the 1951 aerial. Five small buildings are present on site. Four are in the south southwest of the site, adjacent to the waterway, and on the present-day western fill area. One small building is evident near the present day ASTs. Several unsealed roads traverse the site, leading to the quarry from the south. A large cleared area is present near the present day eastern fill area.</p>	<p>The surrounding land remains unchanged with the exception of:</p> <p>North: 150 m to the north is a large area of cleared land, starting from the area where the 1951 oval was, going northwest for at least 400 m. This area is approximately 75 m wide. This site corresponds to the present day rifle range. Further north are residential buildings.</p>

Year	On site observations	Off site observations
1961 (LotSearch, 2019) black and white photo	Vegetation to the south has become denser since the 1958 aerial. The quarry has become deeper with more unsealed roads traversing the slopes of the excavation. A number of additional buildings are present on site. Four are situated along the southern edge of the pit. One building is present on the southern border of the site in a clearing.	The surrounding land remains unchanged with the exception of: East: Natural vegetation. Approximately nine buildings are present 100 m to the northeast of site on the ridge adjacent to the unsealed road. North: The southern section of the cleared area referenced in the 1958 aerial now has several buildings occupying the land, reminiscent of a school or other type of institution, and may be the Mount Wilga medical precinct.
1965 (LotSearch, 2019) black and white photo	The site remains largely unchanged from the 1961 aerial, with the exception that the quarry appears deeper. The buildings surrounding the southern edge of the pit in the 1961 aerial are no longer present, with the exception of one.	The surrounding land remains unchanged with the exception of: South-east: A pool (Hornsby Aquatic and Leisure Centre) has been built 150 m southwest of the site. East: Commercial development has occurred in the east and southeast of the site, surrounding Pacific Highway.
1970 (LotSearch, 2019) black and white photo, and 1975 topography map	The site remains largely unchanged from the 1965 aerial. Water is present in the south western corner of the quarry.	The surrounding land remains unchanged with the exception of: East: An area south of the buildings on the ridge (referenced in the 1961 aerial description) has been cleared. The TAFE has been built, 150 m east of the site. South: An area of land to the south of the site, and west of the existing residential area has been cleared with new roads and cul-de-sacs developed. North: The area with buildings reminiscent of a school (or other form of institution) has additional structures.
1982 (LotSearch, 2019) colour photo	The quarry has been excavated significantly since the 1970 aerial. The structures to the south west (on the present day fill area) have been removed. This area is graded, with patterns in the land	The surrounding land remains unchanged with the exception of: North: The buildings reminiscent of a school (or other form of institution) has been removed and

Year	On site observations	Off site observations
	<p>suggesting its being used for excess spoil. Buildings are present on the western edge of the quarry, where the present day ASTs are located. The present day eastern fill area is cleared, but it is unclear whether it is being used to store excess spoil.</p>	<p>the present day hospital buildings are present on this area.</p> <p>South: Residential buildings have been built west of the existing residential area.</p> <p>East: More commercial buildings have been built either side of Pacific Highway.</p>
<p>1991 (LotSearch, 2019) colour photo</p>	<p>The quarry has had further excavations since the 1982 aerial. The area east of the quarry, on the present day eastern fill area, has been cleared and levelled. A road has been cleared going to this area from the south eastern corner of the site. The western fill area is no longer graded and vegetation is growing in this area now.</p>	<p>The surrounding land remains unchanged with the exception of:</p> <p>North: The hospital has been further developed. Additional residential buildings and a new road is present to the northwest of the site.</p> <p>East: The building on the eastern border of the site (off Bridge Road) has had an expansion</p>
<p>2003 (LotSearch, 2019) colour photo</p>	<p>The quarry has water present in the bottom of the pit. Quarrying is understood to have ceased by this time, with the quarry in ownership of the Council. There is more vegetation growing on the site surrounding the quarry. Both fill areas are don't appear to be in use.</p>	<p>The surrounding land remains unchanged with the exception of:</p> <p>East: More commercial buildings have been built either side of Pacific Highway.</p>
<p>2009 (LotSearch, 2019) colour photo</p>	<p>No obvious changes to the site is apparent between the 2003 and 2009 aerial photographs, with the exception of more vegetation across the site and more water in the quarry.</p>	<p>The surrounding land remains unchanged with the exception of:</p> <p>North: The hospital has been further developed.</p>
<p>2019 (Google Maps) colour photo, and 2015 topography map</p>	<p>The eastern fill area has a number of buildings and permanent structures. There are several trucks evident in the aerial and four surface water features. The quarry has had significant filling with what appears to be uniform fill from the NorthConnex project. Some water remains on the western side of the quarry. The buildings to the west of the quarry have been removed.</p>	<p>The surrounding land remains unchanged with the exception of:</p> <p>East: The Hornsby Aquatic and Leisure Centre to the southeast has undergone a renovation.</p> <p>North: The hospital has been further developed.</p>

2.3.2 Summary of the site history

Thomas and Eleanor Higgins, arrived in Sydney with the second fleet in June 1790. Their son, Thomas Edward Higgins was granted 250 acres of land at the site, including what is now the historical Old Man's Valley Cemetery. The Higgins family were orchardists in the areas having occupied the land from the 1820s until the 1970s, with the cemetery having been used by the Higgins family and others from 1871 to 1931

Based on the review of historical aerial photographs, the site has been used as a farmland from at least 1930. Between 1930 and 1951 the site was excavated and quarried. A significant expansion of the quarry occurred between 1956 and 1961 with production ramping up until at least 1991. In 2003 the quarry had water within the pit, suggesting the quarrying was no longer occurring. This is further supported by the increase of vegetation across the site. In 2018 it was apparent that works had begun to infill the quarry.

The surrounding land has been dominated by natural vegetation to the west, residential to the south and commercial to the east. The north transitioned from farm land to residential between 1930 and 1951, around the same time the site transitioned from farm land to a quarry. The rifle range approximately 300 m north of the site was developed between 1951 and 1956. Approximately 200 m north of the site is a hospital, with its present day structures being developed between 1956 and 1961.

2.4 Regulatory information

The following information presented in Table 3 was obtained from the Lotsearch report (Appendix B) and publically available information including NSW Environmental Protection Agency (EPA) and NSW Planning and Environment websites.

Table 3 Publically available information

Potential Sources	Notes	Information Source
Land use designations	The site and surrounding area is located within Hornsby Shire Council area. The site is shown on the Hornsby Local Environmental Plan (2013) and is zoned as RE1 – Public Recreation (NSW Government, 2019). To the north and south are areas zoned as R2 – Low Density Residential. The land to the west of the site is zoned E1 – Environmental Conservation. To the east is a small area zoned as R4 – High Density Residential, further east is zoned as B5 – Business Development.	Hornsby Local Environment Plan 2013.
Contaminated sites register	According to the NSW EPA, the site does not have any notices under the Contaminated Land Management (CLM) Act 1997 (NSW EPA, 2019). One contaminated site is registered within 2 km of the site; <ul style="list-style-type: none"> • Coles Express Hornsby, 194 – 206 Pacific Highway: 4 current and 5 former notices related to this site. This site is located approximately 790 m southeast of the Hornsby Quarry. 	Environment Protection Authority (EPA) Contaminated Sites Register.
List of NSW contaminated sites notified to NSW EPA	According to the NSW EPA, no contaminated land records were listed for the site (LotSearch, 2019). Three notified sites are within a 1000 m of the site.	List of NSW contaminated sites notified to the EPA.

Potential Sources	Notes	Information Source
	<ul style="list-style-type: none"> Hornsby Train Maintenance Centre, 1B Stephen Street, other industry, regulation under the CLM Act not required, approximately 1 kilometre to the northeast. Midas Car care Centre Hornsby, 2A Linda Street, unclassified activity, regulation under the CLM Act not required, circa 700 m to the east. Coles Express Hornsby, 194 – 206 Pacific Highway, service station, contamination currently regulated under the CLM Act, circa 1000 m southeast of the Hornsby Quarry. 	
James Hardie asbestos waste sites	According to the NSW EPA (LotSearch, 2019) there are no known James Hardie asbestos waste sites located within 1000 m radius of the site.	EPA Other Sites with Contamination Issues.
Other sites with contamination issues – Former Gasworks and NSW EPA PFAS Investigation Program	<p>One NSW EPA Per- and poly-fluoroalkyl substances (PFAS) Investigation Program site is located within a 2000 m radius of the site (LotSearch, 2019).</p> <ul style="list-style-type: none"> Westleigh NSW Fire Service, 12 Warrigal Drive, Westleigh, circa 1700 m to the southwest of the site. PFAS compounds in soil were not found to exceed the Human Health PFAS Criteria for Public Open Space (PFAS NEMP 2018) and therefore the site was considered suitable for use as a sports oval. A Human Health and Ecological Risk Assessment (HHERA) assessed the ways in which people might come into contact with PFAS. The HHERA concluded that improvement action was not required for the site to be used as a sports oval. It was agreed with the EPA, and in consultation with Hornsby Shire Council, that NSW Rural Fire Service as a precaution would remove a 10 m x 25 m x 0.3 m section of soil from the north-east of the site. The excavated soil was removed and then sent to landfill, in accordance with NSW EPA waste classification guidelines. 	EPA PFAS Investigation Program: EPA.
Historical business directory records	<p>Two historical business directory records have been identified which were registered to the site (LotSearch, 2019);</p> <ul style="list-style-type: none"> Quarry Proprietors, Hornsby Blue Metal Quarry, The Valley, Hornsby 2077. 1982 Business Directory Record. Baths-Swimming, Hornsby Olympic Pool, Pacific Highway, Hornsby, 1970 Business Directory Record. <p>Several potentially contaminating industries are listed in the historical business directories within 400 m of the site:</p> <p>Motor Garage, engineers and/or service stations:</p>	Universal Business Directories (UBD)

Potential Sources	Notes	Information Source
	<ul style="list-style-type: none"> Central Auto Repairs formerly McCredles Garage: 2 Dural Road, 200m to the southeast of the site. Referenced in the 1948 – 1988 UBDs. Thompson & Bourke, formally Pacific Garage, 304 Pacific Highway, Hornsby 210 m east of the site. Referenced in the 1948 – 1972 UBDs. Barsby T. B., 33 Jersey St Hornsby, 240 m east of the site. Referenced in the 1964 - 1971 UBDs. Kookaburra Tyre and Service Station, 25-27 Jersey St. Hornsby. 260 m east of the site. Referenced in the 1953 – 1962 UBDs. <p>Dry cleaners, pressers and dryers;</p> <ul style="list-style-type: none"> Lindfield Laundry and Dry Cleaners Pty Ltd, 286a Pacific Hwy, Hornsby. 255 m to the south east of the site. Referenced in the 1948 – 1950 UBDs. Thrift Macks Dry Cleaning Service, formally Red Robin Dry Cleaning Service and Page Boy, 25 Station St, Hornsby, 340 m to the southeast of the site. Referenced in the 1970 – 1988 UBDs. 	
Current licenced activities under the POEO Act 1997	<p>The site is subject to a licence for Lendlease Engineering Pty Limited for the NorthConnex Project between Windsor Road, Baulkham Kills and M2 Motorway, Pennant Hills and M1 Motorway, Wahroonga, NSW 2076. This licence pertains to the activity of <i>'crushing, grinding or separating: road construction'</i>.</p> <p>There are another two activities licensed under the POEO Act 1997 within a 1000 m radius of the site (LotSearch, 2019).</p> <ul style="list-style-type: none"> Sydney Water Corporation holds a license for the <i>'sewerage treatment processing by small plants'</i> at the West Hornsby Sewerage Treatment System off Valley Road. This activity is located 175 m west of the site. Sydney Trains hold a license for <i>'railway systems activities'</i> over their network of features, the closest being 330 m east of the site. 	POEO Licence Data Source: EPA.
Former activities licenced under the POEO Act 1997	<p>There are five formerly licenced activities associated with the site (LotSearch, 2019);</p> <ul style="list-style-type: none"> CSR Limited was issued a POEO license in 2000 for <i>'land-based extractive activity'</i> on Quarry Road, Hornsby. Luhrmann Environment Management Pty Ltd, Robert Orchard and Sydney Weed and Pest management Pty Ltd all held a licenses associated with <i>'waterways throughout NSW for 'other activities/non-scheduled activity – application of herbicides'</i>. Hornsby Shire Council was issued a license in 1999 for <i>'miscellaneous licensed</i> 	Former Licenced Activities Data Source: EPA.

Potential Sources	Notes	Information Source
	<p><i>discharge to waters (at any time)</i> at 203 Pacific Highway, Hornsby (Hornsby Aquatic Centre)</p> <p>Further, one licence was held by Laing O'Rourke Australia Construction Pty Ltd for <i>'railway systems activities'</i> in the rail corridor between Pretoria Parade, Waitara and Colah Road, Asquith, Hornsby. This area is located 300 m east of the site.</p>	
Delicensed activities regulated by the EPA	<p>There are two delicensed activities within 1000 m of the site that are still regulated by the EPA (LotSearch, 2019).</p> <ul style="list-style-type: none"> • Rail Corporation NSW held a license for <i>'hazardous, industrial or group A waste generation or storage'</i> at their Hornsby Maintenance Centre at 1B Stephen St in Hornsby. This Maintenance Center is located 352 m north east of the site. • Ausgrid held a license for <i>'hazardous, industrial or group A waste generation or storage'</i> at Energy Australia, located at 51-59 Bridge Road, 795 m east of the site. 	Delicensed Activities Data Source: EPA.

2.4.1 NSW and local heritage register

LotSearch compiled a list of heritage items within 1000 m of the site. No records pertained to the Commonwealth Heritage List, the National Heritage List or the State Heritage Register – Curtilages (LotSearch, 2019). Several records pertaining to the Environmental Planning Instrument – Heritage were within the site and surrounds. The *'Diatreme Hornsby Quarry and surrounding vegetation'*, *'Hornsby Park, Lone Pine and sandstone steps'*, *'TAFE College buildings 'K' and 'M' and grounds (excluding other buildings)'*, *'Old Man's Valley Cemetery, including Higgins' Family Cemetery, sandstone receptacle and cool room'*, *'Peats Ferry Road Precinct, Hornsby West Side Heritage Conservation Area'* and the *'Sandstone steps'* are classified as 'Item – Landscape, Archaeological or General' in the Hornsby Local Environmental Plan, published in 2013. GHD understand from Council that Lone Pine was removed when the Hornsby aquatic centre was constructed.

2.4.2 SafeWork NSW Hazardous Chemicals Site Search

GHD ordered a SafeWork NSW site search on 1 August 2019 which was returned on 27 August 2019. The search identified several copies of documents held by SafeWork NSW on record number 35/010344.

The documents include a request from Caltex Oil (Australia) Pty Ltd to install a "2,000 gallon underground tank and one single electric pump for dispensing gasoline" in the former workshop area. Additional documents show an application to keep 500 non electric and 500 electric detonators, 5000 kilograms of Type E blasting explosives and 5000 litres of petrol on site. The exact storage locations are unclear, although it appears the petrol was stored in the UST at the former workshop area.

A copy of the search is provided in Appendix B.

2.5 Previous investigations

Several third party documents were provided to GHD by Council for review. The following are relevant to this contamination investigation:

- Parsons Brinckerhoff (PB) (2004), Hornsby Quarry and Environs Land Capability Study and Master Plan: Land Capability Study, October 2004.
- PB (2004), Hornsby Quarry and Environs Land Capability Study and Master Plan: Volume 1 – Technical Investigations, October 2004.

2.5.1 PB, 2004: Land Capability Study

The Council engaged PB to undertake a Land Capability Study for the site to '*identify important issues that need to be considered when planning for future rehabilitation and management of the Hornsby Quarry and surrounding land in Old Mans Valley*' (Parsons Brinckerhoff, 2004). As part of this Study, two technical volumes were created that provided detailed findings on a number of technical investigations. One such investigation was for contamination. This document provided a high level overview of the contamination investigation, as summarised below:

A number of potential contamination within the site area were identified:

- Workshop area;
 - Buildings
 - Fuel storage and dispensing facilities
 - Electrical transformer
- Crushing plant facility (GHD note that investigation of the crushing plant was not included in this DSI as it will not form part of the redevelopment plans for the quarry)
- Explosive magazines near the cemetery (GHD note that investigation of the cemetery was not included in this DSI as it will not form part of the redevelopment plans for the quarry)
- Detonator magazine west of the quarry pit
- Fill areas
- Degraded site buildings on Quarry Road

The identified potential contaminants of concern included;

- Total petroleum hydrocarbons (TPH)
- Benzene, toluene, ethylbenzene and xylenes (BTEX)
- Polycyclic aromatic hydrocarbons (PAH)
- Organochlorine pesticides (OP)
- Polychlorinated biphenyls (PCBs)
- Volatile halogenated compounds (VHC)
- Semi-volatile organic compounds (SVOC)
- Heavy metals

PB recognised these contamination areas *present a moderate development constraint, but they do not prohibit development*. PB recommended that all areas of potential contamination be further investigated and in some cases remediation may be required.

2.5.2 PB, 2004: Technical Investigations

The Council engaged PB to undertake a Phase 1 Environmental Site Assessment of the site. This included the review of historical documentation, including a WorkCover NSW Dangerous Goods Licence information and records, NSW EPA notices, property records, land title information and aerial photographs.

A review of the title information and aerial photographs indicated that the site was used as market gardens and orchard cultivation from the 1820s to the 1960s. Parts of the site were leased to Hornsby Blue Metal Limited in 1924. Hornsby Blue Metal Limited acquired the majority of the site between 1960 and 1968. Site quarrying infrastructure was constructed by 1969. Extensive quarrying activities appeared to have ceased by late 1992.

WorkCover NSW records confirmed a UST was located in the vicinity of the office and workshop area, and was used to store petrol. The initial UST had the capacity to hold 9,000 L. This tank was replaced in 1968 with a smaller capacity tank (4,500 L). The UST was reported to have been removed in 1997/98. PB is not aware of any reports relating to the removal of this UST. Two above ground storage tanks (ASTs) are located in the same area. These were used to store diesel and have the capacity to hold 30,000 L and 25,000 L. These remain on site in a bunded area.

Also in this area was a detonator magazine used to store up to 5,000 detonators. All detonators and explosives were utilised prior to the cessation of quarrying activities on site. GHD did not observe this magazine during their site visit.

Council records obtained by PB indicated that parts of the site was used for the purposes of an extractive industry until early 1999, and that landfilling occurred in the late 1980s.

Previous investigation reports reviewed by PB did not focus on contamination aspects of the site, and as such, are not summarised in this technical investigation.

A site investigation was undertaken by PB in 2004. At the time of the investigation, the quarry workings consisted of a single large pit. No infrastructure was observed within the quarry and former access roads were unsealed. The two diesel ASTs were observed in the workshop area, along with a waste oil AST with a capacity of 2,000 to 5,000 L. GHD note that the waste oil AST was not observed during their site visit. All ASTs were reported to be in covered, bunded areas. A number of buildings in this area were reported, some of which were constructed with fibrous cement sheeting. These buildings were not present during GHD's site walkover. Numerous 44 gallon drums noted to have contained diesel oil were stored on site, but were not observed by GHD. A transformer was also noted in the workshop area at the time of the PB inspection, however, it was not observed during the GHD site walkover.

PB identified a number of areas of environmental concern as a result of this Phase 1 Environmental Site Assessment. These are summarised in Section 2.5.1. To address the potential contamination issues identified within the study area, PB recommended a *Phase 2 Detailed Site Investigation be scoped and implemented as part of future management principles* for the site (Parsons Brinckerhoff, 2004).

2.5.3 GHD Pty Ltd, May 2019. Hornsby Quarry Rehabilitation EIS – Geophysical Investigation Report

This report details the geophysical investigation of the UST at the former workshop area with the use of ground penetrating radar (GPR). The survey determined that the UST is slightly smaller than the overlying concrete slab, at approximately 8600 mm x 4500 mm. The GPR reflection suggested that the depth to the top of the top underneath the slab is approximately 700 mm below surface. A measuring tape placed within the sump/downpipe hit the assumed base of the tank at 2500 mm depth. A dipstick removed from the tank indicated there was 50 mm of hydrocarbon residue at the base of the tank.

3. Preliminary conceptual site model

A conceptual site model (CSM) is a representation of site-related information regarding contamination sources, receptors and exposure pathways between those sources and receptors. The development of a preliminary CSM is an essential part of all site assessments and provides the framework for identifying contamination sources and how potential receptors may be exposed to contamination.

Based on the information collected as part of this assessment, the following CSM has been developed for the potential on-site sources of contamination. A figure outlining the locations of these potential sources is presented as Figure 2, Appendix A.

3.1 Potential Sources of Contamination

Sources of potential contamination were identified during site visit, desk based searches and previous investigations are considered to include the following:

Historical Sources

- Workshop area
 - Buildings, some of which were constructed with fibrous cement sheeting
 - Waste oil AST with a capacity of 2,000 to 5,000 litres
 - Electrical transformer
 - Numerous 44 gallon drums, previously holding diesel oil
 - Detonator magazine west of the quarry pit
 - Areas of the site previously used for farming practices

Current sources

- Two bunded aboveground storage tanks (ASTs) (one empty, one containing diesel fuel) underneath an awning
- One petrol UST
- One fuel bowser (and potentially related underground petroleum storage systems)
- One small locked, inaccessible and heavily corroded metal building, possibly used for tool storage
- Fill areas located to the North, East and Southwest of the quarry

3.1.1 Contaminants of concern

- Total recoverable hydrocarbons (TRH)
- Benzene, toluene, ethylbenzene and xylenes (BTEX)
- Polycyclic aromatic hydrocarbons (PAH)
- Organochlorine pesticides (OCP) and organophosphorus pesticides (OCP)
- Polychlorinated biphenyls (PCBs)
- Volatile halogenated compounds (VHC)
- Semi-volatile and volatile organic compounds (SVOC, VOC)
- Heavy metals
- Asbestos

3.2 Pathways

Potential pathways are detailed below:

- Direct contact (ingestion and/or dermal).
- Volatilisation of vapours and accumulation in soil and voids (inhalation).
- Leaching from subsurface soils / vertical migration to groundwater.
- Lateral migration via impacted surface water.
- Lateral migration via impacted groundwater

3.3 Receptors

When evaluating potential adverse health / environmental effects from exposure to a contaminated site, all potentially exposed populations should be considered. For the site, the key populations or receptors of interest are considered to include:

- Current and future intrusive maintenance (utility) or construction workers (excavations).
- Future recreational users of the site.
- Groundwater underlying the site.
- Ecological systems such as the tributaries to Jimmy Bancks Creek, Waitara and/or Berowra Creeks and natural vegetation.
- Offsite residential (south and north) and commercial (east) receptors.

3.4 Potential source-pathway-receptor linkages

Based on the current information, a tabulated conceptual site model (CSM) has been developed as presented in Table 4. The CSM shows the source-pathway-receptors (SPR) linkages identified for the site and a discussion on where they are likely to be complete or incomplete.

Table 4 Preliminary conceptual site model

Area	Potential contaminant source	COPC	Potential Pathways	Potential Receptors	SPR Linkage complete?
Workshop area					
Current and former buildings	Fibrous cement sheeting	Asbestos	Direct contact (inhalation)	Current and future intrusive maintenance (utility) or construction workers (excavations). Future recreational users of the site.	Incomplete - It is understood that the buildings constructed from fibrous material were removed in the early 2000s. No fragments were observed during the site walkover.
	Degradation of metal surfaces / former paints	Heavy metals	Direct contact (ingestion and/or dermal).	Current and future intrusive maintenance (utility) or construction workers (excavations). Future recreational users of the site.	Possible – If soils are impacted with heavy metals then direct contact with soils could result in a complete source-pathway-receptor linkage.
			Lateral migration via impacted groundwater	Groundwater and ecological systems such as the tributaries to Waitara and/or Berowra Creeks and natural vegetation	Unlikely - Groundwater in the area is deep and therefore a source receptor pathway is considered incomplete for this area.
Two bunded diesel ASTs underneath an awning.	Diesel fuel	Heavy metals, TRH, BTEX, PAHs	Direct contact (ingestion and/or dermal).	Current and future intrusive maintenance (utility) or construction workers (excavations). Future recreational users of the site.	Unlikely - Although Council has indicated it will not remove the ASTs in the proposed development, the bunding appears in good condition and there is no evidence of leaks (such as odours or staining) outside the bund walls. GHD is unaware of any documented leaks or releases of fuel.
			Lateral migration via impacted groundwater	Groundwater and ecological systems such as the tributaries to Jimmy Bancks Creek, Waitara and/or Berowra Creeks and natural vegetation	
			Lateral migration via impacted groundwater, volatilisation of vapours gas and accumulation in building voids (inhalation).	Offsite residential (south and north) and commercial (east) receptors.	
			Volatilisation of vapours and accumulation in soil and building voids (inhalation).	Current and future intrusive maintenance (utility) or construction workers (excavations). Future recreational users of the site.	
Former waste oil AST with a capacity of 2,000 to 5,000 L.	Waste oil	Heavy metals, TRH, BTEX, PAHs	Direct contact (ingestion and/or dermal).	Current and future intrusive maintenance (utility) or construction workers (excavations). Future recreational users of the site.	Incomplete – The former waste oil AST was located in a covered and bunded area, and was removed prior to GHD's visit. Therefore the potential for historical spills to impact human health, soils or groundwater, (which is deep at this location) is considered unlikely.
			Lateral migration via impacted groundwater	Groundwater and ecological systems such as the tributaries to Jimmy Bancks Creek, Waitara and/or Berowra Creeks and natural vegetation	
			Lateral migration via impacted groundwater, volatilisation of vapours gas and accumulation in building voids (inhalation).	Offsite residential (south and north) and commercial (east) receptors.	
			Volatilisation of vapours and accumulation in soil and building voids (inhalation).	Current and future intrusive maintenance (utility) or construction workers (excavations). Future recreational users of the site.	
Petrol UST	Petrol	Heavy metals, TRH, BTEX	Direct contact (ingestion and/or dermal).	Current and future intrusive maintenance (utility) or construction workers (excavations). Future recreational users of the site.	Human health - Possible - Former or ongoing leaks may have occurred. Human contact with impacted soil is a potentially complete source-pathway-receptor linkage. Groundwater and Ecosystem - Unlikely - Groundwater in the area is deep and therefore a groundwater and ecosystem source receptor pathway is considered incomplete for this area.

Area	Potential contaminant source	COPC	Potential Pathways	Potential Receptors	SPR Linkage complete?
			Lateral migration via impacted groundwater	Ecological systems such as the tributaries to Jimmy Bancks Creek, Waitara and/or Berowra Creeks and natural vegetation	
			Lateral migration via impacted groundwater, volatilisation of vapours gas and accumulation in building voids (inhalation).	Offsite residential (south and north) and commercial (east) receptors.	
			Volatilisation of vapours and accumulation in soil and building voids (inhalation).	Current and future intrusive maintenance (utility) or construction workers (excavations).	
				Future recreational users of the site.	
Former electrical transformer	Transformer oil	TRH, PAH, PCBs	Direct contact (ingestion and/or dermal).	Current and future intrusive maintenance (utility) or construction workers (excavations).	<p>Human Health - Possible - The size, condition, exact location and removal records of the transformer are unknown. No records are available to suggest the transformer was banded or situated on hardstand. However, it is assumed that the transformer was removed using best practice during the redevelopment.</p> <p>Groundwater and Ecosystem - Unlikely - Groundwater in the area is deep and therefore a groundwater and ecosystem source receptor pathway is considered incomplete for this area.</p>
				Future recreational users of the site.	
			Lateral migration via impacted groundwater	Groundwater and ecological systems such as the tributaries to Jimmy Bancks Creek, Waitara and/or Berowra Creeks and natural vegetation	
			Leaching from subsurface soils / vertical migration to groundwater.		
			Lateral migration via impacted groundwater, volatilisation of vapours gas and accumulation in building voids (inhalation).	Offsite residential (south and north) and commercial (east) receptors.	
			Volatilisation of vapours and accumulation in soil and building voids (inhalation).	Current and future intrusive maintenance (utility) or construction workers (excavations).	
				Future recreational users of the site.	
Numerous 44 gallon drums, previously holding diesel oil	Diesel fuel	Heavy metals, TRH, BTEX, PAHs	Direct contact (ingestion and/or dermal).	Current and future intrusive maintenance (utility) or construction workers (excavations).	<p>Possible - The size, condition, exact location and removal records of the 44 gallon drums are unknown. No records are available to suggest the drums were banded or situated on hardstand. However, it is assumed that the drums were removed using best practice during redevelopment</p> <p>Groundwater and Ecosystem - Unlikely - Groundwater in the area is deep and therefore a groundwater and ecosystem source receptor pathway is considered incomplete for this area</p>
				Future recreational users of the site.	
			Lateral migration via impacted groundwater	Ecological systems such as the tributaries to Jimmy Bancks Creek, Waitara and/or Berowra Creeks and natural vegetation	
			Lateral migration via impacted groundwater, volatilisation of vapours gas and accumulation in building voids (inhalation).	Offsite residential (south and north) and commercial (east) receptors.	
			Volatilisation of vapours and accumulation in soil and building voids (inhalation).	Current and future intrusive maintenance (utility) or construction workers (excavations).	
				Future recreational users of the site.	
Fill Areas					
Southwest North East	Potential fill other than that derived from quarrying operations	Heavy metals, TRH, BTEX, PAHs, OCP OPP, PCBs, asbestos and any other contaminants	Direct contact (ingestion and/or dermal).	Current and future intrusive maintenance (utility) or construction workers (excavations).	<p>Possible - The contamination status of the fill is unknown. It is likely to be mostly overburden from quarrying activities, however uncontrolled fill could be present from past activities. It is understood that much of the fill in the south-western area will be removed and used to further fill the quarry pit in the proposed development, the fill from the northern fill area will be levelled</p>
				Future recreational users of the site.	

Area	Potential contaminant source	COPC	Potential Pathways	Potential Receptors	SPR Linkage complete?
		associated with unknown fill.	<p>Lateral migration via impacted groundwater</p> <p>Leaching from subsurface soils / vertical migration to groundwater.</p> <p>Lateral migration via impacted groundwater, volatilisation of vapours gas and accumulation in building voids (inhalation).</p> <p>Volatilisation of vapours and accumulation in soil and building voids (inhalation).</p>	<p>Ecological systems such as the tributaries to Jimmy Bancks Creek, Waitara and/or Berowra Creeks and natural vegetation</p> <p>Offsite residential (south and north) and commercial (east) receptors.</p> <p>Current and future intrusive maintenance (utility) or construction workers (excavations).</p> <p>Future recreational users of the site.</p>	and the fill from the eastern area will remain in situ with minor levelling to create playing fields.
Areas of the site previously used for farming practices.	Herbicides and pesticides used on the soil.	OCP, OPP	Direct contact (ingestion and/or dermal).	<p>Current and future intrusive maintenance (utility) or construction workers (excavations).</p> <p>Future recreational users of the site.</p>	Incomplete - Farming practices on site ceased nearly 100 years ago and the site was since quarried, moving all potentially contaminated site either offsite or into the fill areas.

4. Data quality objectives

The purpose of establishing Data Quality Objectives (DQO) is to ensure the assessment is undertaken in a way that enables the collection and reporting of reliable data on which to base the assessment.

DQOs have been established for this assessment to assist the design and implementation of data collection activities, to ensure the type, quantity and quality of data obtained are appropriate and address the project objectives. The DQO process described in Schedule B2 of the National Environmental Protection Council (2013) *National Environment Protection (Assessment of Site Contamination) Amendment Measure (No. 1)* (NEPM), was adopted for this project, and involves seven steps:

- Step 1: State the problem
- Step 2: Identify the decisions
- Step 3: Identify inputs to the decision
- Step 4: Define the study boundaries
- Step 5: Develop a decision rule
- Step 6: Specify limits on decision errors
- Step 7: Optimise the design for obtaining data

A description of each DQO step developed for this project is provided in Table 5. Table 1

Table 5 Data quality objectives

Step	Data quality objectives
Step 1 State the Problem	<p>The problem is that potential source-pathway-receptor linkages of contaminants have been identified but not assessed and as such the contamination status of the site is unknown.</p> <p>The objectives of the investigation are to assess whether the potential contamination sources have actually caused site contamination and if these impacts may pose a risk to receptors or affect the proposed future use of the site.</p>
Step 2 Identify the Decision	<p>The decisions for the assessment are the issues that need to be addressed arising from Step 1 and form the basis for risk characterisation:</p> <ul style="list-style-type: none"> • Is contamination present at the site and will the presence of any contamination affect the future use of the site or pose a risk to the identified receptors? • Is there a need for further assessment, remediation and/or management of contamination (if identified)?
Step 3 Inputs to the Decision	<p>The inputs to the decision represent the information and data that will be collected as part of the assessment include:</p> <ul style="list-style-type: none"> • Review of historical land uses and potential sources of contamination identified at the site and on surrounding properties • Review current land uses and practices for potential sources of contaminations at the site and on surrounding properties

Step	Data quality objectives
	<ul style="list-style-type: none"> • Published environmental information for the site, including geological and hydrogeological maps • Review of previous documentation, where available • Drilling and soil sampling from four soil boreholes around the former UST • Sampling from six trenches excavated in the south western and eastern fill areas • Collection of a surface water sample from the onsite stormwater diversion channel • Collection of soil samples from hand bores in the maintenance area and northern fill area • Groundwater at the site is known to be deep and was not intersected during the investigation • Collection and laboratory analysis of soil samples; and • Comparison of the analytical data to applicable investigation levels to evaluate the potential for contamination to adversely impact upon human health and/or environmental receptors.
Step 4 Boundaries of the Study	The lateral boundaries of the study area are the boundaries of the site, as depicted in Figure 1 Appendix A. The vertical boundary of the study area is the depth of investigation (5.0 mbgl at the UST, 1.0 mbgl in the fill areas).
Step 5 Decision Rules	<p>The decision rules adopted in this investigation are as follows:</p> <ul style="list-style-type: none"> • The concentrations of contaminants of potential concern are to be assessed against adopted site investigation levels, which are sourced from the NSW EPA, NEPM, and NEMP endorsed guidelines with reference to site-specific exposure scenarios • If concentrations of contaminants of potential concern are below the adopted investigation levels, then contamination at the site will be considered unlikely to pose an unacceptable risk to identified receptors. In such case, no further investigation, remediation or management is required • Conversely, when concentration(s) of contaminants of potential concern exceed the adopted site investigation levels, further assessment may be required to evaluate the need for additional investigation and / or remediation / management activities
Step 6 Tolerable Limits on Decision Errors	<p>Two types of decision errors are possible:</p> <ul style="list-style-type: none"> • Sampling errors which occur when the sampling program does not adequately detect the variability of a contaminant from point to point across the site, i.e. the samples collected are not representative of the site conditions such that contamination is either missed or overstated • Measurement errors which occur during sample collection, handling preparation, analysis and data reduction <p>To minimise the potential for decision errors, a number of data quality indicators (DQIs) were evaluated, namely representativeness,</p>

Step	Data quality objectives
	completeness, comparability, precision, sensitivity and accuracy. The DQIs were based on those listed in Appendix C of the NEPM.
<p>Step 7</p> <p>Optimisation of the Data Collection Process</p>	<p>For the assessment, the data collected will be optimised by:</p> <ul style="list-style-type: none"> • Engagement of specialist GHD personnel with previous experience in the assessment and remediation of contaminated sites to cover all aspects of the assessment • Laboratory analysis of selected soil samples for identified contaminants of potential concern. Samples were selected on the basis of: <ul style="list-style-type: none"> • The potential for contamination presence in fill materials • Visual and olfactory indications of potential contamination presence observed during the sampling program, as well as Photo Ionisation Detector (PID) screening results • Assessment of data quality with reference to the specified DQIs, to evaluate the reliability and useability of the obtained data • Assessment of laboratory analytical results against adopted criteria

5. Basis of the assessment

5.1 Relevant guidelines

The framework for the contamination assessment made herein, was developed in accordance with guidelines “made or approved”, by the NSW EPA under Section 105 of the *Contaminated Land Management Act, 1997*. These guidelines include, but are not limited to the following:

- NSW EPA (1995) *Contaminated Sites: Sampling Design Guidelines*
- NSW EPA (2011) *Contaminated Sites: Guidelines for Consultants Reporting on Contaminated Sites*
- NEPM (2013) *National Environment Protection (Assessment of Site Contamination) Amendment Measure (No. 1)*, National Environment Protection Council (NEPC)
- NSW EPA (2015) *Guidelines on the Duty to Report Contamination under the Contaminated Land Management Act 1997*
- NSW EPA (2016) *Contaminated land management, Guidelines for the NSW Site Auditor Scheme (3rd Edition)*, 2017

Site investigation levels have been adopted from assessment criteria presented in NEPM (2013) as discussed below. The site is currently zoned as public open space and the intended ongoing land use is for public recreation, therefore recreational land use scenarios have been considered appropriate for the screening criteria, and are discussed in the following sections.

5.2 Soil assessment criteria

5.2.1 Human health criteria

National Environment Protection (Assessment of Site Contamination) Measure 2013 (NEPM) (2013) Health Screening Levels (HSL) C Recreational Soil for Vapour Intrusion, Sand (0 m to < 1 m)

The NEPM (2013) presents Health Screening Levels (HSLs) for fuel derived petroleum hydrocarbons, which are generic criteria based on a series of reasonably conservative assumptions in order to be protective of human health for a variety of land use types. For the purposes of selecting health based investigation levels for recreational soil (HSL-C) are considered to be appropriate for proposed future land use (i.e. public open space).

Note that the NEPM (2013) presents HSLs for vapour intrusion only. For the direct contact pathway, reference has been made to Friebel and Nadebaum (2011) Health Screening Levels for Petroleum Hydrocarbons in Soil and Groundwater CRC Technical Report No 10. The NEPM HSLs are based on the work by Friebel and Nadebaum, however the direct contact pathway was not included into the NEPM (2013).

Cooperative Research Centre for Contamination Assessment and Remediation of the Environment (CRC CARE), Health Screening Levels (HSLs) for Direct Contact, Setting C (Recreational/Open Space) and Direct Contact during intrusive works.

HSLs have been developed for soil vapour, groundwater and soil for petroleum hydrocarbons. HSLs were developed to address an identified need for consistent human health risk assessment for petroleum hydrocarbons in Australian conditions. HSL C refers to sites classified as recreational/ open space.

NEPM (2013) Table 1A (1) Health Investigation Levels (HIL) C Recreational

For non-petroleum hydrocarbons, the NEPM 2013 Health Investigation Levels (HIL) have been adopted. The HILs take into account direct contact pathways, including incidental ingestion and dermal contact. For the purposes of selecting health based investigation levels for recreational soil (HIL-C) are considered to be appropriate for proposed future land use (i.e. public open space).

5.2.2 Ecological criteria

NEPM (2013) Ecological Investigation Levels (EILs) Urban residential – public open space

EILs were developed for common metal contaminants in soil as well as several other compounds based on a species sensitivity distribution model. EILs consider the physiochemical properties of soil and contaminants and the capacity of the soil to accommodate increases in contaminant levels above natural background while maintaining ecosystem protection. EILs apply principally to contaminants in the top two metres of soil at the finished surface/ ground level which corresponds to the root zone and habitation of many species.

5.2.3 Assessment for absence/presence of asbestos in soil.

In alignment with the DQOs set for this investigation, a preliminary assessment on asbestos in soil was undertaken for the site area, where selected soil samples were screened for asbestos using a presence / absence protocol in laboratories. This analytical method does not allow quantification of asbestos concentrations in soil for comparison against the HSL criteria provided in NEPM (2013). Therefore the assessment criterion adopted in this investigation was based on positive or negative identification of asbestos in collected soil samples, as well as identification of asbestos on site during fieldworks.

5.3 Surface water assessment criteria

5.3.1 Human health criteria

The analytical results have not been assessed against drinking water assessment criteria because water from the site is not used as for human consumption, and groundwater is not abstracted from the site for public use or within 1,000 metres of the site.

5.3.2 Ecological criteria

Groundwater was not encountered during drilling at the site, and is understood to be deep. Given that a source-pathway-receptor link is considered incomplete for groundwater, analytical results were not assessed against the NEPM (2013) Groundwater Investigation Levels.

Australian and New Zealand Environment and Conservation Council (ANZECC 2000) Freshwater Quality (low to medium reliability)²

The investigation levels for low reliability fresh water aquatic ecosystems were adopted after consideration of the likely receptors of surface water leaving the site. A species protection level of 95% was adopted to reflect the moderately disturbed setting of the area.

² The ANZAST (2018) criteria were endorsed by NSW EPA under S105 of the CLM Act on 4 September 2018. At the same time the ANZECC (2000) water quality guidelines were revoked. While the ANZAST (2018) have been endorsed, preliminary review of these guidelines by GHD and others has identified a number of discrepancies with ANZECC (2000) which have yet to be clarified. As such, ANZECC (2000) criteria have still been adopted for the purposes of this report until the issues with ANZAST (2018) have been resolved.

5.4 Aesthetic Considerations

ANZECC (2000) Australian and New Zealand Guidelines for Fresh and Marine Water Quality, Volume 1

According to these guidelines, to protect the aesthetic quality of a waterbody:

- The natural visual clarity should not be reduced by more than 20%
- The natural hue of the water should not be changed by more than 10 points on the Munsell Scale
- The natural reflectance of the water should not be changed by more than 50%

6. Methodology

6.1 General

The following section provides details of the sampling and analysis program developed to address the objectives and the scope of works for the project.

6.2 Workplace health and safety

GHD developed a site specific health safety and environment (HSE) plan for the investigation as part of the overall commitment to provide a healthy and safe working environment for staff and contractors. All work employed the use of personal protection equipment (PPE) in accordance with GHD HSE requirements.

The HSE plan included a job safety and environment analysis detailing the step by step procedures of all aspects of the works and associated hazards and control measures to be implemented. The HSE plan was read by and signed by all GHD personnel, and subcontractors and feedback and discussion provided prior to the works commencing. A site specific pre-start safety assessment was conducted before commencing works.

GHD completed a site inspection prior to on-site intrusive works to finalise the proposed borehole, trenching and sampling locations, which included the following:

- Accessibility and appropriateness of each location was checked by GHD's site representative.
- Services clearance was undertaken by a professional underground services locator to further reduce the risk of intersecting subsurface services during the intrusive works, and Dial Before You Dig plans were also referenced.

6.3 Sampling locations and details

Drilling, trenching, soil and water sampling was undertaken by an environmental engineer and a geologist from GHD on 6 August 2019. Sampling locations across the site were selected to target possible sources of contamination (i.e. fill, former diesel UST etc.) as identified in the site walkover, and to provide an assessment of the whole site based on information collected during the desktop review and site walkover.

Drilling subcontractors, Stratacore, completed four boreholes (BH01 – BH04) using a trailer mounted geoprobe rig, at the former workshop area around the UST and the ASTs. Drilling included a combination of push tube and solid flight auger drilling according to ground conditions. In addition to these holes, three shallow, hand augered boreholes (BH05-BH07) were drilled in selected locations around the workshop area.

Council provided a 12-tonne excavator and operator to complete three trenches at selected locations at the south-western fill area (TPW1 – TPW3), and the eastern fill area (TPE1 – TPE3). Trenches were completed to a depth of 1.0 mbgl (or refusal, whichever came first), and ranged from 3.2 – 5.0 metres wide depending on refusal.

Due to the steepness of the slope of the northern fill area, it was determined that safest method of collecting soil samples was to take grab samples collected by hand at three locations (GS01 – GS03).

One surface water sample was taken from the diversion channel which runs along the base of the northern fill area to test for run-off from the northern fill slope (SW01). An additional surface

water sample was planned for following a major rain event, however the climate remained dry throughout the investigation period, and the additional sample could not be taken.

The sampling locations completed are shown on Figure 3, Appendix A, and summarised in

Table 6 Soil sampling investigation summary

Sample ID	Coordinates (MGA 56)		Hole Depth (mbgl)	Analytes	Targeting rationale
	Easting (m E)	Northing (m S)			
BH01	322907.12	6269830.13	4.10	Heavy metals, TRH, BTEXN, PAH, phenols, PCB, VOCs, SVOCs, asbestos	Former workshop area - UST (western side)
BH02	322909.03	6269820.36	4.50	Heavy metals, TRH, BTEXN, PAH, phenols, PCB, VOCs, SVOCs	Former workshop area - UST (southern side)
BH03	322914.33	6269822.87	6.0	Heavy metals, TRH, BTEXN, PAH, phenols, PCB, VOCs, SVOCs	Former workshop area - UST (eastern side)
BH04	322917.08	6269829.27	5.0	Heavy metals, TRH, BTEXN, PAH, phenols, PCB, VOCs, SVOCs	Former workshop area - AST (eastern side)
BH05	322900.12	6269812.63	0.3	Heavy metals, TRH, BTEXN, PAH, phenols, PCB, VOCs, SVOCs, asbestos	Former workshop area - general
BH06	322898.84	6269809.42	0.4	Heavy metals, TRH, BTEXN, PAH, phenols, PCB, VOCs, SVOCs, asbestos	Former workshop area – general
BH07	322894.96	6269815.34	0.3	Heavy metals, TRH, BTEXN, PAH, phenols, PCB, VOCs, SVOCs, asbestos	Former workshop area western (rear) side of locked metal building
GS01	323164.05	6269931.78	0.1	Heavy metals, TRH, BTEXN, PAH, OCP, OPP	Northern fill area – grab sample
GS02	323163.84	6269942.87	0.1	Heavy metals, TRH, BTEXN, PAH, OCP, OPP	Northern fill area – grab sample
GS03	323129.75	6269931.14	0.1	Heavy metals, TRH, BTEXN, PAH, OCP, OPP	Northern fill area – grab sample
TPW1	322893.58	6269555.14	1.0	Heavy metals, TRH, BTEXN, PAH, OCP, OPP	South-western fill area
TPW2	322862.91	6269574.10	1.0	Heavy metals, TRH, BTEXN, PAH, OCP, OPP	South-western fill area

Sample ID	Coordinates (MGA 56)		Hole Depth (mbgl)	Analytes	Targeting rationale
	Easting (m E)	Northing (m S)			
TPW3	322860.84	6269600.47	1.0	Heavy metals, TRH, BTEXN, PAH, OCP, OPP	South-western fill area
TPE1	323431.90	6269762.78	1.0	Heavy metals, TRH, BTEXN, PAH, OCP, OPP	Eastern fill area
TPE2	323436.55	6269651.60	1.0	Heavy metals, TRH, BTEXN, PAH, OCP, OPP	Eastern fill area
TPE3	323357.07	6269647.14	0.8	Heavy metals, TRH, BTEXN, PAH, OCP, OPP	Eastern fill area
SW01	323027.23	6269959.09	-	Heavy metals, TRH, BTEXN, PAH, OCP, OPP	Diversion channel along base of northern fill slope

Heavy metals (arsenic, cadmium, chromium, copper, lead, mercury, nickel, zinc)

Soil sampling method

During drilling, disturbed soil samples were collected whenever the geology changed, any visual or olfactory contamination was noted and/or at the intervals below.

- 1 sample between 0.0 – 0.5 mbgl.
- 1 sample between 0.5 – 1.0 mbgl.
- 1 sample between 1.0 – 2.0 mbgl, and 1 every meter to the target depth.

For the trenches, samples were taken lengthwise along the pit, at one metre intervals.

All samples were collected in accordance with GHD's Standard Field Operating Procedures to ensure that representative samples were collected, information was accurately recorded and quality control maintained throughout the investigation.

Soils penetrated during the investigation were described in general accordance with the Unified Soil Classification system, with features such as seepage, discolouration, staining, odours and other indications of contamination being noted (refer to Appendix I – Bore Logs).

A visual assessment was made of all samples for the potential presence of contamination and/or asbestos.

A small portion of soil was separated from each sample and placed in to zip lock bags for field vapour/headspace screening using a PID. PID readings of collected soil samples and visual and olfactory evidence of potential contamination were recorded on the borehole logs. Copies of the borehole logs including observations and PID readings are included in **Appendix D**.

Waste soil generated during drilling of the soil bores was used to backfill the soil bores following sampling. At completion of sampling, soil bores and trenches were backfilled and the surface re-instated.

Surface water sampling

A single surface water sample was collected from a selected location along the diversion channel which runs along the base of the northern fill slope. The sample was collected in

accordance with GHD's Standard Field Operating Procedures to ensure that the information was accurately recorded and quality control maintained throughout the investigation.

Sample handling, storage and transportation

Samples for chemical analysis were immediately placed into laboratory supplied, appropriate sampling containers. Samples for asbestos screening analysis were placed into zip lock bags. Collected samples were then stored in ice-chilled cool boxes prior to and during transit to the nominated analytical laboratories.

6.4 Laboratory analysis

Selected soil samples were submitted to a NATA certified testing laboratory (MGT Eurofins). A summary of the laboratory results is provided on the tables in **Appendix B** with laboratory analytical certificates in **Appendix E**.

A summary of the analytical schedule is presented in Table 7.

Table 7 Analytical schedule

Sample site	Contaminants of Potential Concern (COPC)	Primary samples analysed	Duplicate samples analysed	Total number of samples
South-western and eastern trenches	Heavy metals, TRH, BTEXN, PAH, OCP, OPP	18	4	22
Workshop area	Heavy metals, TRH, BTEXN, PAH, phenols, PCB, VOCs, SVOCs, asbestos	12	2	13
Northern fill area	Heavy metals, TRH, BTEXN, PAH, OCP, OPP	3	-	3
Surface water	Heavy metals, TRH, BTEXN, PAH, OCP, OPP	1	-	1
QA/QC: Trip spikes (BTEX) - minimum of one spike per shipment of samples sent to laboratory				1
QA/QC: Rinsate (heavy metals) - minimum of one rinsate per day collected from drilling rods / sample tools				1

7. Quality assurance and quality control

7.1 Field program

Fieldwork was conducted in general accordance with GHD's Standard Field Operating Procedures which are aimed at ensuring that all environmental samples are collected by a set of uniform and systematic methods, as required by GHD's Quality Assurance system. Key requirements of these procedures are as follows:

- Appropriately trained and experienced staff who documented site activities using photographs and notes on standard field forms such as daily site records and sampling logs;
- Decontamination procedures - including the use of new disposable gloves for the collection of each sample, decontamination of the sampling equipment between each sampling location (using phosphate free detergent) and the use of dedicated laboratory provided sampling containers;
- Logging procedures - all samples are described using a recognised system;
- Calibration procedures - all field monitoring equipment is appropriately calibrated;
- Sample identification procedures - collected samples were immediately transferred to sample containers of appropriate composition and preservation for the required laboratory analysis. All sample containers were clearly labelled with a sample number, sample location, sample depth (for soil samples) and sample date. The sample containers were then transferred to an ice filled cooler for sample preservation during shipment to the testing laboratory; and
- Chain of custody information requirements - a chain-of-custody form was completed and forwarded to the testing laboratory.

7.2 Field quality control

Field quality control procedures used during the project comprised the collection and analysis of the following:

- **Intra-laboratory (blind) duplicates:** Comprise a single sample that is divided into two separate sampling containers. Both samples are sent to the project laboratory. Blind duplicates provide an indication of the analytical precision of the laboratory, but are inherently influenced by other factors such as sampling techniques and sample media heterogeneity. Blind duplicates were collected and analysed during the investigation at a frequency of 12%.
- **Inter-laboratory (split) duplicates:** Comprise a single sample that is divided into two separate sampling containers. One of these samples is sent to the primary analytical laboratory, whilst the remaining sample is submitted to an independent secondary laboratory for the identical suite of analysis. Split samples are prepared and analysed in order to check the accuracy of data generated by the primary laboratory. Split duplicates were collected and analysed during the investigation at a frequency of 6%
- **Rinsate:** A sample of analyte free water poured over decontaminated field sampling equipment prior to the collection of soil samples. The rinsate sample is used to assess the adequacy of the decontamination process. One rinsate sample was collected as part of this investigation.

7.3 Laboratory program

The project laboratories adopted their internal procedures and NATA accredited methods in accordance with their quality assurance system.

7.3.1 Laboratory quality control

Laboratory quality control procedures used during the project included:

- **Laboratory duplicate samples:** The analytical laboratory collects duplicate sub samples from one sample submitted for analytical testing at a rate equivalent to one in twenty samples per analytical batch, or one sample per batch if less than twenty samples are analysed in a batch. A laboratory duplicate provides data on the analytical precision and reproducibility of the test result.
- **Spiked Samples:** An authentic field sample is 'spiked' by adding an aliquot of known concentration of the target analyte(s) prior to sample extraction and analysis. A spike documents the effect of the sample matrix on the extraction and analytical techniques. Spiked samples are analysed for each batch where samples are analysed for organic chemicals of concern.
- **Certified Reference Standards:** A reference standard of known (certified) concentration is analysed along with a batch of samples. The Certified Reference Standard (CRS) or Laboratory Control Spike provides an indication of the analytical accuracy and the precision of the test method and is used for inorganic analyses.
- **Surrogate Standard / Spikes:** These are organic compounds which are similar to the analyte of interest in terms of chemical composition, extractability, and chromatographic conditions (retention time), but which are not normally found in environmental samples. These surrogate compounds are 'spiked' into blanks, standards and samples submitted for organic analyses by gas-chromatographic techniques prior to sample extraction. Surrogate Standard/Spikes provide a means of checking that no gross errors have occurred during any stage of the test method leading to significant analyte loss.
- **Method Blank:** Usually an organic or aqueous solution that is as free as possible of analytes of interest to which is added all the reagents, in the same volume, as used in the preparation and subsequent analysis of the samples. The reagent blank is carried through the complete sample preparation procedure and contains the same reagent concentrations in the final solution as in the sample solution used for analysis. The reagent blank is used to correct for possible contamination resulting from the preparation or processing of the sample.

The laboratory provided this information to GHD. The individual testing laboratory conducted an assessment of the laboratory QC program internally; however, the results were also independently reviewed and assessed by GHD.

7.4 QA/QC Results

7.4.1 Duplicate samples

The results of the comparison of the intra-lab duplicate analyses for soil samples are provided in Table 1 of Appendix E.

There was one duplicate pair for which the RPD exceeded the nominated RPD acceptance criterion of $\pm 30\%$ for arsenic and zinc observed between the primary sample TPW2-3_0.5 and the inter laboratory duplicate QA02

This exceedance is likely to be associated with the heterogeneity of soil. The higher of the two values for the analyte was used as a conservative approach. Given that both of the concentrations slightly exceeded the assessment criteria (<250%) this variation is not considered to affect the outcomes of the investigation and the level of precision is considered to be suitable for the purposes of this investigation.

It was also noted that two duplicate pairs (BH02_0.5-0.6 and QC_01 as well as BH03_4.0-4.1 and QC02) returned RPD values which exceeded the nominated RPD for TRH Fractions C₁₀-C₁₆ minus Napthalene, C₁₀-C₁₆ and C₁₆-C₃₄,

In all cases these RPD exceedances are caused by one very low concentration, less than or slightly higher than the limit of reporting (LOR), and one slightly larger value. This results in a high RPD value. Given that there were no exceedances of the assessment criteria for TRH, this minor variation is not considered to affect the outcomes of the investigation and the level of precision is considered to be suitable for the purposes of this investigation.

7.4.2 Rinsate samples

One rinsate sample was taken off a trowel and analysed following the soil sampling event. There were no detections of any compound that were greater than the laboratory LOR. Given there were no detections of COPCs in the rinsate sample, cross contamination is unlikely to have had any effect on the results of this investigation.

7.4.3 Field QA/QC assessment

The evaluation of the QA/QC procedures relevant to the site investigation works has been conducted with reference to Appendix V of the *DEC (2006) Guidelines for the NSW Site Auditor Scheme (2nd edition)*. A summary of the evaluation made is presented in Table 8.

Table 8 Field QA/QC assessment

QA/QC Assessment	Comment
QA/QC program includes replicate samples	33 primary soil samples were analysed as part of the soil investigation with six duplicate samples analysed. This meets the program requirements. One primary surface water sample was collected, no duplicate surface water samples were collected.
All relevant media assessed	Soil and surface water samples were collected as proposed for the site investigation.
Appropriateness of sampling strategy	The sampling strategy devised for the investigation was as follows: <ul style="list-style-type: none"> • Site walkover and inspection of the site to identify sources of potential contamination; • Review of historical information to identify potential areas of concern; and • Targeted sampling of known / possible sources of contamination.
Sample collection, handling and transportation procedures	The works for the site investigation were conducted with reference to GHD's standard operating procedures and are therefore considered appropriate for the purpose of this assessment.
Sampling is representative of site conditions	Soil samples were collected directly from the hand auger and/or push tube and care was taken to sample from larger clods of soil that had not been on contact with the auger blades.

QA/QC Assessment	Comment
Field QA/QC plan	<p>Samples were placed into ice filled coolers and submitted to a NATA accredited laboratory under chain of custody documentation. The sample receipt notifications and laboratory transcripts indicated that the samples were received cool.</p> <p>Samples were analysed within the appropriate holding times. Copies of the chain of custody forms, sample receipt notification identifying the samples collected, the requested analytes and the date of collection are included in Appendix F.</p>

7.4.4 Laboratory QA/QC assessment

Table 8-2 provides an overview of the laboratory QA/QC quality controls.

Table 9 Laboratory QA/QC assessment

QA/QC Assessment	Comment
Appropriate methodologies used for sample analyses	<p>All laboratory transcripts were NATA stamped and signed by a NATA signatory. The primary laboratory used in this investigation was:</p> <ul style="list-style-type: none"> • Eurofins MGT (Sydney) <p>Statistical data presented in the laboratory QA/QC reports were considered adequate in demonstrating the precision and accuracy of the methods used to analyse field samples.</p>
Appropriate limit of reporting (LORs)	<p>The laboratory LOR was lower than the adopted assessment criteria in all cases therefore the LOR's were considered appropriate. The exception to this was that several of the surface water criteria were less than the laboratory LOR. While there is a potential for minor exceedances of the surface water criteria, this is considered unlikely given there were no detections of any COPCs.</p>
Laboratory QA/QC plan	<p>Copies of signed chain of custody forms are presented in Appendix F of the report. All soil samples were received and analysed within the specified laboratory holding times.</p> <p>The analytical methods used are documented on the laboratory reports presented in Appendix F.</p> <p>Laboratory quality control samples included laboratory control samples, internal duplicates, matrix spike and matrix spike duplicates and method blanks. The types of QA/QC samples analysed by the laboratory were considered appropriate to assess the precision and accuracy of the laboratory methods used. There were two samples for which the matrix spike recovery was outside of the recommended acceptance criteria indicating a sample matrix interference.</p> <p>The statistical data presented in the laboratory QA/QC reports is generally considered adequate in demonstrating the precision and accuracy of the methods used to analyse field samples.</p> <p>Copies of the laboratory QA/QC reports are provided in Appendix F.</p>

8. Results

8.1 Visual Observations

8.1.1 Former workshop area

Four push tube / solid stem drilled augered boreholes (BH01 – BH04) and three shallow hand augered holes (BH05 – BH07) were completed at the former workshop area.

Lithology encountered at all locations was fairly consistent, comprising the following:

- Coarse grained, dark grey, gravelly sand fill of variable thickness from surface to 5.0 mbgl, Gravel fragments generally consisted of angular basalt
- A layer of mottled creamy - orange clays and sandy clay with medium to high plasticity at variable depths from 0.5 to 4.0 mbgl
- Possible natural sandy clays from 4.9 to 6.0 mbgl

Additional observations of note during drilling included:

- Fragments of concrete were intersected at 1.0 mbgl in BH02, and at 0.5 in BH03, indicating the boreholes intersected the edges of the UST foundations
- Hydrocarbon staining and odour in gravelly to clayey sand fill material at BH02 from 0.4 – 0.6 mbgl, and BH03 from 4.0 – 4.1 mbgl, and 4.4 – 4.5 mbgl. Slightly elevated PID readings above background were recorded for these samples (see borehole logs, Appendix D)
- Groundwater was not encountered during drilling.

GHD note that visual and olfactory indicators of hydrocarbon contamination, in addition to raised PID levels, were observed at levels below the base of the UST, suggesting that hydrocarbons have leaked from the tank and subsequently migrated vertically downwards through the soil profile.

8.1.2 South-western fill area

Three trenches (TPW1 – TPW3) were excavated across selected areas of the south-western fill area. The trenches intersected brown gravelly sands with mottled red and tan clays.

Anthropogenic fill materials were intersected at TPW2 and included rubber matting, metal rods and wire, plastic sheeting and piping, string and a rubber tyre, suggesting an area of rubbish dumping. Given the presence of anthropogenic materials, consideration should be given to the aesthetics of the final ground surface.

8.1.3 Eastern fill area

Three trenches (TPE1 – TPE3) were excavated at selected sites across the eastern fill area. The trenches intersected tightly compacted brown sandy gravel and sand fill, with anthropogenic materials including metal and plastic piping in all three trenches. Given the presence of anthropogenic materials, consideration should be given to the aesthetics of the final ground surface.

8.1.4 Northern fill area

The northern fill slope is very steep, and three shallow grab samples (GS01 – GS03) were taken at selected locations based on safety and accessibility. The slope material is comprised of loose gravels and rocks with fine grained clay and sand soil. Rock material appears to be consistent with mafic (basaltic) breccia derived from the quarry diatrema. Large, mature trees cover much

of the upper slope, with some land slip scars apparent at lower levels indicating the instability of the slope.

8.1.5 Surface water – diversion channel

A sample of surface water (SW01) was taken from a section of ponded water within the diversion channel. The water along the channel was not flowing at the time of sampling, having formed into several ponded sections along its length. The sampled water was clear and free of sheen and odour. Allowance was made in the proposal for a second water sample to be taken following a rain event. No such event occurred during the sample program, and as a result the second sample was not taken.

8.2 Soil analytical Results

A total of 33 primary soil samples were analysed for various contaminant suites depending on the sampling location. The results of laboratory analysis are presented in Table 2 of Appendix E, and exceedances are summarised in Table 10 below.

Table 10 Soil analytical criteria exceedance summary

Sampling area	Sampling methodology	Sample IDs	Results/ Exceedances
Petrol UST	Push tube or solid stem auger drilling	BH01 – BH04	<ul style="list-style-type: none"> 4 out of the 9 samples analysed exceeded the NEPM 2013 EIL- Urban Residential - Public Open Space guideline for nickel at 0 – 2 mbgl (30 mg/kg) with concentrations ranging between 62 – 120 mg/kg 1 out of the 9 samples analysed exceeded the NEPM 2013 EIL- Urban Residential - Public Open Space guideline for zinc at 0 – 2 mbgl (70 mg/kg) with a concentration of 78 mg/kg
Former workshop area – general	Surface samples using a hand auger	BH05 – BH07	<ul style="list-style-type: none"> All nickel concentrations exceeded the NEPM 2013 EIL-Urban Residential - Public Open Space guideline (30 mg/kg) with concentrations ranging between 110 – 130 mg/kg All zinc concentrations exceeded the NEPM 2013 EIL- Urban Residential - Public Open Space guideline (70 mg/kg) with concentrations ranging between 87 – 130 mg/kg
Eastern fill	Trenches	TPE1 - TPE3	<ul style="list-style-type: none"> 1 out of the 9 samples analysed exceeded the NEPM 2013 EIL- Urban Residential - Public Open Space guideline for nickel at 0 – 2 mbgl (30 mg/kg) with a concentration of 50 mg/kg
Southwest fill	Trenches	TPW1 - TPW3	<ul style="list-style-type: none"> All nickel concentrations exceeded the NEPM 2013 EIL- Urban Residential - Public Open Space guideline for nickel at 0 – 2 mbgl (30 mg/kg) with concentrations ranging between 56 – 150 mg/kg

Sampling area	Sampling methodology	Sample IDs	Results/ Exceedances
			<ul style="list-style-type: none"> 4 out of the 9 samples analysed exceeded the NEPM 2013 EIL- Urban Residential - Public Open Space guideline for zinc at 0 – 2 mbgl (70 mg/kg) with concentrations ranging between 72 - 110 mg/kg
Northern fill	Grab samples at surface using a trowel	GS01 – GS03	<ul style="list-style-type: none"> All nickel concentrations exceeded the NEPM 2013 EIL-Urban Residential - Public Open Space guideline (30 mg/kg) with concentrations ranging between 100 – 180 mg/kg All zinc concentrations exceeded the NEPM 2013 EIL- Urban Residential - Public Open Space guideline (70 mg/kg) with concentrations ranging between 88 – 170 mg/kg

Measured concentrations of heavy metals, phenols, PCB, VOCs and SVOCs were found to be less than the limit of reporting in all samples analysed.

Measured concentrations of PAH, TRH and BTEX were detected in several samples collected from the workshop area and the Eastern Fill area, however these concentrations were within one order of magnitude of the laboratory limit of reporting and in all cases were less than the adopted guidelines for the investigation.

Heptachlor, an organochlorine pesticide compound was detected at a low concentration in one sample from the eastern fill area however this result was an order of magnitude lower than the adopted NEPM HIL C guideline value.

No measurement of soil pH, cation exchange capacity (CEC) or clay content were made for the site, and, as a result, site specific EIL levels for nickel and zinc have not been calculated. The lowest and therefore most conservative screening levels have been applied for the purposes of this assessment. It is noted that for a near neutral pH soil with a low CEC, the observed concentrations of nickel and zinc would likely be below a site specific EIL.

Concentrations of heavy metals, arsenic, chromium, copper, lead, nickel and zinc were detected in almost all of the samples analysed during this investigation. Nineteen of the 33 samples analysed exceeded the NEPM EIL for nickel whilst 12 samples exceeded the NEPM EIL for zinc. The maximum nickel concentration was 180 mg/kg, exceeding the guideline value of 30 mg/kg at location GS02, a surface grab sample from the northern fill area. The maximum zinc concentration was 170 mg/kg exceeding the guideline value of 70 mg/kg at location GS03, also a surface grab sample from the northern fill area.

The nickel and zinc concentrations elevated above the screening level in these samples are potentially related to the natural mafic rock characteristics of the fill material. Background ranges of zinc in soil, taken from the *Field Geologist's Manual*, compiled by D.A. Berkman, Third Revised Edition (1995), indicate the average abundance of zinc in basalt is 150 parts per million (ppm), and zinc in soil is 300 ppm. The average abundance of nickel in basalt is 150 ppm and in soil it is up to 500 ppm. The zinc and nickel analysed in the gravelly soils on site are therefore likely attributable to background levels, rather than being indicative of contamination.

No asbestos containing materials were observed on the ground surface during the field program. Four soil samples from the drilling program at the former workshop area were

analysed for the presence / absence of asbestos. The samples were all taken from the top 0.1 metre of fill material, in order to test for the presence of asbestos fibres which may have remained on site following the removal of the asbestos cement sheeting associated with the historical buildings in the former workshop area. All four samples returned negative results for the presence of asbestos. We note, however, that given the age of the buildings/previous buildings present on site, that some latent ACM fragments ma.

8.3 Surface water results

Analytical results returned from the surface water sample were below the laboratory limit of reporting (LOR) for all analytes, and the LOR for all metals were below the selected screening criteria guidelines (See Table 3, Appendix E).

GHD note that for some OCP and OPP analytes, the LOR value was higher than the selected guideline criterion. These analytes are not expected to be of concern given that soil samples in the northern fill area directly above the diversion channel returned results below LOR, and well below the selected criteria guidelines.

9. Revised conceptual site model

Based on the current information, the following revised CSM has been developed for the site as show in Table 11.

Table 11 Revised CSM

Potential Source	Potential pathway	Potential Receptors	SPR linkage
Uncharacterised fill material	<p>Human exposure Direct contact with contaminated soils Ingestion and inhalation of soils and dust</p> <p>Environmental exposure Vertical migration through the unsaturated zone into groundwater and subsequent infiltration into river system</p>	<p>Human Current and future occupants, construction and maintenance workers (both on- and off-site); Recreational users of the site; Surrounding residential receptors</p> <p>Environmental Groundwater and ecological systems such as the tributaries to Waitara and/or Berowra Creek and natural vegetation</p>	Incomplete – Analytical results were returned below the selected human health and ecological guideline criteria, or can be explained by the natural rock properties of the gravel fill
Spill and leaks of fuels and oils from USTs, ASTs, and historical workshop equipment and maintenance activities	<p>Human exposure Direct contact with contaminated soils Ingestion and inhalation of soils, vapours and dust</p> <p>Environmental exposure Vertical migration through the unsaturated zone into groundwater and subsequent infiltration into river system</p>	<p>Human Current and future occupants, construction and maintenance workers (both on- and off-site); Recreational users of the site; Surrounding residential receptors</p> <p>Environmental Groundwater and ecological systems such as the tributaries to Waitara and/or Berowra Creek and natural vegetation</p>	Unlikely - Analytical results were reported below the selected human health and ecological guideline criteria, or can be explained by the natural rock properties of the gravel fill. Groundwater is deep at the site and is unlikely to be impacted by vertical migration of contaminants through the unsaturated zone.

Potential Source	Potential pathway	Potential Receptors	SPR linkage
Herbicides / pesticides	<p>Human exposure Direct contact with contaminated soils and groundwater Ingestion of soils and dust</p> <p>Environmental exposure Vertical migration through the unsaturated zone into groundwater and subsequent infiltration into river system</p>	<p>Human Current and future occupants, construction and maintenance workers (both on- and off-site); Recreational users of the site; Surrounding residential receptors</p> <p>Environmental Groundwater and ecological systems such as the tributaries to Waitara and/or Berowra Creek and natural vegetation</p>	Incomplete - Analytical results were returned below the selected human health and ecological guideline criteria
Hazardous building materials (including lead paint and asbestos)	<p>Human exposure Direct contact with contaminated soils (lead and asbestos). Ingestion of soils and dust. Inhalation of asbestos fibres</p> <p>Environmental exposure Vertical migration through the unsaturated zone into groundwater and subsequent infiltration into river system (for lead)</p>	<p>Human Current and future occupants, construction and maintenance workers (both on- and off-site); Recreational users of the site; Surrounding residential receptors</p> <p>Environmental Groundwater and ecological systems such as the tributaries to Waitara and/or Berowra Creek and natural vegetation</p>	Unlikely – No asbestos was identified in samples taken from the former workshop area where asbestos cement sheeting has previously been removed from site. Lead levels in all samples were below selected human health and ecological guideline criteria

9.1 Assessment of exposure risks for on-site receptors

Based on human health criteria discussed in Section 5.2.1 and Section 5.3.1, there were no exceedances of the adopted human health criteria for soil or surface water.

There were several exceedances of the selected ecological criteria for nickel and zinc, however, it is likely that these may be attributed to the natural rock properties of the fill material and are therefore considered to be unlikely to be related to contamination.

Based on the current and historical site usage, the CSM linkage potential (see Section 3 and Table 4), and the analytical results from the soil and surface water sampling program, the risk of exposure to on-site receptors is considered to be low.

9.2 Assessment of exposure risks to off-site receptors

Based on the current and historical site usage, the CSM linkage potential (see Section 3 and Table 4) and the analytical results from the soil and surface water sampling program, the risk of exposure to off-site receptors is considered to be very low.

9.3 Remaining data gaps

The extent of hydrocarbon contamination associated with the UST is currently unknown and requires further investigation, or removal of the potentially contaminated soils during removal of the UST.

10. Conclusions and recommendations

10.1 Conclusions

In accordance with the objectives detailed in Section 1.2, and based on the information contained within this assessment, the following conclusions are made (subject to the limitations outlines in Section 11):

- The site has a history of quarrying since 1930, with quarrying operations ceasing in the early 2000s.
- During quarrying operations, quarry spoil was deposited in three locations around the larger quarry site: the northern fill area; the eastern fill area; and the south-western fill area.
- Following cessation of the quarry operations, the quarry was partially infilled with spoil from the NorthConnex development.
- The site walkover and desktop study identified several key areas requiring further investigation:
 - The former workshop area including two ASTs, one UST, one petrol bowser, and historical activities associated with machinery and equipment maintenance
 - The northern, eastern and south-western fill areas.
- On the northern and south-western fill areas, the fill is currently covered in mature trees and grasses, however the northern fill slope is considered to be unstable and will require removal of vegetation and re-shaping. Council has indicated that the eastern fill area will be reshaped to accommodate future playing fields.
- Council intend to remove spoil from the northern and south-western fill area and infill the western base of the quarry, following which Council then intend to create a lake at the eastern end of the quarry and preserve the geologically significant eastern quarry wall.
- Visual and olfactory indicators of hydrocarbon contamination were noted in two boreholes adjacent to the southern and eastern sides of the UST. These samples returned reported below the selected site assessment criteria.
- No asbestos was identified in the samples analysed.
- All samples returned results below selected human health and ecological site assessment criteria, with the exception of nickel and zinc at a number of locations. These exceedances are attributed to the natural rock and soil properties of the fill material, and are not considered indicative of contamination.
- Based on the findings of this investigation, GHD consider the risk of exposure to COPC for on-site and off-site receptors to be low, however, we acknowledge the potential for contamination to exist associated with the UST.

10.2 Recommendations

Based on the completed scope of work, and in consideration of the proposed future recreational land use for the site, GHD recommend the following:

- Removal of the UST in accordance with the Department of Environment, Climate Change and Water NSW, *Guidelines for Implementing the Protection of the Environment Operations (Underground Petroleum Storage Systems) Regulation 2008*, which states that “where two years have elapsed since fuel was put into or taken from a tank, it must be abandoned (after removing the fuel) in accordance with the Occupational Health and Safety

(Dangerous Goods) Regulation 2001". This would include site validation following removal and preparation of a validation report prepared by a suitable qualified person, such as a contaminated land consultant, in addition to completion of any soil or groundwater remediation following decommissioning of the UST, if remediation is required.

- A construction environment and management plan (CEMP) developed for the redevelopment works, should include:
 - An unexpected finds protocol should be developed to manage potential unexpected finds, including ACM, at the workshop area and the fill areas.
 - The management of surface aesthetics (with regard to anthropogenic materials in soils) during removal and reshaping of spoil in the fill areas.
- A remedial action plan (RAP) should be developed for the removal of the UST and associated impacted soils (if required).

11. Limitations

This report: has been prepared by GHD for Hornsby Shire Council and may only be used and relied on by Hornsby Shire Council for the purpose agreed between GHD and the Hornsby Shire Council as set out in section 1 of this report.

GHD otherwise disclaims responsibility to any person other than Hornsby Shire Council arising in connection with this report. GHD also excludes implied warranties and conditions, to the extent legally permissible.

The services undertaken by GHD in connection with preparing this report were limited to those specifically detailed in the report and are subject to the scope limitations set out in the report.

The opinions, conclusions and any recommendations in this report are based on conditions encountered and information reviewed at the date of preparation of the report. GHD has no responsibility or obligation to update this report to account for events or changes occurring subsequent to the date that the report was prepared.

The opinions, conclusions and any recommendations in this report are based on assumptions made by GHD described in this report (refer sections 1.3, 3 and 9 of this report). GHD disclaim liability arising from any of the assumptions being incorrect.

GHD has prepared this report on the basis of information provided by Hornsby Shire Council and others who provided information to GHD (including Government authorities)], which GHD has not independently verified or checked beyond the agreed scope of work. GHD does not accept liability in connection with such unverified information, including errors and omissions in the report which were caused by errors or omissions in that information.



The opinions, conclusions and any recommendations in this report are based on information obtained from, and testing undertaken at or in connection with, specific sample points. Site conditions at other parts of the site may be different from the site conditions found at the specific sample points.

Investigations undertaken in respect of this report are constrained by the particular site conditions, such as the location of buildings, services and vegetation. As a result, not all relevant site features and conditions may have been identified in this report.

Site conditions (including the presence of hazardous substances and/or site contamination) may change after the date of this Report. GHD does not accept responsibility arising from, or in connection with, any change to the site conditions. GHD is also not responsible for updating this report if the site conditions change.

Appendices

Appendix A - Figures






Hornsby Shire Council
Hornsby Quarry Rehabilitation

Job Number | 21-26457
Revision | A
Date | 19 Sep 2019

Site Layout

Figure 1



LEGEND

- Site boundary
- Eastern fill area
- South western fill area
- Crusher plant fill area
- Northern spoil mound
- Lots
- Watercourses
- Contours






Hornsby Shire Council
Hornsby Quarry Rehabilitation

Job Number | 21-26457
Revision | A
Date | 20 Sep 2019

Historical fill areas

Figure 2



LEGEND

- Sample location
- Grab sample
- Eastern fill area
- Site boundary
- Borehole
- Surface water grab sample
- Northern spoil mound
- South western fill area
- Crusher plant fill area
- Watercourses
- Contours
- Lots



Hornsby Shire Council
Hornsby Quarry Rehabilitation

Job Number 21-26457
Revision A
Date 20 Sep 2019

Sample locations

Figure 3

G:\21\26457\GIS\Maps\Deliverables\21_26457_2014_SampleLocations.mxd Level 15, 133 Castlereagh Street Sydney NSW 2000 T 61 2 9239 7100 F 61 2 9239 7199 E sydmail@ghd.com.au W www.ghd.com.au

© 2019. Whilst every care has been taken to prepare this map, GHD (and DATA CUSTODIAN) make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.

Data source: Sixmaps imagery, NSW LPI (DTDB), Topographic base data, 2012; NSW LPI (DCDB), Topographic base data, 2015. Created by:eibbertson

Appendix B – Lot Search Report and SafeWork NSW Site Search for Storage of Hazardous Chemicals



LOTSEARCH

LOTSEARCH ENVIRO PROFESSIONAL

Date: 06 Aug 2019 15:01:37

Reference: LS007759 EP

Address: Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Disclaimer:

The purpose of this report is to provide an overview of some of the site history, environmental risk and planning information available, affecting an individual address or geographical area in which the property is located. It is not a substitute for an on-site inspection or review of other available reports and records. It is not intended to be, and should not be taken to be, a rating or assessment of the desirability or market value of the property or its features. You should obtain independent advice before you make any decision based on the information within the report. The detailed terms applicable to use of this report are set out at the end of this report.

Table of Contents

Location Confidences.....	2
Dataset Listings.....	3
Site Location Aerial	6
Contaminated Land & Waste Management Facilities.....	7
PFAS Investigation Programs	10
Defence Sites	12
EPA Other Sites with Contamination Issues	13
EPA Current Licensed Activities.....	14
EPA Delicensed & Former Licensed Activities.....	16
UPSS Sensitive Zones.....	18
Historical Business Activities.....	19
Historical Aerial Imagery & Maps	48
Topographic Features.....	62
Elevation Contours.....	68
Hydrogeology & Groundwater	69
Geology.....	73
Naturally Occurring Asbestos Potential.....	75
Soils	76
Acid Sulfate Soils	80
Dryland Salinity	83
Mining Subsidence Districts	84
State Environmental Planning.....	85
Environmental Planning Instruments.....	86
Heritage	89
Natural Hazards	95
Ecological Constraints.....	97
Terms & Conditions.....	108

Location Confidences

Where Lotsearch has had to georeference features from supplied addresses, a location confidence has been assigned to the data record. This indicates a confidence to the positional accuracy of the feature. Where applicable, a code is given under the field heading “LC” or “LocConf”. These codes lookup to the following location confidences:

LC Code	Location Confidence
Premise match	Georeferenced to the site location / premise or part of site
General area or suburb match	Georeferenced with the confidence of the general/approximate area
Road match	Georeferenced to the road or rail
Road intersection	Georeferenced to the road intersection
Feature is a buffered point	Feature is a buffered point
Land adjacent to geocoded site	Land adjacent to Georeferenced Site
Network of features	Georeferenced to a network of features

Dataset Listing

Datasets contained within this report, detailing their source and data currency:

Dataset Name	Custodian	Supply Date	Currency Date	Update Frequency	Dataset Buffer (m)	No. Features Onsite	No. Features within 100m	No. Features within Buffer
Cadastre Boundaries	NSW Department of Finance, Services & Innovation	05/08/2019	05/08/2019	Daily	-	-	-	-
Topographic Data	NSW Department of Finance, Services & Innovation	11/04/2019	10/04/2019	As required	-	-	-	-
List of NSW contaminated sites notified to EPA	Environment Protection Authority	17/07/2019	09/07/2019	Monthly	1000	0	0	3
Contaminated Land Records of Notice	Environment Protection Authority	10/07/2019	10/07/2019	Monthly	1000	0	0	1
Former Gasworks	Environment Protection Authority	02/08/2019	11/10/2017	Monthly	1000	0	0	0
National Waste Management Facilities Database	Geoscience Australia	07/05/2019	07/03/2017	Quarterly	1000	0	0	0
EPA PFAS Investigation Program	Environment Protection Authority	02/08/2019	02/08/2019	Monthly	2000	0	0	1
Defence PFAS Investigation & Management Program	Department of Defence	02/08/2019	02/08/2019	Monthly	2000	0	0	0
Airservices Australia National PFAS Management Program	Airservices Australia	02/08/2019	02/08/2019	Monthly	2000	0	0	0
Defence 3 Year Regional Contamination Investigation Program	Department of Defence	02/08/2019	02/08/2019	Monthly	2000	0	0	0
EPA Other Sites with Contamination Issues	Environment Protection Authority	13/12/2018	13/12/2018	Annually	1000	0	0	0
Licensed Activities under the POEO Act 1997	Environment Protection Authority	26/07/2019	26/07/2019	Monthly	1000	1	1	3
Delicensed POEO Activities still regulated by the EPA	Environment Protection Authority	26/07/2019	26/07/2019	Monthly	1000	0	0	2
Former POEO Licensed Activities now revoked or surrendered	Environment Protection Authority	26/07/2019	26/07/2019	Monthly	1000	4	5	6
UPSS Environmentally Sensitive Zones	Environment Protection Authority	14/04/2015	12/01/2010	As required	1000	1	1	1
UBD Business to Business Directory 1991 (Premise & Intersection Matches)	Hardie Grant			Not required	150	0	0	0
UBD Business to Business Directory 1991 (Road & Area Matches)	Hardie Grant			Not required	150	-	0	0
UBD Business to Business Directory 1986 (Premise & Intersection Matches)	Hardie Grant			Not required	150	0	2	3
UBD Business to Business Directory 1986 (Road & Area Matches)	Hardie Grant			Not required	150	-	3	3
UBD Business Directory 1982 (Premise & Intersection Matches)	Hardie Grant			Not required	150	1	3	3
UBD Business Directory 1982 (Road & Area Matches)	Hardie Grant			Not required	150	-	5	5
UBD Business Directory 1978 (Premise & Intersection Matches)	Hardie Grant			Not required	150	0	1	1
UBD Business Directory 1978 (Road & Area Matches)	Hardie Grant			Not required	150	-	6	6
UBD Business Directory 1975 (Premise & Intersection Matches)	Hardie Grant			Not required	150	0	1	1
UBD Business Directory 1975 (Road & Area Matches)	Hardie Grant			Not required	150	-	5	5
UBD Business Directory 1970 (Premise & Intersection Matches)	Hardie Grant			Not required	150	0	4	4
UBD Business Directory 1970 (Road & Area Matches)	Hardie Grant			Not required	150	-	0	0
UBD Business Directory 1965 (Premise & Intersection Matches)	Hardie Grant			Not required	150	0	3	3
UBD Business Directory 1965 (Road & Area Matches)	Hardie Grant			Not required	150	-	0	1
UBD Business Directory 1961 (Premise & Intersection Matches)	Hardie Grant			Not required	150	0	0	1

Dataset Name	Custodian	Supply Date	Currency Date	Update Frequency	Dataset Buffer (m)	No. Features Onsite	No. Features within 100m	No. Features within Buffer
UBD Business Directory 1961 (Road & Area Matches)	Hardie Grant			Not required	150	-	0	1
UBD Business Directory 1950 (Premise & Intersection Matches)	Hardie Grant			Not required	150	0	0	0
UBD Business Directory 1950 (Road & Area Matches)	Hardie Grant			Not required	150	-	0	1
UBD Business Directory Drycleaners & Motor Garages/Service Stations (Premise & Intersection Matches)	Hardie Grant			Not required	500	0	0	242
UBD Business Directory Drycleaners & Motor Garages/Service Stations (Road & Area Matches)	Hardie Grant			Not required	500	-	0	13
Points of Interest	NSW Department of Finance, Services & Innovation	11/04/2019	10/04/2019	Quarterly	1000	0	1	59
Tanks (Areas)	NSW Department of Finance, Services & Innovation	11/04/2019	11/04/2019	Quarterly	1000	0	0	1
Tanks (Points)	NSW Department of Finance, Services & Innovation	11/04/2019	10/04/2019	Quarterly	1000	0	0	1
Major Easements	NSW Department of Finance, Services & Innovation	11/04/2019	11/04/2019	Quarterly	1000	1	1	44
State Forest	NSW Department of Finance, Services & Innovation	18/01/2018	18/01/2018	As required	1000	0	0	0
NSW National Parks and Wildlife Service Reserves	NSW Office of Environment & Heritage	16/01/2019	14/11/2018	Annually	1000	1	1	2
Hydrogeology Map of Australia	Commonwealth of Australia (Geoscience Australia)	08/10/2014	17/03/2000	As required	1000	1	1	1
Botany Groundwater Management Zones	NSW Department of Primary Industries	15/03/2018	01/10/2005	As required	1000	0	0	0
Groundwater Boreholes	NSW Dept. of Primary Industries - Water NSW; Commonwealth of Australia (Bureau of Meteorology)	24/07/2018	23/07/2018	Annually	2000	0	0	6
Geological Units 1:100,000	NSW Dept. of Industry, Resources & Energy	20/08/2014		None planned	1000	2	-	3
Geological Structures 1:100,000	NSW Dept. of Industry, Resources & Energy	20/08/2014		None planned	1000	0	-	0
Naturally Occurring Asbestos Potential	NSW Dept. of Industry, Resources & Energy	04/12/2015	24/09/2015	Unknown	1000	0	0	0
Soil Landscapes	NSW Office of Environment & Heritage	12/08/2014		None planned	1000	3	-	9
Atlas of Australian Soils	CSIRO	19/05/2017	17/02/2011	As required	1000	2	2	2
Environmental Planning Instrument Acid Sulfate Soils	NSW Department of Planning and Environment	22/07/2019	28/06/2019	Weekly	500	0	-	-
Atlas of Australian Acid Sulfate Soils	CSIRO	19/01/2017	21/02/2013	As required	1000	2	2	2
Dryland Salinity - National Assessment	National Land and Water Resources Audit	18/07/2014	12/05/2013	None planned	1000	0	0	0
Dryland Salinity Potential of Western Sydney	NSW Office of Environment & Heritage	12/05/2017	01/01/2002	None planned	1000	-	-	-
Mining Subsidence Districts	NSW Department of Finance, Services & Innovation	11/04/2019	11/04/2019	Quarterly	1000	0	0	0
Environmental Planning Instrument SEPP State Significant Precincts	NSW Department of Planning and Environment	22/07/2019	07/12/2018	Weekly	1000	0	0	0
Environmental Planning Instrument Land Zoning	NSW Department of Planning and Environment	22/07/2019	05/07/2019	Weekly	1000	1	5	57
Commonwealth Heritage List	Australian Government Department of the Environment and Energy - Heritage Branch	16/01/2019	31/07/2018	Unknown	1000	0	0	0
National Heritage List	Australian Government Department of the Environment and Energy - Heritage Branch	16/01/2019	28/09/2018	Unknown	1000	0	0	0
State Heritage Register - Curtilages	NSW Office of Environment & Heritage	15/07/2019	09/11/2018	Quarterly	1000	0	0	0
Environmental Planning Instrument Heritage	NSW Department of Planning and Environment	22/07/2019	28/06/2019	Weekly	1000	1	9	95
Bush Fire Prone Land	NSW Rural Fire Service	28/05/2019	05/04/2019	Quarterly	1000	3	3	3


Dataset Name	Custodian	Supply Date	Currency Date	Update Frequency	Dataset Buffer (m)	No. Features Onsite	No. Features within 100m	No. Features within Buffer
Remnant Vegetation of the Cumberland Plain	NSW Office of Environment & Heritage	07/10/2014	04/08/2011	Unknown	1000	7	8	10
Ramsar Wetlands of Australia	Commonwealth of Australia Department of the Environment	08/10/2014	24/06/2011	As required	1000	0	0	0
Groundwater Dependent Ecosystems	Bureau of Meteorology	14/08/2017	15/05/2017	Unknown	1000	2	2	3
Inflow Dependent Ecosystems Likelihood	Bureau of Meteorology	14/08/2017	15/05/2017	Unknown	1000	2	3	6
NSW BioNet Species Sightings	NSW Office of Environment & Heritage	02/08/2019	02/08/2019	Weekly	10000	-	-	-


Aerial Imagery 2018

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Legend

-  Site Boundary
-  Buffer 150m




Data Sources: Aerial Imagery © Department Finance, Services & Innovation

Coordinate System:
GDA 1994 MGA Zone 56

Date: 05 August 2019

Contaminated Land & Waste Management Facilities

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Contaminated Land & Waste Management Facilities

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

List of NSW contaminated sites notified to EPA

Records from the NSW EPA Contaminated Land list within the dataset buffer:

Map Id	Site	Address	Suburb	Activity	Management Class	Status	Location Confidence	Dist (m)	Direction
13419	Hornsby Train Maintenance Centre	1B Stephen Street	Hornsby	Other Industry	Regulation under CLM Act not required	Current EPA List	Premise Match	354m	North East
5762	Midas Car Care Centre Hornsby	2A Linda Street	Hornsby	Unclassified	Regulation under CLM Act not required	Current EPA List	Premise Match	465m	East
627	Coles Express Hornsby	194- 206 Pacific Highway	Hornsby	Service Station	Contamination currently regulated under CLM Act	Current EPA List	Premise Match	791m	South East

The values within the EPA site management class in the table above, are given more detailed explanations in the table below:

EPA site management class	Explanation
Contamination being managed via the planning process (EP&A Act)	The EPA has completed an assessment of the contamination and decided that the contamination is significant enough to warrant regulation. The contamination of this site is managed by the consent authority under the Environmental Planning and Assessment Act 1979 (EP&A Act) planning approval process, with EPA involvement as necessary to ensure significant contamination is adequately addressed. The consent authority is typically a local council or the Department of Planning and Environment.
Contamination currently regulated under CLM Act	The EPA has completed an assessment of the contamination and decided that the contamination is significant enough to warrant regulation under the Contaminated Land Management Act 1997 (CLM Act). Management of the contamination is regulated by the EPA under the CLM Act. Regulatory notices are available on the EPA's Contaminated Land Public Record of Notices.
Contamination currently regulated under POEO Act	The EPA has completed an assessment of the contamination and decided that the contamination is significant enough to warrant regulation. Management of the contamination is regulated under the Protection of the Environment Operations Act 1997 (POEO Act). The EPA's regulatory actions under the POEO Act are available on the POEO public register.
Contamination formerly regulated under the CLM Act	The EPA has determined that the contamination is no longer significant enough to warrant regulation under the Contaminated Land Management Act 1997 (CLM Act). The contamination was addressed under the CLM Act.
Contamination formerly regulated under the POEO Act	The EPA has determined that the contamination is no longer significant enough to warrant regulation. The contamination was addressed under the Protection of the Environment Operations Act 1997 (POEO Act).
Contamination was addressed via the planning process (EP&A Act)	The EPA has determined that the contamination is no longer significant enough to warrant regulation. The contamination was addressed by the appropriate consent authority via the planning process under the Environmental Planning and Assessment Act 1979 (EP&A Act).
Ongoing maintenance required to manage residual contamination (CLM Act)	The EPA has determined that ongoing maintenance, under the Contaminated Land Management Act 1997 (CLM Act), is required to manage the residual contamination. Regulatory notices under the CLM Act are available on the EPA's Contaminated Land Public Record of Notices.
Regulation being finalised	The EPA has completed an assessment of the contamination and decided that the contamination is significant enough to warrant regulation under the Contaminated Land Management Act 1997. A regulatory approach is being finalised.
Regulation under the CLM Act not required	The EPA has completed an assessment of the contamination and decided that regulation under the Contaminated Land Management Act 1997 is not required.
Under assessment	The contamination is being assessed by the EPA to determine whether regulation is required. The EPA may require further information to complete the assessment. For example, the completion of management actions regulated under the planning process or Protection of the Environment Operations Act 1997. Alternatively, the EPA may require information via a notice issued under s77 of the Contaminated Land Management Act 1997 or issue a Preliminary Investigation Order.

NSW EPA Contaminated Land List Data Source: Environment Protection Authority
 © State of New South Wales through the Environment Protection Authority

Contaminated Land & Waste Management Facilities

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Contaminated Land: Records of Notice

Record of Notices within the dataset buffer:

Map Id	Name	Address	Suburb	Notices	Area No	Location Confidence	Distance	Direction
149	Coles Express Hornsby	194-206 Pacific Highway	Hornsby	4 current and 5 former	3305	Premise Match	791m	South East

Contaminated Land Records of Notice Data Source: Environment Protection Authority
© State of New South Wales through the Environment Protection Authority
Terms of use and disclaimer for Contaminated Land: Record of Notices, please visit <http://www.epa.nsw.gov.au/clm/clmdisclaimer.htm>

Former Gasworks

Former Gasworks within the dataset buffer:

Map Id	Location	Council	Further Info	Location Confidence	Distance	Direction
N/A	No records in buffer					


Former Gasworks Data Source: Environment Protection Authority
© State of New South Wales through the Environment Protection Authority

National Waste Management Site Database

Sites on the National Waste Management Site Database within the dataset buffer:

Site Id	Owner	Name	Address	Suburb	Class	Landfill	Reprocess	Transfer	Comments	Loc Conf	Dist (m)	Direction
N/A	No records in buffer											

Waste Management Facilities Data Source: Geoscience Australia
Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>



PFAS Investigation Sites

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

EPA PFAS Investigation Program

Sites that are part of the EPA PFAS investigation program, within the dataset buffer:

Id	Site	Address	Loc Conf	Dist	Dir
15	Westleigh NSW Rural Fire Service	12 Warrigal Drive, Westleigh	Premise Match	866m	South West

EPA PFAS Investigation Program: Environment Protection Authority
© State of New South Wales through the Environment Protection Authority

Defence PFAS Investigation & Management Program

Sites being investigated or managed by the Department of Defence for PFAS contamination within the dataset buffer:

Map ID	Base Name	Address	Loc Conf	Dist	Dir
N/A	No records in buffer				

Defence PFAS Investigation & Management Program Data Custodian: Department of Defence, Australian Government

Airservices Australia National PFAS Management Program

Sites being investigated or managed by Airservices Australia for PFAS contamination within the dataset buffer:

Map ID	Site Name	Impacts	Loc Conf	Dist	Dir
N/A	No records in buffer				

Airservices Australia National PFAS Management Program Data Custodian: Airservices Australia

Defence Sites

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Defence 3 Year Regional Contamination Investigation Program

Sites which have been assessed as part of the Defence 3 Year Regional Contamination Investigation Program within the dataset buffer:

Property ID	Base Name	Address	Known Contamination	Loc Conf	Dist	Dir
N/A	No records in buffer					

Defence 3 Year Regional Contamination Investigation Program, Data Custodian: Department of Defence, Australian Government

EPA Other Sites with Contamination Issues

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

EPA Other Sites with Contamination Issues

This dataset contains other sites identified on the EPA website as having contamination issues. This dataset currently includes:

- James Hardie asbestos manufacturing and waste disposal sites
- Radiological investigation sites in Hunter's Hill
- Pasminco Lead Abatement Strategy Area


Sites within the dataset buffer:

Site Id	Site Name	Site Address	Dataset	Comments	Location Confidence	Distance	Direction
N/A	No records in buffer						

EPA Other Sites with Contamination Issues: Environment Protection Authority
© State of New South Wales through the Environment Protection Authority

Current EPA Licensed Activities

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



EPA Activities

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Licensed Activities under the POEO Act 1997


Licensed activities under the Protection of the Environment Operations Act 1997, within the dataset buffer:

EPL	Organisation	Name	Address	Suburb	Activity	Loc Conf	Distance	Direction
20570	LENDLEASE ENGINEERING PTY LIMITED	NorthConnex Project	BETWEEN WINDSOR ROAD, BAULKHAM HILLS and M2 MOTORWAY, PENNANT HILLS AND M1 MOTORWAY., WAHROONGA, NSW 2076	WAHROONGA	Crushing, grinding or separating; Road construction	Premise Match	0m	Onsite
1695	SYDNEY WATER CORPORATION	WEST HORNSBY SEWAGE TREATMENT SYSTEM including the STP	OFF VALLEY ROAD	HORNSBY	Sewage treatment processing by small plants	Premise Match	175m	West
12208	SYDNEY TRAINS		PO BOX K349, HAYMARKET, NSW 1238		Railway systems activities	Network of Features	331m	East

POEO Licence Data Source: Environment Protection Authority
© State of New South Wales through the Environment Protection Authority

Delicensed & Former Licensed EPA Activities

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



EPA Activities

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Delicensed Activities still regulated by the EPA

Delicensed activities still regulated by the EPA, within the dataset buffer:

Licence No	Organisation	Name	Address	Suburb	Activity	Loc Conf	Distance	Direction
11802	RAIL CORPORATION NEW SOUTH WALES	HORNSBY MAINTENANCE CENTRE	1B STEPHEN STREET	HORNSBY	Hazardous, Industrial or Group A Waste Generation or Storage	Premise Match	352m	North East
11999	AUSGRID	Energy Australia	51-59 Bridge Road	HORNSBY	Hazardous, Industrial or Group A Waste Generation or Storage	Premise Match	795m	East

Delicensed Activities Data Source: Environment Protection Authority
 © State of New South Wales through the Environment Protection Authority

Former Licensed Activities under the POEO Act 1997, now revoked or surrendered


Former Licensed activities under the Protection of the Environment Operations Act 1997, now revoked or surrendered, within the dataset buffer:

Licence No	Organisation	Location	Status	Issued Date	Activity	Loc Conf	Distance	Direction
1687	CSR LIMITED	QUARRY ROAD, HORNSBY, NSW 2077	Surrendered	04/09/2000	Land-based extractive activity	Premise Match	0m	Onsite
4653	LUHRMANN ENVIRONMENT MANAGEMENT PTY LTD	WATERWAYS THROUGHOUT NSW	Surrendered		Other Activities / Non Scheduled Activity - Application of Herbicides	Network of Features	0m	Onsite
4838	Robert Orchard	Various Waterways throughout New South Wales - SYDNEY NSW 2000	Surrendered		Other Activities / Non Scheduled Activity - Application of Herbicides	Network of Features	0m	Onsite
6630	SYDNEY WEED & PEST MANAGEMENT PTY LTD	WATERWAYS THROUGHOUT NSW - PROSPECT, NSW, 2148	Surrendered		Other Activities / Non Scheduled Activity - Application of Herbicides	Network of Features	0m	Onsite
186	HORNSBY SHIRE COUNCIL	203 PACIFIC HIGHWAY, HORNSBY, NSW 2077	Surrendered	27/09/1999	Miscellaneous licensed discharge to waters (at any time)	Premise Match	0m	South East
20824	Laing O'Rourke Australia Construction Pty Ltd	, RAIL CORRIDOR BETWEEN PRETORIA PDE, WAITARA AND COLAH RD, ASQUITH, HORNSBY, NSW 2077,	Surrendered	13/09/2016	Railway systems activities	Network of Features	300m	East

Former Licensed Activities Data Source: Environment Protection Authority
 © State of New South Wales through the Environment Protection Authority

UPSS Sensitive Zones

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Historical Business Directories

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

1991 Business to Business Directory Records Premise or Road Intersection Matches

Records from the 1991 UBD Business to Business Directory, mapped to a premise or road intersection, within the dataset buffer:

Map Id	Business Activity	Premise	Ref No.	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
	No records in buffer					

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

1991 Business to Business Directory Records Road or Area Matches

Records from the 1991 UBD Business to Business Directory, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

Map Id	Business Activity	Premise	Ref No.	Location Confidence	Distance to Road Corridor or Area
	No records in buffer				


Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

Historical Business Directories

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



1986 Business to Business Directory Records



- Site Boundary
- Buffer 150m
- Property Boundaries

- Business directory records mapped to a specific premise
- Business directory records mapped to a road intersection
- ▲ Business directory records mapped to a road corridor
- Business directory records mapped to a general area



Projected Coordinate System:
GDA94 MGA Zone 56

Data Sources: Universal Business Directories (UBD), derived data, licensed from Hardie Grant.
Property Boundaries © NSW Department Finance, Services & Innovation 2019

Historical Business Directories

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

1986 Business to Business Directory Records Premise or Road Intersection Matches

Records from the 1986 UBD Business to Business Directory, mapped to a premise or road intersection, within the dataset buffer:

Map Id	Business Activity	Premise	Ref No.	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
1	SCHOOLS, COLLEGES -TECHNICAL.	Hornsby Technical College, 207 Pacific H'way., Hornsby. 2077.	84770	Premise Match	62m	South East
2	FLOOR LAYERS.	Cork Flooring Experts, 28 Fern Tree Cl., Hornsby. 2077	33496	Premise Match	77m	North East
3	MEDICAL PRACTITIONERS.	Segra, K. V., 225 Pacific H'way., Hornsby. 2077	57463	Premise Match	144m	East

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

1986 Business to Business Directory Records Road or Area Matches

Records from the 1986 UBD Business to Business Directory, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

Map Id	Business Activity	Premise	Ref No.	Location Confidence	Distance to Road Corridor or Area
4	PUBLISHERS.	Australasian Publishing Co., Bridge Rd., Hornsby. 2077.	78175	Road Match	79m
	PUBLISHERS REPRESENTATIVES.	Bookstocks Pty. Ltd., Bridge Rd., Hornsby. 2077.	78365	Road Match	79m
	PUBLISHERS.	Bookstocks Pty. Ltd., Bridge Rd., Hornsby. 2077.	78188	Road Match	79m


Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

Historical Business Directories





Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



1982 Business Directory Records



-  Site Boundary
-  Buffer 150m
-  Property Boundaries

-  Business directory records mapped to a specific premise
-  Business directory records mapped to a road intersection
-  Business directory records mapped to a road corridor
-  Business directory records mapped to a general area



Projected Coordinate System:
GDA94 MGA Zone 56

Data Sources: Universal Business Directories (UBD), derived data, licensed from Hardie Grant.
Property Boundaries © NSW Department Finance, Services & Innovation 2019

Historical Business Directories

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

1982 Business Directory Records Premise or Road Intersection Matches

Records from the 1982 UBD Business Directory, mapped to a premise or road intersection, within the dataset buffer:

Map Id	Business Activity	Premise	Ref No.	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
1	QUARRY PROPRIETORS. (Q0100)	Hornsby Blue Metal Quarry, The Valley, Hornsby. 2077.	68136	Premise Match	0m	On-site
2	SCHOOLS, COLLEGES-TECHNICAL, (S1425)	Hornsby Technical College, 207 Pacific H'way., Hornsby. 2077.	73365	Premise Match	62m	South East
3	FLOOR LAYERS. (F3625)	Cork Flooring Experts, 28 Fern Tree Cl., Hornsby. 2077.	31245	Premise Match	77m	North East

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

1982 Business Directory Records Road or Area Matches

Records from the 1982 UBD Business Directory, mapped to a road or an area, within the dataset buffer.

Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

Map Id	Business Activity	Premise	Ref No.	Location Confidence	Distance to Road Corridor or Area
4	PUBLISHERS. (P9240)	Australasian Publishing Co., Bridge Rd., Hornsby. 2077.	67758	Road Match	79m
	PUBLISHERS REPRESENTATIVES. (P9280)	Bookstocks Pty. Ltd., Bridge Rd., Hornsby. 2077.	67942	Road Match	79m
	PUBLISHERS. (P9240)	Bookstocks Pty. Ltd., Bridge Rd., Hornsby. 2077.	67778	Road Match	79m
	ADVERTISING- NOVELTIES - MFRS.&/OR DIST. (A1680)	Clark Lane & Associates Pty. Ltd., Bridge Rd., Hornsby. 2077.	1542	Road Match	79m
	COASTER MFRS. &/OR DIST.(C5875)	Clark Lane & Associates Pty. Ltd., Bridge Rd., Hornsby. 2077.	17370	Road Match	79m


Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

Historical Business Directories





Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



1978 Business Directory Records



-  Site Boundary
-  Buffer 150m
-  Property Boundaries

-  Business directory records mapped to a specific premise
-  Business directory records mapped to a road intersection
-  Business directory records mapped to a road corridor
-  Business directory records mapped to a general area



Projected Coordinate System:
GDA94 MGA Zone 56

Data Sources: Universal Business Directories (UBD), derived data, licensed from Hardie Grant.
Property Boundaries © NSW Department Finance, Services & Innovation 2019

Historical Business Directories

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

1978 Business Directory Records Premise or Road Intersection Matches

Records from the 1978 UBD Business Directory, mapped to a premise or road intersection, within the dataset buffer:

Map Id	Business Activity	Premise	Ref No.	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
1	SCHOOLS, COLLEGES-TECHNICAL.	Hornsby Technical College, 207 Pacific Highway, Hornsby. 2077	64911	Premise Match	62m	South East

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

1978 Business Directory Records Road or Area Matches

Records from the 1978 UBD Business Directory, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

Map Id	Business Activity	Premise	Ref No.	Location Confidence	Distance to Road Corridor or Area
2	PUBLISHERS.	Allen & Unwin Ltd., Bridge Rd., Hornsby. 2077	60506	Road Match	79m
	PUBLISHERS.	Australasian Publishing Co., Bridge Rd., Hornsby. 2077	60512	Road Match	79m
	PUBLISHERS.	Australasian Publishing Co., Pty. Ltd., Bridge Rd., Hornsby. 2077	60511	Road Match	79m
	PUBLISHERS REPRESENTATIVES.	Bookstocks Pty. Ltd., Bridge Rd., Hornsby. 2077	60705	Road Match	79m
	PUBLISHERS.	Bookstocks Pty. Ltd., Bridge Rd., Hornsby. 2077	60532	Road Match	79m
	PUBLISHERS.	Bookstocks Pty. Ltd., Bridge Rd., Hornsby. 2077	60533	Road Match	79m


Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

Historical Business Directories





Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



1975 Business Directory Records



-  Site Boundary
-  Buffer 150m
-  Property Boundaries

-  Business directory records mapped to a specific premise
-  Business directory records mapped to a road intersection
-  Business directory records mapped to a road corridor
-  Business directory records mapped to a general area



Projected Coordinate System:
GDA94 MGA Zone 56

Data Sources: Universal Business Directories (UBD), derived data, licensed from Hardie Grant.
Property Boundaries © NSW Department Finance, Services & Innovation 2019

Historical Business Directories

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

1975 Business Directory Records Premise or Road Intersection Matches

Records from the 1975 UBD Business Directory, mapped to a premise or road intersection, within the dataset buffer:

Map Id	Business Activity	Premise	Ref No.	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
1	SCHOOLS, COLLEGES-TECHNICAL	Hornsby Technical College., 207 Pacific H'way., Hornsby. 2077	75933	Premise Match	62m	South East

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

1975 Business Directory Records Road or Area Matches

Records from the 1975 UBD Business Directory, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

Map Id	Business Activity	Premise	Ref No.	Location Confidence	Distance to Road Corridor or Area
2	PUBLISHERS	Allen & Unwin Ltd., Bridge Rd., Hornsby.2077	70954	Road Match	79m
	PUBLISHERS	Australasian Publishing Co. Pty. Ltd., Bridge Rd., Hornsby.2077	70959	Road Match	79m
	PUBLISHERS	Bookstocks Pty. Ltd., Bridge Rd., Hornsby.2077	70977	Road Match	79m
	PUBLISHERS REPRESENTATIVES.	Bookstocks Pty. Ltd., Bridge Rd., Hornsby.2077	71155	Road Match	79m
	PUBLISHERS	Hodder & Stoughton (Aust.) Pty. Ltd., Bridge Rd., Hornsby.2077	71038	Road Match	79m


Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant



Historical Business Directories





Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



1970 Business Directory Records



-  Site Boundary
-  Buffer 150m
-  Property Boundaries

-  Business directory records mapped to a specific premise
-  Business directory records mapped to a road intersection
-  Business directory records mapped to a road corridor
-  Business directory records mapped to a general area



Projected Coordinate System:
GDA94 MGA Zone 56

Data Sources: Universal Business Directories (UBD), derived data, licensed from Hardie Grant.
Property Boundaries © NSW Department Finance, Services & Innovation 2019

Historical Business Directories

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

1970 Business Directory Records Premise or Road Intersection Matches

Records from the 1970 UBD Business Directory, mapped to a premise or road intersection, within the dataset buffer:

Map Id	Business Activity	Premise	Ref No.	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
1	BATHS-SWIMMING (B165)	Hornsby Olympic Pool., Pacific Highway., Hornsby	265141	Premise Match	0m	South
2	SCHOOLS/COLLEGES-TECHNICAL(S146)	Hornsby Technical College, 207-219 Pacific Highway., Hornsby	359590	Premise Match	62m	South East
	CLUBS & SPORTING BODIES (C487)	Hornsby Women's Rest Centre (Shire Council)., 205 Pacific Highway., Hornsby	284306	Premise Match	62m	South East
3	MEDICAL PRACTITIONERS (M216)	Doyle Evelyn., 52 Manor Rd., Hornsby	326695	Premise Match	80m	North West

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

1970 Business Directory Records Road or Area Matches

Records from the 1970 UBD Business Directory, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

Map Id	Business Activity	Premise	Ref No.	Location Confidence	Distance to Road Corridor or Area
	No records in buffer				


Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

Historical Business Directories

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



1965 Business Directory Records



- Site Boundary
- Buffer 150m
- Property Boundaries

- Business directory records mapped to a specific premise
- Business directory records mapped to a road intersection
- ▲ Business directory records mapped to a road corridor
- Business directory records mapped to a general area



Projected Coordinate System:
GDA94 MGA Zone 56

Data Sources: Universal Business Directories (UBD), derived data, licensed from Hardie Grant.
Property Boundaries © NSW Department Finance, Services & Innovation 2019

Historical Business Directories

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

1965 Business Directory Records Premise or Road Intersection Matches

Records from the 1965 UBD Business Directory, mapped to a premise or road intersection, within the dataset buffer:

Map Id	Business Activity	Premise	Ref No.	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
1	Schools/Colleges - Technical	Hornsby Technical College., 207-219 Pacific Highway., Hornsby	143018	Premise Match	62m	South East
	Clubs & Sporting Bodies	Hornsby Women's Rost Centre (Shire Council), 205 Pacific Highway., Hornsby	68984	Premise Match	62m	South East
	BOOT & SHOE REPAIRERS	Newman's, Hornsby, 205 Pacific Highway., Hornsby	53542	Premise Match	62m	South East

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

1965 Business Directory Records Road or Area Matches

Records from the 1965 UBD Business Directory, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

Map Id	Business Activity	Premise	Ref No.	Location Confidence	Distance to Road Corridor or Area
2	Schools/Colleges - Private/Public	Hornsby Public School., Peats Ferry Rd., Hornsby	142830	Road Match	141m


Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

Historical Business Directories





Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



1961 Business Directory Records



-  Site Boundary
-  Buffer 150m
-  Property Boundaries

-  Business directory records mapped to a specific premise
-  Business directory records mapped to a road intersection
-  Business directory records mapped to a road corridor
-  Business directory records mapped to a general area



Projected Coordinate System:
GDA94 MGA Zone 56

Data Sources: Universal Business Directories (UBD), derived data, licensed from Hardie Grant.
Property Boundaries © NSW Department Finance, Services & Innovation 2019

Historical Business Directories

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

1961 Business Directory Records Premise or Road Intersection Matches

Records from the 1961 UBD Business Directory, mapped to a premise or road intersection, within the dataset buffer:

Map Id	Business Activity	Premise	Ref No.	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
1	PAINTERS, PAPERHANGERS/DECORATORS	Hains, C. F., 233 Pacific Highway., Hornsby	356108	Premise Match	145m	North East

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

1961 Business Directory Records Road or Area Matches

Records from the 1961 UBD Business Directory, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

Map Id	Business Activity	Premise	Ref No.	Location Confidence	Distance to Road Corridor or Area
2	SCHOOLS/COLLEGES-PRIVATE/PUBLIC	Hornsby Public School, Peats Ferry Rd., Hornsby	248311	Road Match	141m


Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant




Historical Business Directories





Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



1950 Business Directory Records



-  Site Boundary
-  Buffer 150m
-  Property Boundaries

-  Business directory records mapped to a specific premise
-  Business directory records mapped to a road intersection
-  Business directory records mapped to a road corridor
-  Business directory records mapped to a general area



Projected Coordinate System:
GDA94 MGA Zone 56

Data Sources: Universal Business Directories (UBD), derived data, licensed from Hardie Grant.
Property Boundaries © NSW Department Finance, Services & Innovation 2019

Historical Business Directories

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

1950 Business Directory Records Premise or Road Intersection Matches

Records from the 1950 UBD Business Directory, mapped to a premise or road intersection, within the dataset buffer:

Map Id	Business Activity	Premise	Ref No.	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
	No records in buffer					

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

1950 Business Directory Records Road or Area Matches

Records from the 1950 UBD Business Directory, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:


Map Id	Business Activity	Premise	Ref No.	Location Confidence	Distance to Road Corridor or Area
1	SCHOOLS & COLLEGES-GENERAL	Hornsby Public School, Peats Ferry Rd., Hornsby	100908	Road Match	141m

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant





Historical Business Directories

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Dry Cleaners, Motor Garages & Service Stations



-  Site Boundary
-  Buffer 500m
-  Property Boundaries

-  Business directory records mapped to a specific premise
-  Business directory records mapped to a road intersection
-  Business directory records mapped to a road corridor
-  Business directory records mapped to a general area



Projected Coordinate System:
GDA94 MGA Zone 56

Data Sources: Universal Business Directories (UBD), derived data, licensed from Hardie Grant.
Property Boundaries © NSW Department Finance, Services & Innovation 2019

Historical Business Directories

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Dry Cleaners, Motor Garages & Service Stations Premise or Road Intersection Matches (1948-1993)

Dry Cleaners, Motor Garages & Service Stations from UBD Business Directories, mapped to a premise or road intersection, within the dataset buffer.

Note: The Universal Business Directories were published between 1948 and 1993. Dry Cleaners, Motor Garages & Service Stations have been extracted from all of these directories except the following years 1951, 1955, 1957, 1960, 1963, 1973, 1974, 1977, 1987.

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
1	MOTOR GARAGES & SERVICE STATIONS.	Central Auto Repairs, Rear 2 Dural Rd., Hornsby. 2077	53980	1988	Premise Match	198m	South East
	MOTOR GARAGES & SERVICE STATIONS.	Central Auto Repairs, Rear 2 Dural Rd., Hornsby. 2077	64447	1986	Premise Match	198m	South East
	MOTOR GARAGES & SERVICE STATIONS.	Central Auto Repairs, Rear 2 Dural Rd., Hornsby. 2077	39440	1985	Premise Match	198m	South East
	MOTOR GARAGES & OR ENGINEERS & OR SERVICE STATIONS.	Central Auto Repairs, 2 Rear Dural Rd., Hornsby. 2077	28029	1984	Premise Match	198m	South East
	MOTOR GARAGES & OR ENGINEERS & OR SERVICE STATIONS.	Central Auto Repairs. Rear., 2 Dural Rd., Hornsby 2077	14448	1983	Premise Match	198m	South East
	MOTOR GARAGES & OR ENGINEERS & OR SERVICE STATIONS. (M6860)	Central Auto Repairs, Rear 2 Dural Rd., Hornsby. 2077.	56505	1982	Premise Match	198m	South East
	MOTOR GARAGES & ENGINEERS.	McCredle's Garage., 2 Dural St., Hornsby	19287	1959	Premise Match	198m	South East
	MOTOR GARAGE/ENGINEERS.	McCredie's Garage., 2 Dural St Hornsby	4492	1958	Premise Match	198m	South East
	MOTOR GARAGES & OR ENGINEERS.	McCredie's Garage., 2 Dural St Hornsby	57993	1956	Premise Match	198m	South East
	MOTOR GARAGES & OR ENGINEERS.	McCredie's Garage., 2 Dural St Hornsby	49609	1954	Premise Match	198m	South East
	MOTOR GARAGES & OR ENGINEERS.	McCredie's Garage., 2 Dural St., Hornsby	40296	1953	Premise Match	198m	South East
	MOTOR GARAGES & OR ENGINEERS.	McCredie's Garage., 2 Dural St., Hornsby	31895	1952	Premise Match	198m	South East
	MOTOR GARAGES & OR ENGINEERS	McCredie's Garage, 2 Dural St., Hornsby	84056	1950	Premise Match	198m	South East
	MOTOR GARAGES & OR ENGINEERS	McCredie's Garage, 2 Dural St., Hornsby	84079	1950	Premise Match	198m	South East
	MOTOR GARAGES & OR ENGINEERS.	McCredie G., 2 Dural St Hornsby	22575	1948-49	Premise Match	198m	South East
2	MOTOR GARAGES & OR ENGINEERS.	Thompson. & Bourke., 304 Pacific Hghwy., Hornsby	12334	1972	Premise Match	212m	East
	MOTOR GARAGES & OR ENGINEERS.	Thompson & Bourke., 304 Pacific Hghwy., Hornsby	56941	1971	Premise Match	212m	East
	MOTOR GARAGES & ENGINEERS(M6S6)	Thompson & Bourke., 304 Pacific Highway., HORNSBY	338725	1970	Premise Match	212m	East
	MOTOR GARAGES & ENGINEERS.	Thompson & Bourke., 304 Pacific Hghwy, Hornsby	42357	1969	Premise Match	212m	East
	MOTOR GARAGES & ENGINEERS	Thompson & Bourke., 304 Pacific Hghwy., Hornsby	25871	1968	Premise Match	212m	East
	MOTOR GARAGES & ENGINEERS.	Thompson & Bourke., 304 Pacific Hghwy., Hornsby	10372	1967	Premise Match	212m	East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
2	MOTOR GARAGES & ENGINEERS.	Thompson & Bourke., 304 Pacific Hghwy., Hornsby	60120	1966	Premise Match	212m	East
	Motor Garages & Engineers	Thompson & Bourke, 304 Pacific Highway. Hornsby	122779	1965	Premise Match	212m	East
	MOTOR GARAGES & ENGINEERS	Thompson & Bourke., 304 Pacific Highway Hornsby	48050	1964	Premise Match	212m	East
	MOTOR GARAGES & ENGINEERS.	Thompson & Bourke., 304 Pacific Hghwy., Hornsby	29597	1962	Premise Match	212m	East
	MOTOR GARAGES & ENGINEERS	Thompson & Bourke, 304 Pacific Highway. Hornsby	348279	1961	Premise Match	212m	East
	MOTOR GARAGES & ENGINEERS.	Thompson & Bourke., 304 Pacific Hghwy., Hornsby	19288	1959	Premise Match	212m	East
	MOTOR GARAGE/ENGINEERS.	Thompson And Bourke., 304 Pacific Hghwy., Hornsby	9149	1958	Premise Match	212m	East
	MOTOR SERVICE STATIONS-PETROL, ETC.	Pacific Garage, 304 Pacific Hghwy., Hornsby	62087	1956	Premise Match	212m	East
	MOTOR GARAGES &/OR ENGINEERS.	Thompson And Bourke., 304 Pacific Hghwy., Hornsby	61572	1956	Premise Match	212m	East
	MOTOR SERVICE STATIONS-PETROL, ETC.	Pacific Garage., 304 Pacific Hghwy., Hornsby	54607	1954	Premise Match	212m	East
	MOTOR GARAGES &/OR ENGINEERS.	Thompson And Bourke., 304 Pacific Hghwy., Hornsby	54208	1954	Premise Match	212m	East
	MOTOR SERVICE STATIONS-PETROL, ETC.	Pacific Garage., 304 Pacific Hghwy., Hornsby	44162	1953	Premise Match	212m	East
	MOTOR GARAGES &/OR ENGINEERS.	Thompson And Bourke., 304 Pacific Hghwy., Hornsby	40777	1953	Premise Match	212m	East
	MOTOR SERVICE STATIONS-PETROL, ETC.	Pacific Garage (J.D. McIntyre), 304 Pacific Hghwy., Hornsby	35944	1952	Premise Match	212m	East
	MOTOR GARAGES &/OR ENGINEERS.	Thompson And Bourke., 304 Pacific Hghwy., Hornsby	32331	1952	Premise Match	212m	East
	MOTOR SERVICE STATIONS-PETROL, Etc.	Pacific Garage (J. D. McIntyre), 304 Pacific Highway., Hornsby	86255	1950	Premise Match	212m	East
	MOTOR GARAGES &/OR ENGINEERS	Thompson and Bourke, 304 Pacific Highway., Hornsby	84466	1950	Premise Match	212m	East
	MOTOR SERVICE STATIONS-PETROL, Etc.	Thompson, C. and Bourke, W. T., 304 Pacific Highway., Hornsby	86461	1950	Premise Match	212m	East
	MOTOR GARAGES &/OR ENGINEERS.	Pacific Garage., 304 Pacific Hghwy., Hornsby	22701	1948-49	Premise Match	212m	East
	MOTOR GARAGES &/OR ENGINEERS.	Thompson And Bourke., 304 Pacific Hghwy., Hornsby	22941	1948-49	Premise Match	212m	East
MOTOR SERVICE STATIONS-PETROL, ETC.	Thompson, C. and Bourke, W. T., 304 Pacific Hghwy., Hornsby	26829	1948-49	Premise Match	212m	East	
3	MOTOR GARAGES &/OR ENGINEERS.	Barsby T. B., 33 Jersey St Hornsby	56932	1971	Premise Match	237m	East
	MOTOR GARAGES & ENGINEERS(M6S6)	Barsby, T. B., 33 Jersey St., HORNSBY	337269	1970	Premise Match	237m	East
	MOTOR GARAGES & ENGINEERS.	Barsby T. B., 33 Jersey St Hornsby	42350	1969	Premise Match	237m	East
	MOTOR GARAGES & ENGINEERS	Barsby T. B., 33 Jersey St Hornsby	25867	1968	Premise Match	237m	East
	MOTOR GARAGES & ENGINEERS.	Barsby T. B., 33 Jersey St Hornsby	10369	1967	Premise Match	237m	East
	MOTOR GARAGES & ENGINEERS.	Barsby T. B., 33 Jersey St Hornsby	60117	1966	Premise Match	237m	East
	Motor Garages & Engineers	Barsby, T. B., 33 Jersey St. Hornsby	122776	1965	Premise Match	237m	East
	MOTOR GARAGES & ENGINEERS	Barsby T. B., 33 Jersey St Hornsby	48045	1964	Premise Match	237m	East
4	MOTOR SERVICE STATIONS-PETROL,OIL,Etc.	McCredie, C., 2a Dural St., HORNSBY	341318	1970	Premise Match	239m	South East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
4	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Mccredie C., 2A Dural St Hornsby	47896	1969	Premise Match	239m	South East
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Mccredie C., 2A Dural St Hornsby	31321	1968	Premise Match	239m	South East
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Mccredie C., 2A Dural St Hornsby	15797	1967	Premise Match	239m	South East
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Mccredie C., 2A Dural St Hornsby	1371	1966	Premise Match	239m	South East
	Motor Service Stations - Petrol, Oil, Etc.	McCredie, C., 2a Dural St. Hornsby	125773	1965	Premise Match	239m	South East
	MOTOR GARAGES & ENGINEERS	Mccredie C., 2A Dural St Hornsby	48049	1964	Premise Match	239m	South East
	MOTOR GARAGES & ENGINEERS.	Mccredie C., 2A Dural St Hornsby	29596	1962	Premise Match	239m	South East
	MOTOR GARAGES & ENGINEERS	McCredie, C., 2a Dural St., HORNSBY	347671	1961	Premise Match	239m	South East
5	DRY CLEANERS, PRESSERS & DYERS	Lindfield Laundry and Dry Cleaners Pty. Ltd. 286a Pacific Highway., Hornsby	35410	1950	Premise Match	256m	South East
	DRY CLEANERS, PRESSERS & DYERS.	Lindfield Laundry And Dry Cleaners Pty. Ltd., 286A Pacific Hghwy., Hornsby	17281	1948-49	Premise Match	256m	South East
6	MOTOR GARAGES & ENGINEERS.	Kookaburra Tyre & Service Station., 25-27 Jersey St Hornsby	29595	1962	Premise Match	261m	East
	MOTOR GARAGES & ENGINEERS	Kookaburra Tyre & Service Station, 25-27 Jersey St. HORNSBY	347526	1961	Premise Match	261m	East
	MOTOR GARAGE/ENGINEERS.	Kookaburra Tyre & Service Station., 25-27 Jersey St Hornsby	4420	1958	Premise Match	261m	East
	MOTOR GARAGES &/OR ENGINEERS.	Kookaburra Tyre & Service Station., 25-27 Jersey St Hornsby	57939	1956	Premise Match	261m	East
	MOTOR GARAGES &/OR ENGINEERS.	Garrett & Lewis Pty. Ltd., 25-27 Jersey St., Hornsby	49296	1954	Premise Match	261m	East
	MOTOR GARAGES &/OR ENGINEERS.	Kookaburra Tyre & Service Station., 25-27 Jersey St Hornsby	49543	1954	Premise Match	261m	East
	MOTOR GARAGES &/OR ENGINEERS.	Garrett & Lewis Pty. Ltd., 25-27 Jersey St Hornsby	40027	1953	Premise Match	261m	East
	MOTOR GARAGES &/OR ENGINEERS.	Kookaburra Tyre A Service Station., 25-27 Jersey St Hornsby	40245	1953	Premise Match	261m	East
7	DRY CLEANERS & PRESSERS.	Thrift Macks Dry Cleaning Service, 25 Station St., Hornsby. 2077	53311	1988	Premise Match	341m	South East
	DRY CLEANERS & PRESSERS.	Thrift Macks Dry Cleaning Service, 25 Station St., Hornsby. 2077	25542	1986	Premise Match	341m	South East
	DRY CLEANERS & PRESSERS.	Thrift Macks Dry Cleaning Service, 25 Station St., Hornsby. 2077	38819	1985	Premise Match	341m	South East
	DRY CLEANERS & PRESSERS.	Red Robin Dry Cleaning Service, 25 Station St., Hornsby. 2077	22155	1984	Premise Match	341m	South East
	DRY CLEANERS & PRESSERS.	Red Robin Dry Cleaning Service., 25 Station St., Hornsby 2077	8751	1983	Premise Match	341m	South East
	DRY CLEANERS & PRESSERS.(D8500)	Red Robin Dry Cleaning Service, 25 Station St., Hornsby. 2077.	24021	1982	Premise Match	341m	South East
	DRY CLEANERS & PRESSERS.	Red Robin Dry Cleaning Service., 25 Station St., Hornsby. 2077	63509	1981	Premise Match	341m	South East
	DRY CLEANERS, PRESSERS &/OR DYERS.	Red Robin Dry Cleaning Service., 25 Station St., Hornsby. 2077	49988	1980	Premise Match	341m	South East
	DRY CLEANERS, PRESSERS &/OR DYERS.	Red Robin Dry Cleaning Service., 25 Station St., Hornsby. 2077.	35525	1979	Premise Match	341m	South East
	DRY CLEANERS, PRESSERS &/OR DYERS	Red Robin Dry Cleaning Service, 25 Station St., Hornsby. 2077	20929	1978	Premise Match	341m	South East
	DRY CLEANERS, PRESSERS &/OR DYERS.	Page Boy., 25 Station St Hornsby 2077	23738	1976	Premise Match	341m	South East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
7	DRY CLEANERS, PRESSERS &/OR DYERS.	Page Boy, 25 Station St., Hornsby. 2077	24262	1975	Premise Match	341m	South East
	DRY CLEANERS, PRESSERS &/OR DYERS.	Red Robin., 25 Station St Hornsby	7206	1972	Premise Match	341m	South East
	DRY CLEANERS, PRESSERS &/OR DYERS	Red Robin., 25 Station St Hornsby	51282	1971	Premise Match	341m	South East
	DRY CLEANERS,PRESSERS /DYERS (D710)	Red Robin., 25 Station St., Hornsby	292469	1970	Premise Match	341m	South East
8	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Golden Fleece Service Station., Cnr George & Linda Sts Hornsby	47894	1969	Road Intersection	427m	East
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Golden Fleece Service Station., Cnr George & Linda Sts Hornsby	31320	1968	Road Intersection	427m	East
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Golden Fleece Service Station., Cnr George & Linda Sts Hornsby	15796	1967	Road Intersection	427m	East
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Golden Fleece Service Station., Cnr George & Linda Sts Hornsby	1370	1966	Road Intersection	427m	East
	Motor Service Stations - Petrol, Oil, Etc.	Golden Fleece Service Station, Cnr. George & Linda Sts. Hornsby	125772	1965	Road Intersection	427m	East
9	MOTOR GARAGES & SERVICE STATIONS.	Caltex Hornsby Service Station, 108 George St., Hornsby. 2077	18775	1993	Premise Match	434m	East
	Motor Garages & Service Stations	Cattex Hornsby Service Station, 108 George St, Hornsby 2077	97579	1991	Premise Match	434m	East
	MOTOR GARAGES & SERVICE STATIONS.	Caltex Hornsby Service Station, 108 George St., Hornsby. 2077	11313	1990	Premise Match	434m	East
	MOTOR GARAGE & SERVICE STATIONS.	Caltex Hornsby Service Station, 108 George St., Hornsby. 2077	64753	1989	Premise Match	434m	East
	MOTOR GARAGES & SERVICE STATIONS.	Caltex Hornsby Service Station, 108 George St., Hornsby. 2077	53873	1988	Premise Match	434m	East
	MOTOR GARAGES & SERVICE STATIONS.	Caltex Service Station, 108 George St., Hornsby. 2077	64399	1986	Premise Match	434m	East
	MOTOR GARAGES & SERVICE STATIONS.	Golden Fleece Hornsby Service Station, 108 George St., Hornsby. 2077	39772	1985	Premise Match	434m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Golden Fleece Hornsby Service Station, 108 George St., Hornsby. 2077	28350	1984	Premise Match	434m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Golden Fleece Hornsby Service Station., 108 George St., Hornsby. 2077	14773	1983	Premise Match	434m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS. (M6860)	Golden Fleece Hornsby Service Station, 108 George St., Hornsby. 2077.	56834	1982	Premise Match	434m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Golden Fleece Hornsby Service Station., 108 George St., Hornsby. 2077	3393	1981	Premise Match	434m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Golden Fleece Hornsby Service Station., 108 George St., Hornsby. 2077	58127	1980	Premise Match	434m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Golden Fleece Service Station., 108 George St., Hornsby. 2077.	41613	1979	Premise Match	434m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Golden Fleece Service Station, 108 George St., Hornsby. 2077	50141	1978	Premise Match	434m	East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
9	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Golden Fleece Service Station., 108 George St., Hornsby 2077	30121	1976	Premise Match	434m	East
	MOTOR GARAGES &/OR ENGINEERS.	Golden Fleece Service Station., 108 George St., Hornsby.2077	58945	1975	Premise Match	434m	East
	MOTOR GARAGES &/OR ENGINEERS.	McColl G. K., M. I. & S. U. Pty Ltd., 108 George St., Hornsby 2077	12330	1972	Premise Match	434m	East
10	MOTOR GARAGES & SERVICE STATIONS.	BP Plaza Service Station, 84 George St., Hornsby. 2077	18679	1993	Premise Match	436m	South East
	Motor Garages & Service Stations	BP Plaza Service Station, 84 George St., Hornsby 2077	53593	1991	Premise Match	436m	South East
	MOTOR GARAGES & SERVICE STATIONS.	BP Plaza Service Station, 84 George St., Hornsby. 2077	11190	1990	Premise Match	436m	South East
	MOTOR GARAGE & SERVICE STATIONS.	BP Plaza Service Station, 84 George St., Hornsby. 2077	64625	1989	Premise Match	436m	South East
	MOTOR GARAGES & SERVICE STATIONS.	BP Plaza Service Station, 84 George St., Hornsby. 2077	53740	1988	Premise Match	436m	South East
	MOTOR GARAGES & SERVICE STATIONS.	BP Plaza Service Station, 84 George St., Hornsby. 2077	64204	1986	Premise Match	436m	South East
	MOTOR GARAGES & SERVICE STATIONS.	BP Plaza Service Station, 84 George St., Hornsby. 2077	39212	1985	Premise Match	436m	South East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	BP Plaza Service Station, 84 George St., Hornsby. 2077	27816	1984	Premise Match	436m	South East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	BP Plaza Service Station., 84 George St., Hornsby 2077	14252	1983	Premise Match	436m	South East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS. (M6860)	BP Plaza Service Station, 84 George St., Hornsby. 2077.	56281	1982	Premise Match	436m	South East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	BP Plaza Service Station., 80 George St., Hornsby. 2077	63959	1981	Premise Match	436m	South East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	BP Plaza Service Station., 80 George St., Hornsby. 2077	51460	1980	Premise Match	436m	South East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	BP Plaza Service Station., 80 George St., Hornsby. 2077.	41059	1979	Premise Match	436m	South East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	BP Plaza Service Station, 80 George St., Hornsby. 2077	49597	1978	Premise Match	436m	South East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	BP Plaza Service Station., 80 George St., Hornsby 2077	25311	1976	Premise Match	436m	South East
	MOTOR GARAGES &/OR ENGINEERS.	BP Plaza Service Station., 80 George St., Hornsby.2077	58548	1975	Premise Match	436m	South East
	11	MOTOR GARAGES & ENGINEERS.	Knight's Service Station., 143 Pacific Hghwy., Hornsby	29594	1962	Premise Match	440m
MOTOR GARAGES & ENGINEERS		Knight's Service Station, 143 Pacific Highway., Hornsby	347520	1961	Premise Match	440m	South East
MOTOR GARAGES & ENGINEERS.		Knight's Service Station., 143 Pacific Hghwy., Hornsby	19285	1959	Premise Match	440m	South East
MOTOR GARAGE/ENGINEERS.		Knights Service Station., 143 Pacific Hghwy., Hornsby	4417	1958	Premise Match	440m	South East
MOTOR GARAGES &/OR ENGINEERS.		Knights Service Station., 143 Pacific Hghwy., Hornsby	57936	1956	Premise Match	440m	South East
MOTOR GARAGES &/OR ENGINEERS.		Knights Service Station., 143 Pacific Hghwy., Hornsby	49539	1954	Premise Match	440m	South East
MOTOR GARAGES &/OR ENGINEERS.		Knight's Service Station., 143 Pacific Hghwy., Hornsby	49537	1954	Premise Match	440m	South East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
11	MOTOR GARAGES &/OR ENGINEERS.	Knights Service Station., 143 Pacific Hghwy., Hornsby	40240	1953	Premise Match	440m	South East
12	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Ku-Ring-Gai Motors., 142 George St., Hornsby 2077	3618	1981	Premise Match	444m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Ku-Ring-Gai Motors., 142 George St., Hornsby. 2077	58353	1980	Premise Match	444m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Ku-Ring-Gai Motors., 142 George St., Hornsby. 2077.	45870	1979	Premise Match	444m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Ku-Ring-Gai Motor Engineers, 142 George St., Hornsby. 2077	50351	1978	Premise Match	444m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Ku-Ring-Gai Motor Engineers Pty. Ltd., 142 George St., Hornsby 2077	30351	1976	Premise Match	444m	East
	MOTOR GARAGES &/OR ENGINEERS.	Ku-Ring-Gai Motor Engineers Pty. Ltd., 142 George St., Hornsby.2077	59130	1975	Premise Match	444m	East
	MOTOR GARAGES &/OR ENGINEERS.	Ku-Ring-Gai Motor Engineers Pty. Ltd., 142 George St Hornsby	12329	1972	Premise Match	444m	East
	MOTOR GARAGES &/OR ENGINEERS.	Ku-Ring-Gai., 142 George St Hornsby	56937	1971	Premise Match	444m	East
	MOTOR GARAGES & ENGINEERS(M6S6)	Ku-ring-gai., 142 George St., Hornsby	338125	1970	Premise Match	444m	East
	13	MOTOR GARAGES & SERVICE STATIONS.	Brownlee Des Automotives, 156 George St., Hornsby. 2077	18716	1993	Premise Match	447m
Motor Garages & Service Stations		Brownlee Des Automotives, 156 George St., Hornsby. 2077	53602	1991	Premise Match	447m	East
MOTOR GARAGES & SERVICE STATIONS.		Brownlee Des Automotives, 156 George St., Hornsby. 2077	11240	1990	Premise Match	447m	East
MOTOR GARAGE & SERVICE STATIONS.		Brownlee Des Automotives, 156 George St., Hornsby. 2077	64676	1989	Premise Match	447m	East
MOTOR GARAGES & SERVICE STATIONS.		Brownlee Des Automotives, 156 George St., Hornsby. 2077	53801	1988	Premise Match	447m	East
MOTOR GARAGES & SERVICE STATIONS.		Brownlee Des Automotives, 156 George St., Hornsby. 2077	64269	1986	Premise Match	447m	East
MOTOR GARAGES & SERVICE STATIONS.		Brownlee Des Automotives, 156 George St., Hornsby. 2077	39271	1985	Premise Match	447m	East
MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.		Brownlee Des Automotives, 156 George St., Hornsby. 2077	27882	1984	Premise Match	447m	East
MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.		Brownlee Des Automotives, 156 George St., Hornsby. 2077	65772	1983	Premise Match	447m	East
MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS. (M6860)		Brownlee Des Automotives, 156 George St., Hornsby. 2077	56348	1982	Premise Match	447m	East
MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.		Brownlee Des Automotives, 156 George St., Hornsby. 2077	64026	1981	Premise Match	447m	East
MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.		Brownlee Des Automotives, 156 George St., Hornsby. 2077	51531	1980	Premise Match	447m	East
14		MOTOR GARAGES &/OR ENGINEERS.	Kookaburra Tyre & Service Station., 141 Pacific Hghwy., Hornsby	31845	1952	Premise Match	450m
	MOTOR GARAGES &/OR ENGINEERS	Kookaburra Tyre and Service Station, 141 Pacific Highway., Hornsby	83973	1950	Premise Match	450m	South East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
14	MOTOR SERVICE STATIONS-PETROL, Etc.	Kookaburra Tyre Service, 141 Pacific Highway., Hornsby	86117	1950	Premise Match	450m	South East
	MOTOR GARAGES &/OR ENGINEERS.	Kookaburra Tyre And Service Station., 141 Pacific Hghwy., Hornsby	22530	1948-49	Premise Match	450m	South East
15	MOTOR GARAGES & SERVICE STATIONS.	Town & Country Towing Pty. Ltd., 2A Linda St., Hornsby. 2077	65638	1986	Premise Match	465m	East
	MOTOR GARAGES & SERVICE STATIONS.	Town & Country Garage Pty. Ltd., 2A Linda St., Hornsby. 2077	45761	1985	Premise Match	465m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Town & Country Garage Pty. Ltd., 2A Linda St., Hornsby. 2077	34322	1984	Premise Match	465m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Town & Country Garage Pty. Ltd., 2A Linda St., Hornsby 2077	21765	1983	Premise Match	465m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS. (M6860)	Town & Country Garage Pty. Ltd., 2A Linda St., Hornsby. 2077.	57762	1982	Premise Match	465m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Town & Country Garage Pty. Ltd., 2A Linda St., Hornsby 2077	8344	1981	Premise Match	465m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Town & Country Garage Pty. Ltd., 2A Linda St., Hornsby. 2077	59034	1980	Premise Match	465m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Town & Country Garage Pty Ltd., 2a Linda St., Hornsby. 2077.	46535	1979	Premise Match	465m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Town & Country Garage Pty. Ltd., 2a Linda St., Hornsby. 2077	51018	1978	Premise Match	465m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Town & Country Garage Pty. Ltd., 2A Linda St., Hornsby 2077	35109	1976	Premise Match	465m	East
	MOTOR GARAGES &/OR ENGINEERS.	Town & Country Garage Pty. Ltd., 2a Linda St., Hornsby.2077	59697	1975	Premise Match	465m	East
	MOTOR GARAGES &/OR ENGINEERS.	Town. & Country Garage Pty Ltd., 2A Linda St Hornsby	12335	1972	Premise Match	465m	East
	16	DRY CLEANERS, PRESSERS &/OR DYERS	Lindfield Dry Cleaners, 9 Eastside Centre Hornsby. 2077	20853	1978	Premise Match	483m
DRY CLEANERS, PRESSERS &/OR DYERS.		Lindfield Dry Cleaners., 9 Eastside Centre, Hornsby 2077	23644	1976	Premise Match	483m	South East
DRY CLEANERS, PRESSERS &/OR DYERS.		Lindfield Dry Cleaners, 9 Eastside Centre, Hornsby. 2077	24169	1975	Premise Match	483m	South East
DRY CLEANERS, PRESSERS &/OR DYERS.		Lindfield Dry Cleaners., 9 Eastside Centre, Hornsby 2077	3026	1972	Premise Match	483m	South East
17	MOTOR GARAGES & SERVICE STATIONS.	Adroit Automotives, 7/113 Hunter St., Hornsby. 2077	53357	1988	Premise Match	496m	East
	MOTOR GARAGES & SERVICE STATIONS.	Adroit Automotives, 7/113 Hunter St., Hornsby. 2077	63862	1986	Premise Match	496m	East
	MOTOR GARAGES & SERVICE STATIONS.	Adroit Automotives., 7/113 Hunter St., Hornsby. 2077	38876	1985	Premise Match	496m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Adroit Automotives, 7/113 Hunter St., Hornsby. 2077	22257	1984	Premise Match	496m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Adroit Automotives, 7/113 Hunter St., Hornsby 2077	8849	1983	Premise Match	496m	East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
17	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS. (M6860)	Adroit Automotives, 10/113 Hunter St., Hornsby. 2077.	55934	1982	Premise Match	496m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Adroit Automotives., 10/113 Hunter St., Hornsby. 2077	63607	1981	Premise Match	496m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Tildora Pty. Ltd., 7/113 Hunter St., Hornsby. 2077	58962	1980	Premise Match	496m	East
18	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Cotton, Auto Marine, 105 Hunter St., Hornsby. 2077	49850	1978	Premise Match	497m	East
19	MOTOR GARAGES & SERVICE STATIONS.	Hornsby Brake Service Pty Ltd., 81A Hunter St., Hornsby. 2077	19022	1993	Premise Match	498m	East
	MOTOR GARAGES & SERVICE STATIONS.	Hornsby Brake Service Pty. Ltd., 81A Hunter St., Hornsby. 2077	11701	1990	Premise Match	498m	East
	MOTOR GARAGE & SERVICE STATIONS.	Hornsby Brake Service Pty. Ltd., 81A Hunter St., Hornsby. 2077	5093	1989	Premise Match	498m	East
	MOTOR GARAGES & SERVICE STATIONS.	Hornsby Brake Service Pty. Ltd., 81A Hunter St., Hornsby. 2077	59430	1988	Premise Match	498m	East
	MOTOR GARAGES & SERVICE STATIONS.	Hornsby Brake Service Pty. Ltd., 81A Hunter St., Hornsby. 2077	64871	1986	Premise Match	498m	East
	MOTOR GARAGES & SERVICE STATIONS.	Hornsby Brake Service Pty. Ltd., 81A Hunter St., Hornsby. 2077	44973	1985	Premise Match	498m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Hornsby Brake Service Pty. Ltd., 81A Hunter St., Hornsby. 2077	28471	1984	Premise Match	498m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Hornsby Brake Service., 81A Hunter St., Hornsby 2077	14902	1983	Premise Match	498m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS. (M6860)	Hornsby Brake Service, 81A Hunter St., Hornsby. 2077.	56970	1982	Premise Match	498m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Hornsby Brake Service., 81A Hunter St., Hornsby 2077	3527	1981	Premise Match	498m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Hornsby Brake Service., 81A Hunter St., Hornsby. 2077	58262	1980	Premise Match	498m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Hornsby Brake Service., 81A Hunter St., Hornsby. 2077.	41727	1979	Premise Match	498m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Hornsby Brake Service, 81A Hunter St., Hornsby. 2077	50262	1978	Premise Match	498m	East
20	MOTOR GARAGES & SERVICE STATIONS.	Lingane Motors Pty. Ltd., 91 Hunter St., Hornsby. 2077	19071	1993	Premise Match	498m	East
	MOTOR GARAGES & SERVICE STATIONS.	Lingane Motors Pty. Ltd., 91 Hunter St., Hornsby. 2077	11777	1990	Premise Match	498m	East
	MOTOR GARAGE & SERVICE STATIONS.	Lingane Motors Pty. Ltd., 91 Hunter St., Hornsby. 2077	5179	1989	Premise Match	498m	East
	MOTOR GARAGES & SERVICE STATIONS.	Lingane Motors Pty. Ltd., 91 Hunter St., Hornsby. 2077	59530	1988	Premise Match	498m	East
	MOTOR GARAGES & SERVICE STATIONS.	Lingane Motors Pty. Ltd., 91 Hunter St., Hornsby. 2077	64989	1986	Premise Match	498m	East
	MOTOR GARAGES & SERVICE STATIONS.	Lingane Motors Pty. Ltd., 91 Hunter St., Hornsby. 2077	45092	1985	Premise Match	498m	East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
20	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Lingane Motors Pty. Ltd., 91 Hunter St., Hornsby. 2077	28592	1984	Premise Match	498m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Lingane Motors Pty. Ltd., 91 Hunter St., Hornsby. 2077	15021	1983	Premise Match	498m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS. (M6860)	Lingane Motors Pty. Ltd., 91 Hunter St., Hornsby. 2077	57095	1982	Premise Match	498m	East
21	MOTOR GARAGES & SERVICE STATIONS.	Northgate Auto Repairs Pty Ltd., 3/65 Hunter St., Hornsby. 2077	19195	1993	Premise Match	499m	East
	Motor Garages & Service Stations	Northgate Auto Repairs Pty. Ltd., 3/65 Hunter St, Hornsby 2077	97826	1991	Premise Match	499m	East
	MOTOR GARAGES & SERVICE STATIONS.	Northgate Auto Repairs Pty. Ltd., 3/65 Hunter St., Hornsby. 2077	11936	1990	Premise Match	499m	East
	MOTOR GARAGE & SERVICE STATIONS.	Northgate Auto Repairs Pty. Ltd., 3/65 Hunter St., Hornsby. 2077	5345	1989	Premise Match	499m	East
	MOTOR GARAGES & SERVICE STATIONS.	Northgate Auto Repairs Pty. Ltd., 3/65 Hunter St., Hornsby. 2077	59717	1988	Premise Match	499m	East
	MOTOR GARAGES & SERVICE STATIONS.	Northgate Auto Repairs Pty. Ltd., 3/65 Hunter St., Hornsby. 2077	65195	1986	Premise Match	499m	East
	MOTOR GARAGES & SERVICE STATIONS.	Northgate Auto Repairs Pty. Ltd., 3/65 Hunter St., Hornsby. 2077	45298	1985	Premise Match	499m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Northgate Auto Repairs Pty. Ltd., 3/65 Hunter St., Hornsby. 2077	33875	1984	Premise Match	499m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Northgate Auto Repairs Pty. Ltd., 3/65 Hunter St., Hornsby 2077	15227	1983	Premise Match	499m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS. (M6860)	Northgate Auto Repairs Pty. Ltd., 3/65 Hunter St., Hornsby. 2077.	57307	1982	Premise Match	499m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Northgate Auto Repairs Pty Ltd., 3/65 Hunter St., Hornsby 2077	3860	1981	Premise Match	499m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Northgate Auto Repairs Pty. Ltd., 3/65 Hunter St., Hornsby. 2077	58607	1980	Premise Match	499m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	R. & D. Auto Repairs., 3/65 Hunter St., Hornsby. 2077.	46204	1979	Premise Match	499m	East
22	MOTOR GARAGES & SERVICE STATIONS.	Scdleria Veloce Motors Pty Ltd., 83 Hunter La., Hornsby. 2077	20307	1993	Premise Match	499m	East
	Motor Garages & Service Stations	Scuderia Veloce Motors Pty. Ltd., 83 Hunter La., Hornsby 2077	97776	1991	Premise Match	499m	East
	MOTOR GARAGES & SERVICE STATIONS.	Scuderia Veloce Motors Pty. Ltd., 83 Hunter La, Hornsby. 2077	12081	1990	Premise Match	499m	East
	MOTOR GARAGE & SERVICE STATIONS.	Scudena Veloce Motors Pty. Ltd., 83 Hunter La., Hornsby. 2077	5504	1989	Premise Match	499m	East
	MOTOR GARAGES & SERVICE STATIONS.	Scuderia Veloce Motors Pty. Ltd., 83 Hunter La., Hornsby. 2077	59893	1988	Premise Match	499m	East
	MOTOR GARAGES & SERVICE STATIONS.	Scuderia Veloce Motors Pty. Ltd., 83 Hunter La., Hornsby. 2077	65397	1986	Premise Match	499m	East
	MOTOR GARAGES & SERVICE STATIONS.	Scudena Veloce Motors Pty. Ltd., 83 Hunter La Hornsby. 2077	45514	1985	Premise Match	499m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Scuderia Veloce Motors Pty. Ltd., 83 Hunter La Hornsby. 2077	34083	1984	Premise Match	499m	East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
22	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Scuderia Veloce Motors Pty Ltd., 83 Hunter La., Hornsby 2077	21536	1983	Premise Match	499m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS. (M6860)	Scuderia Veloce Motors Pty. Ltd., 83 Hunter La., Hornsby. 2077.	57526	1982	Premise Match	499m	East
23	MOTOR GARAGES & SERVICE STATIONS.	Colpar Motors, Rear 71 Hunter St., Hornsby. 2077	59093	1988	Premise Match	499m	East
	MOTOR GARAGES & SERVICE STATIONS.	R.C. Repair Centre (Waitara) Pty. Ltd., Rear 71 Hunter St., Hornsby. 2077	59820	1988	Premise Match	499m	East
	MOTOR GARAGES & SERVICE STATIONS.	R.C. Repair Centre (Waitara) Pty. Ltd., Rear 71 Hunter St., Hornsby. 2077	65308	1986	Premise Match	499m	East
	MOTOR GARAGES & SERVICE STATIONS.	R C Repair Centre (Waitara) Pty. Ltd., Rear 71 Hunter St., Hornsby. 2077	45417	1985	Premise Match	499m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	R.C. Repair Centre (Waitara) Pty. Ltd., Rear 71 Hunter St., Hornsby. 2077	33988	1984	Premise Match	499m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	R.C. Repair Centre (Waitara) Pty. Ltd., 71 Hunter St., Hornsby 2077	21441	1983	Premise Match	499m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS. (M6860)	R.C. Repair Centre (Waitara) Pty. Ltd., 71 Hunter St., Hornsby. 2077.	57429	1982	Premise Match	499m	East
24	MOTOR GARAGES & SERVICE STATIONS.	Hunter Motors Pty. Ltd., 77 Hunter St., Hornsby. 2077	64878	1986	Premise Match	499m	East
	MOTOR GARAGES & SERVICE STATIONS.	Hunter Motors Pty. Ltd., 77 Hunter St., Hornsby. 2077	44980	1985	Premise Match	499m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Hunter Motors Pty. Ltd., 77 Hunter St., Hornsby. 2077	28481	1984	Premise Match	499m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Hunter Motors., 77 Hunter St., Hornsby 2077	14911	1983	Premise Match	499m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS. (M6860)	Hunter Motors, 77 Hunter St., Hornsby. 2077.	56978	1982	Premise Match	499m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Hunter Motors., 77 Hunter St., Hornsby 2077	3534	1981	Premise Match	499m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Hunter Motors., 77 Hunter St., Hornsby. 2077	58269	1980	Premise Match	499m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Hunter Motors., 77 Hunter St., Hornsby. 2077.	41733	1979	Premise Match	499m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Hunter Motors, 77 Hunter St., Hornsby. 2077	50270	1978	Premise Match	499m	East
	25	MOTOR GARAGES &/OR ENGINEERS.	Hornsby-Ku-Rin-Gai Automatics., 79 Hunter St., Hornsby 2077	12328	1972	Premise Match	499m

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

Dry Cleaners, Motor Garages & Service Stations Road or Area Matches (1948-1993)

Dry Cleaners, Motor Garages & Service Stations from UBD Business Directories, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published.

Note: The Universal Business Directories were published between 1948 and 1993. Dry Cleaners, Motor Garages & Service Stations have been extracted from all of these directories except the following years 1951, 1955, 1957, 1960, 1963, 1973, 1974, 1977, 1987.

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Road Corridor or Area
26	MOTOR GARAGES & ENGINEERS.	Butler Bros. Motors Pty. Ltd., 139 Pacific Hghwy., Hornsby	19283	1959	Road Match	141m
	MOTOR SERVICE STATIONS-PETROL., OIL, ETC.	Fig Tree Service Station., Pacific Hghwy., Hornsby	24235	1959	Road Match	141m
	MOTOR SERVICE STATIONS-PETROL, ETC.	Fig Tree Service Station., Pacific Hghwy., Hornsby	9522	1958	Road Match	141m
27	MOTOR GARAGES & ENGINEERS.	Gilbert John A. Pty. Ltd., Jersey St Hornsby	42354	1969	Road Match	279m
	MOTOR GARAGES & ENGINEERS	Gilbert John A. Pty. Ltd., Jersey St Hornsby	25870	1968	Road Match	279m
28	MOTOR GARAGES &/OR ENGINEERS.	Hornsby Travel Centre Pty. Ltd., George St., Hornsby 2077	12327	1972	Road Match	399m
	MOTOR GARAGES &/OR ENGINEERS.	BP Plaza Service Station., George St Hornsby	56933	1971	Road Match	399m
	MOTOR GARAGES &/OR ENGINEERS.	Hornsby Golden Fleece Service Station., George St Hornsby	56936	1971	Road Match	399m
	MOTOR GARAGES & ENGINEERS(M6S6)	BP Plaza Service Station., George St., HORNSBY	337393	1970	Road Match	399m
	MOTOR GARAGES & ENGINEERS(M6S6)	Hornsby Golden Fleece Service Station., George St., HORNSBY	338020	1970	Road Match	399m
	MOTOR GARAGES & ENGINEERS.	BP Plaza Service Station., George St Hornsby	42351	1969	Road Match	399m
	MOTOR GARAGES & ENGINEERS.	Hornsby Golden Fleece Service Station., George St Hornsby	42355	1969	Road Match	399m
29	MOTOR GARAGES &/OR ENGINEERS.	Complete Car Service., Burdett St., Hornsby.2077	58685	1975	Road Match	446m

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant



Aerial Imagery 2009

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077




150m

Legend

-  Site Boundary
-  Buffer 150m

Google Earth
Version 2.0.10042.1000



Data Source Aerial Imagery: © 2019 Google Inc, used with permission. Google and the Google logo are registered trademarks of Google Inc.

Coordinate System:
GDA 1994 MGA Zone 56

Date: 01 August, 2019

Aerial Imagery 2003

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077






Aerial Imagery 1991

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Legend

-  Site Boundary
-  Buffer 150m




Data Sources: Aerial Imagery © Department of Finance, Services & Innovation

Coordinate System:
GDA 1994 MGA Zone 56

Date: 05 August 2019

Aerial Imagery 1982

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077





Aerial Imagery 1970


Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Legend

-  Site Boundary
-  Buffer 150m

Scale:



0 25 50 100 150 200
Metres

Data Sources: Aerial Imagery © Department of Finance, Services & Innovation

Coordinate System:
GDA 1994 MGA Zone 56

Date: 05 August 2019

Aerial Imagery 1965

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077




Aerial Imagery 1961

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Aerial Imagery 1956

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Aerial Imagery 1951

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077






Aerial Imagery 1930

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Legend

-  Site Boundary
-  Buffer 150m




Data Source Aerial Imagery:
© NSW Department of Finance, Services & Innovation

Coordinate System:
GDA 1994 MGA Zone 56

Date: 01 August, 2019

Topographic Map 2015


Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Legend

- Site Boundary
- Buffer 1000m

Scale:



Data Sources: Topographic Map Data
© NSW Land and Property Information


Coordinate System:
GDA 1994 MGA Zone 56

Date: 05 August 2019

© Department of Finance, Services & Innovation 2018


Historical Map 1975

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077




Historical Map c.1942

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077




Historical Map c.1920

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Topographic Features

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Topographic Features

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Points of Interest

What Points of Interest exist within the dataset buffer?

Map Id	Feature Type	Label	Distance	Direction
962706	Park	HORNSBY PARK	74m	South West
962780	TAFE College	HORNSBY TAFE COLLEGE	109m	South East
961989	Swimming Pool Facility	HORNSBY AQUATIC CENTRE	137m	South East
962603	Place Of Worship	ANGLICAN CHURCH	167m	East
962593	Court House	HORNSBY LOCAL COURT	196m	South East
962628	Suburb	HORNSBY	205m	East
961917	Local Government Chambers	THE COUNCIL OF THE SHIRE OF HORNSBY	205m	South East
962640	Police Station	HORNSBY POLICE STATION	208m	South East
962725	Park	Park	218m	North West
962637	Post Office	HORNSBY POST OFFICE	232m	South East
962594	Fire Station	HORNSBY FIRE STATION	236m	East
962778	Retirement Village	CAMELLIA COURT	245m	South
962697	Place Of Worship	CHRISTIAN SCIENTIST CHURCH	246m	South East
961923	Nursing Home	REGIS HORNSBY	269m	North East
962700	Sewage Works	WEST HORNSBY TREATMENT PLANT	276m	South West
962702	Mountain/Hill/Peak	MOUNT ERINGTON	277m	South
962694	Place Of Worship	UNITING CHURCH	296m	South East
962771	Retirement Village	KARINYA INDEPENDENT LIVING	297m	South East
962777	Retirement Village	AZALEA COURT	300m	South
962015	Parking Area	Parking Area	318m	East
962749	General Hospital	MOUNT WILGA PRIVATE HOSPITAL	381m	North
962660	Railway Station	HORNSBY RAILWAY STATION	394m	South East
962016	Parking Area	Parking Area	397m	South East
962014	Bus Interchange	HORNSBY BUS INTERCHANGE	422m	South East
961909	Community Facility	HORNSBY KU-RING-GAI PCYC	455m	South East
962665	Sports Centre	AMF BOWLING CENTRE	464m	East
961934	Urban Place	HOOKHAMS CORNER	467m	North East
962686	Club	HORNSBY RSL CLUB	471m	South East
961913	Community Facility	HORNSBY WAR MEMORIAL HALL	482m	South East
962663	Library	HORNSBY LIBRARY	490m	South East

Map Id	Feature Type	Label	Distance	Direction
962761	Retirement Village	CHRISTOPHORUS HOUSE RETIREMENT VILLAGE	512m	North East
962745	Manmade Waterbody	FISHPONDS WATERHOLE	565m	North West
962744	Target Range	RIFLE RANGE	573m	North
962770	Community Home	CHRISTOPHORUS HOUSE HOSTEL	582m	North East
962711	Park	LISGAR GARDENS	603m	South
961845	Park	Park	613m	West
962664	Post Office	HORNSBY WESTFIELD POST OFFICE	619m	South East
962017	Parking Area	Parking Area	620m	South East
962667	Shopping Centre	HORNSBY WESTFIELD	626m	South East
962666	Shopping Centre	NORTHGATE SHOPPING CENTRE	702m	South East
961990	Parking Area	Parking Area	720m	South East
962673	Park	BEATRICE THOMSON PARK	750m	East
962729	Park	FLORENCE COTTON PARK	774m	South
962662	Retirement Village	PRIMROSE COURT	776m	East
962684	Sports Field	BOWLING GREENS	783m	North East
962679	High School	ASQUITH BOYS HIGH SCHOOL	783m	North East
962631	Club	ASQUITH BOWLING AND RECREATION CLUB	814m	North East
962671	Child Care Centre	HORNSBY NURSERY AND PRE-SCHOOL	830m	East
962661	High School	HORNSBY GIRLS HIGH SCHOOL	839m	South East
962000	Parking Area	Parking Area	865m	North East
962653	Medical Centre	HORNSBY CHILD AND FAMILY HEALTH CENTRE	871m	South East
962612	Park	STOREY PARK	894m	North East
962683	Park	Park	900m	East
962632	SES Facility	SYDNEY NORTHERN SES	902m	South East
962703	Mountain/Hill/Peak	MOUNT PRETORIA	912m	South West
962598	Place Of Worship	BAPTIST CHURCH	945m	South East
962595	Place Of Worship	SALVATION ARMY CHURCH	948m	South East
962728	Park	REDDY PARK	954m	South
962704	Lookout	MARJORIE HEADEN LOOKOUT	995m	South West

Topographic Data Source: © Land and Property Information (2015)

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Topographic Features

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Tanks (Areas)

What are the Tank Areas located within the dataset buffer?

Note. The large majority of tank features provided by LPI are derived from aerial imagery & are therefore primarily above ground tanks.

Map Id	Tank Type	Status	Name	Feature Currency	Distance	Direction
10591	Water	Operational	HORNSBY RESERVOIRS	04/08/2018	660m	North East

Tanks (Points)

What are the Tank Points located within the dataset buffer?

Note. The large majority of tank features provided by LPI are derived from aerial imagery & are therefore primarily above ground tanks.

Map Id	Tank Type	Status	Name	Feature Currency	Distance	Direction
83759	Water	Operational		04/08/2018	626m	North East

Tanks Data Source: © Land and Property Information (2015)

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Major Easements

What Major Easements exist within the dataset buffer?

Note. Easements provided by LPI are not at the detail of local governments. They are limited to major easements such as Right of Carriageway, Electrical Lines (66kVa etc.), Easement to drain water & Significant subterranean pipelines (gas, water etc.).

Map Id	Easement Class	Easement Type	Easement Width	Distance	Direction
120115532	Primary	Undefined		0m	Onsite
120110610	Primary	Undefined		118m	North West
120110497	Primary	Undefined		140m	North
120111537	Primary	Undefined		155m	South West
120110214	Primary	Undefined		188m	North
169054405	Primary	Right of way	3.65m & 4m	229m	North East
176093542	Primary	Right of way	Var.	252m	South East
120121965	Primary	Undefined		417m	North East
159645880	Primary	Right of way		437m	North
167673524	Primary	Right of way	3.05 Wide	437m	North
120114215	Primary	Undefined		482m	North East
120109543	Primary	Undefined		486m	South West
174604220	Primary	Right of way	Var	541m	East

Map Id	Easement Class	Easement Type	Easement Width	Distance	Direction
120121529	Primary	Undefined		551m	North East
174604452	Primary	Right of way	2.5m & var	553m	East
120117699	Primary	Undefined		556m	North East
120121650	Primary	Undefined		573m	South
163375392	Primary	Right of way		580m	North East
120110284	Primary	Undefined		580m	North East
120114124	Primary	Undefined		621m	North East
120118016	Primary	Undefined		634m	North
120110688	Primary	Undefined		640m	East
120117874	Primary	Undefined		654m	South
120110547	Primary	Undefined		666m	East
120119432	Primary	Undefined		677m	South West
159902571	Primary	Right of way	3.5m and VAR	697m	South
153508970	Primary	Right of way		710m	South
120122244	Primary	Undefined		719m	South
120121702	Primary	Undefined		734m	North
120122017	Primary	Undefined		741m	North
120122325	Primary	Undefined		741m	North
120122369	Primary	Undefined		742m	North
166833028	Primary	Right of way	3.2m & 4m	742m	North
174604369	Primary	Right of way	2.44m	743m	East
120110332	Primary	Undefined		790m	East
168501733	Primary	Right of way	Variable	796m	South West
120117791	Primary	Undefined		858m	North East
120110442	Primary	Undefined		872m	North East
120114628	Primary	Undefined		910m	North East
159891644	Primary	Right of way		920m	South West
120109690	Primary	Undefined		925m	North East
120118002	Primary	Undefined		946m	East
120118243	Primary	Undefined		992m	North East
120110064	Primary	Undefined		992m	North East

Easements Data Source: © Land and Property Information (2015)

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Topographic Features

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

State Forest

What State Forest exist within the dataset buffer?

State Forest Number	State Forest Name	Distance	Direction
N/A	No records in buffer		

State Forest Data Source: © NSW Department of Finance, Services & Innovation (2018)
Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

National Parks and Wildlife Service Reserves


What NPWS Reserves exist within the dataset buffer?

Reserve Number	Reserve Type	Reserve Name	Gazetted Date	Distance	Direction
N1187	NATIONAL PARK	Berowra Valley National Park	10/09/2012	0m	Onsite
N0630	REGIONAL PARK	Berowra Valley Regional Park	27/03/1998	782m	South West

NPWS Data Source: © NSW Department of Finance, Services & Innovation (2018)
Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Elevation Contours (m AHD)


Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Legend

- Elevation Contour (m AHD)
- Site Boundary
- Report Buffer
- Property Boundary

Accuracy & Currency: This contour data can be up to 0.4 of the contour interval out in height and must therefore not be used for any design or engineering works, but only as a general guide to topography. Gaps may occur along contour lines due to vertical topography, obscured topography in the source photography such as buildings, dense vegetation or dead ground, or the fact that original buildings have been replaced in the intervening thirty years since the original contour capture.



Data Sources: Property Boundaries & Topographic Data:
© Department Finance, Services & Innovation 2019

Coordinate System:
GDA 1994 MGA Zone 56

Date: 05 August 2019

Hydrogeology & Groundwater

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Hydrogeology

Description of aquifers on-site:

Description
Porous, extensive aquifers of low to moderate productivity

Description of aquifers within the dataset buffer:

Description
Porous, extensive aquifers of low to moderate productivity

Hydrogeology Map of Australia : Commonwealth of Australia (Geoscience Australia)
Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Botany Groundwater Management Zones


Groundwater management zones relating to the Botany Sand Beds aquifer within the dataset buffer:

Management Zone No.	Restriction	Distance	Direction
N/A	No records in buffer		

Botany Groundwater Management Zones Data Source : NSW Department of Primary Industries

Groundwater Boreholes

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Hydrogeology & Groundwater

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Groundwater Boreholes

Boreholes within the dataset buffer:

GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
21210084					UNK								94.36	427m	North West
GW111573	10BL604930	Bore	Private	Monitoring Bore	Monitoring Bore		26/07/2011	5.00	5.00		1.13			1118m	North East
GW111574	10BL604930	Bore	Private	Monitoring Bore	Monitoring Bore		26/07/2011	5.00	5.00		0.90			1119m	North East
GW111576	10BL604930	Bore	Private	Monitoring Bore	Monitoring Bore		24/11/2011	5.00	5.00		0.63			1128m	North East
GW111575	10BL604930	Bore	Private	Monitoring Bore	Monitoring Bore		26/07/2011	6.00	6.00		1.35			1141m	North East
GW108651	10BL600877, 10WA109127	Spear	Private	Domestic	Domestic		09/03/2007	6.00	6.00	Good	2.00	0.500		1265m	North East

Borehole Data Source : NSW Department of Primary Industries - Office of Water / Water Administration Ministerial Corporation for all bores prefixed with GW. All other bores © Commonwealth of Australia (Bureau of Meteorology) 2015. Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Hydrogeology & Groundwater

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Driller's Logs


Drill log data relevant to the boreholes within the dataset buffer:

Groundwater No	Drillers Log	Distance	Direction
GW111573	0.00m-0.19m CONCRETE 0.19m-0.28m GRAVEL,FINE,ANGULAR,GREY 0.28m-0.90m SILTY CLAY,MINOR GRAVEL AND SAND,BROWN MOTTLED ORANGE RED 0.90m-3.80m SILTY CLAY RED BROWN 3.80m-4.40m SHALE WEATHERED,L/RED BROWN GREY 4.40m-5.00m SANDSTONE HIGH WEATHERED,LT GREY BROWN	1118m	North East
GW111574	0.00m-0.28m SILTY SAND BROWN 0.28m-0.50m GRAVEL,FINE,ANGULAR 0.50m-1.50m SILTY CLAY,ORANGEY BROWN MOTTLED RED 1.50m-2.50m CLAY,MINOR SANDSTONE GRAVEL,LT/BROWN,MOTTLED GREY RED 2.50m-4.30m SHALE WEATHERED,GREY BROWN TO LT/GREY 4.30m-5.00m SANDSTONE HIGHLY WEATHERED,LT/GREY BROWN	1119m	North East
GW111576	0.00m-0.15m CONCRETE 0.15m-0.68m GRAVELLY SANDY SILTY CLAY,LT GREY BROWN 0.68m-1.60m SANDY SILTY CLAY,MINOR FINE GRABVEL,ORANGEY BROWN 1.60m-2.50m SANDSTONE RED BROWN 2.50m-4.70m WEATHERED SHALE,LT GREY RED BROWN 4.70m-5.00m SANDSTONE,LT RED BROWN	1128m	North East
GW111575	0.00m-0.18m CONCRETE 0.18m-0.30m GRAVELLY SANDY SILT , BROWN 0.30m-0.50m SILTY CLAY, MINOR GRAVEL,ORANGEY BROWN 0.50m-1.70m SILTY CLAY , RED BROWN 1.70m-6.00m SHALE WEATHERED,LT GREY RED BROWN	1141m	North East
GW108651	0.00m-0.30m topsoil 0.30m-3.00m sand, brown 3.00m-5.00m sand, dakr, silty brown 5.00m-6.00m sand, light brown	1265m	North East

Drill Log Data Source: NSW Department of Primary Industries - Office of Water / Water Administration Ministerial Corp
Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Geology 1:100,000

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Geology

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Geological Units

What are the Geological Units onsite?

Symbol	Description	Unit Name	Group	Sub Group	Age	Dom Lith	Map Sheet	Dataset
Jv	Volcanic breccia, varying amounts of sedimentary breccia, and basalt.				Jurassic		Sydney	1:100,000
Rh	Medium to coarse grained quartz sandstone, very minor shale and laminate lenses				Triassic		Sydney	1:100,000

What are the Geological Units within the dataset buffer?

Symbol	Description	Unit Name	Group	Sub Group	Age	Dom Lith	Map Sheet	Dataset
Jv	Volcanic breccia, varying amounts of sedimentary breccia, and basalt.				Jurassic		Sydney	1:100,000
Rh	Medium to coarse grained quartz sandstone, very minor shale and laminate lenses				Triassic		Sydney	1:100,000
Rwa	Black to dark grey shale and laminate	Ashfield Shale	Wianamatta Group		Triassic		Sydney	1:100,000

Geological Structures

What are the Geological Structures onsite?

Feature	Name	Description	Map Sheet	Dataset
No features				1:100,000

What are the Geological Structures within the dataset buffer?

Feature	Name	Description	Map Sheet	Dataset
No features				1:100,000

Geological Data Source : NSW Department of Industry, Resources & Energy

© State of New South Wales through the NSW Department of Industry, Resources & Energy

Naturally Occurring Asbestos Potential

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Naturally Occurring Asbestos Potential


Naturally Occurring Asbestos Potential within the dataset buffer:

Potential	Sym	Strat Name	Group	Formation	Scale	Min Age	Max Age	Rock Type	Dom Lith	Description	Dist	Dir
No records in buffer												

Mining Subsidence District Data Source: © State of New South Wales through NSW Department of Industry, Resources & Energy

Soil Landscapes

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Soils

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Soil Landscapes

What are the onsite Soil Landscapes?

Soil Code	Name	Group	Process	Map Sheet	Scale
COha	HAWKESBURY		COLLUVIAL	Sydney	1:100,000
REho	HORNSBY		RESIDUAL	Sydney	1:100,000
RElh	LUCAS HEIGHTS		RESIDUAL	Sydney	1:100,000

What are the Soil Landscapes within the dataset buffer?


Soil Code	Name	Group	Process	Map Sheet	Scale
COha	HAWKESBURY		COLLUVIAL	Sydney	1:100,000
COwp	WEST PENNANT HILLS		COLLUVIAL	Sydney	1:100,000
DTxx	DISTURBED TERRAIN		DISTURBED TERRAIN	Sydney	1:100,000
ERgn	GLENORIE		EROSIONAL	Sydney	1:100,000
ERgy	GYMEA		EROSIONAL	Sydney	1:100,000
ERla	LAMBERT		EROSIONAL	Sydney	1:100,000
REho	HORNSBY		RESIDUAL	Sydney	1:100,000
RElh	LUCAS HEIGHTS		RESIDUAL	Sydney	1:100,000
TRof	OXFORD FALLS		TRANSFERRAL	Sydney	1:100,000

Soils Landscapes Data Source : NSW Office of Environment and Heritage

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Atlas of Australian Soils

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Legend		Australian Soil Classification Orders					
Site Boundary	Anthroposol	Dermosol	Kandosol	Podosol	Tenosol	No Data	
Report Buffer	Calcarosol	Ferrosol	Kurosol	Rudosol	Vertosol		
Property Boundary	Chromosol	Hydrosol	Organosol	Sodosol	Lake		

Scale: 	Data Sources: Property Boundaries & Topographic Data: © Department Finance, Services & Innovation 2019	Coordinate System: GDA 1994 MGA Zone 56	Date: 05 August 2019
-------------------	---	--	----------------------

Soils

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Atlas of Australian Soils

Soil mapping units and Australian Soil Classification orders within the dataset buffer:

Map Unit Code	Soil Order	Map Unit Description	Distance
Mb2	Kandosol	Dissected sandstone plateau of moderate to strong relief with sandstone pillars, ledges, and slabs-- level to undulating ridges, irregularly benched slopes, steep ridges, cliffs, canyons, narrow sandy valleys: chief soils are (i) on areas of gentle to moderate relief, acid yellow leached earths (Gn2.74) and (Gn2.34) and acid leached yellow earths (Gn2.24)-sometimes these soils contain ironstone gravel; and (ii) on, or adjacent to, areas of strong relief, siliceous sands (Uc1.2), leached sands (Uc2.12) and (Uc2.2), and shallow forms of the above (Gn2) soils. Associated are: (i) on flat to gently undulating remnants of the original plateau surface, leached sands (Uc2.3), siliceous sands (Uc1.2), sandy earths (Uc5.22), and (Gn2) soils as for (i) above (these areas are in part comparable with unit Cb29); (ii) on flat ironstone gravelly remnants of the original plateau surface, (Gn2) soils as for unit Mb5(i); (iii) on gently undulating ridges where interbedded shales are exposed, shallow, often stony (Dy3.41), (Dr2.21), and related soils similar to unit Tb35; (iv) narrow valleys of (Uc2.3) soils flanked by moderate slopes of (Dy3.41) soils; (v) escarpments of steep hills with shallow (Dy) and (Dr) soils between sandstone pillars; and (vi) shallow (Um) soils, such as (Um6.21) on steep hills of basic rocks. As mapped, minor areas of units Mg20, Mm1, and Mw8 are included. Data are limited.	0m
Tb35	Sodosol	Dissected plateau remnants--flat to undulating ridge tops with moderate to steep side slopes: chief soils are hard acidic yellow and yellow mottled soils (Dy3.41), (Dy2.21), and (Dy2.41) and hard acidic red soils (Dr2.21); many shallow profiles occur and profile thickness varies considerably over short distances. Associated are: (Gn3.54), (Gn3.14), and possibly other (Gn3) soils; (Db1.2) soils on some ridges; (Dy5.81) soils in areas transitional to unit Mb2; soils common to unit Mb2; and eroded lateritic remnants. Small areas of other soils are likely. Flat ferruginous shale or sandstone fragments are common on and/or in and/or below the soils of this unit.	0m

Atlas of Australian Soils Data Source: CSIRO

Creative Commons 4.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/4.0/au/deed.en>

Acid Sulfate Soils

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Environmental Planning Instrument - Acid Sulfate Soils

What is the on-site Acid Sulfate Soil Plan Class that presents the largest environmental risk?

Soil Class	Description	EPI Name
N/A		


If the on-site Soil Class is 5, what other soil classes exist within 500m?

Soil Class	Description	EPI Name	Distance	Direction
N/A				

Acid Sulfate Data Source Accessed 23/10/2018: NSW Crown Copyright - Planning and Environment
Creative Commons 4.0 © Commonwealth of Australia <https://creativecommons.org/licenses/by/4.0/>

Atlas of Australian Acid Sulfate Soils

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Legend			
Site Boundary	Probability of occurrence of Acid Sulfate Soils		
Report Buffer	A. High (>70%)	C. Extremely Low (1-5%)	No Data
Property Boundary	B. Low (6-70%)	D. No Chance (0%)	
Scale: 0 100 200 400 600 800 Meters	Data Sources: Property Boundaries & Topographic Data: © Department Finance, Services & Innovation 2019	Coordinate System: GDA 1994 MGA Zone 56	Date: 05August 2019

Acid Sulfate Soils

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Atlas of Australian Acid Sulfate Soils

Atlas of Australian Acid Sulfate Soil categories within the dataset buffer:

Class	Description	Distance
B	Low Probability of occurrence. 6-70% chance of occurrence.	0m
C	Extremely low probability of occurrence. 1-5% chance of occurrence with occurrences in small localised areas.	0m

Atlas of Australian Acid Sulfate Soils Data Source: CSIRO

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Dryland Salinity

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Dryland Salinity - National Assessment

Is there Dryland Salinity - National Assessment data onsite?

No

Is there Dryland Salinity - National Assessment data within the dataset buffer?

No

What Dryland Salinity assessments are given?

Assessment 2000	Assessment 2020	Assessment 2050	Distance	Direction
N/A	N/A	N/A	N/A	N/A

Dryland Salinity Data Source : National Land and Water Resources Audit

The Commonwealth and all suppliers of source data used to derive the maps of "Australia, Forecast Areas Containing Land of High Hazard or Risk of Dryland Salinity from 2000 to 2050" do not warrant the accuracy or completeness of information in this product. Any person using or relying upon such information does so on the basis that the Commonwealth and data suppliers shall bear no responsibility or liability whatsoever for any errors, faults, defects or omissions in the information. Any persons using this information do so at their own risk.

In many cases where a high risk is indicated, less than 100% of the area will have a high hazard or risk.

Dryland Salinity Potential of Western Sydney

Dryland Salinity Potential of Western Sydney within the dataset buffer?

Feature Id	Classification	Description	Distance	Direction
N/A	Outside Data Coverage			

Dryland Salinity Potential of Western Sydney Data Source : NSW Office of Environment and Heritage

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Mining Subsidence Districts

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Mining Subsidence Districts

Mining Subsidence Districts within the dataset buffer:

District	Distance	Direction
There are no Mining Subsidence Districts within the report buffer		

Mining Subsidence District Data Source: © Land and Property Information (2016)
Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

State Environmental Planning Policy

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

State Significant Precincts

What SEPP State Significant Precincts exist within the dataset buffer?

Map Id	Precinct	EPI Name	Published Date	Commenced Date	Currency Date	Amendment	Distance	Direction
N/A	No Records in Buffer							

State Environment Planning Policy Data Source: NSW Crown Copyright - Planning & Environment
Creative Commons 4.0 © Commonwealth of Australia <https://creativecommons.org/licenses/by/4.0/>

EPI Planning Zones

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Environmental Planning Instrument

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Land Zoning

What EPI Land Zones exist within the dataset buffer?


Zone	Description	Purpose	EPI Name	Published Date	Commenced Date	Currency Date	Amendment	Distance	Direction
RE1	Public Recreation		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		0m	Onsite
E1	National Parks and Nature Reserves		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		0m	West
R2	Low Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		0m	North
R4	High Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		0m	East
RE1	Public Recreation		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		20m	North
B4	Mixed Use		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		143m	South East
R2	Low Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		153m	South
R4	High Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		153m	South East
RE1	Public Recreation		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		155m	South West
R4	High Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		173m	South East
SP2	Infrastructure	Sewage Treatment Plant	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		175m	West
B5	Business Development		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		187m	East
SP2	Infrastructure	Road	Hornsby Local Environmental Plan 2013	29/09/2017	29/09/2017	29/09/2017	Amendment No 8	192m	North
SP2	Infrastructure	Telecommunications	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		202m	South East
RE1	Public Recreation		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		211m	North West
B4	Mixed Use		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		218m	East
RE1	Public Recreation		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		218m	North West
R3	Medium Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		221m	North East
RE1	Public Recreation		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		287m	South West
SP2	Infrastructure	Railway	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		300m	North East
B4	Mixed Use		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		317m	East
SP2	Infrastructure	Health Services Facilities	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		327m	North
RE1	Public Recreation		Hornsby Local Environmental Plan 2013	29/09/2017	29/09/2017	29/09/2017	Amendment No 8	355m	South West
RE1	Public Recreation		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		385m	South West
SP2	Infrastructure	Road	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		397m	North East
RE2	Private Recreation		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		398m	North West
R2	Low Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		399m	East

Zone	Description	Purpose	EPI Name	Published Date	Commenced Date	Currency Date	Amendment	Distance	Direction
B5	Business Development		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		429m	East
B4	Mixed Use		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		430m	South East
R3	Medium Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		447m	South East
B3	Commercial Core		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		448m	South East
R2	Low Density Residential		Hornsby Local Environmental Plan 2013	29/09/2017	29/09/2017	29/09/2017	Amendment No 8	485m	South West
SP2	Infrastructure	Railway	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		501m	South
R4	High Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		540m	East
R2	Low Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		571m	North East
R4	High Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		590m	South East
R3	Medium Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		603m	North East
R4	High Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		653m	North East
SP2	Infrastructure	Railway	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		656m	South East
B4	Mixed Use		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		670m	South East
RE1	Public Recreation		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		675m	West
SP2	Infrastructure	Road	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		688m	South
RE2	Private Recreation		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		703m	North East
R4	High Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		727m	South East
R2	Low Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		769m	North East
RE1	Public Recreation		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		772m	North East
B4	Mixed Use		Hornsby Local Environmental Plan 2013	29/09/2017	29/09/2017	29/09/2017	Amendment No 8	791m	South East
R4	High Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		795m	North East
SP2	Infrastructure	Electricity Transmission & Distribution	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		795m	East
B6	Enterprise Corridor		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		820m	South East
RE1	Public Recreation		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		850m	South
RE1	Public Recreation		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		867m	East
R4	High Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		886m	North East
B4	Mixed Use		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		916m	South East
R4	High Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		940m	South East
R2	Low Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		943m	South East
R4	High Density Residential		Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017		952m	South East

Environmental Planning Instrument Data Source: NSW Crown Copyright - Planning & Environment
Creative Commons 4.0 © Commonwealth of Australia <https://creativecommons.org/licenses/by/4.0/>

Heritage Items

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Heritage

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Commonwealth Heritage List

What are the Commonwealth Heritage List Items located within the dataset buffer?

Place Id	Name	Address	Place File No	Class	Status	Register Date	Distance	Direction
N/A	No records in buffer							

Heritage Data Source: Australian Government Department of the Environment and Energy - Heritage Branch
Creative Commons 3.0 © Commonwealth of Australia <https://creativecommons.org/licenses/by/3.0/au/deed.en>

National Heritage List

What are the National Heritage List Items located within the dataset buffer?

Note. Please click on Place Id to activate a hyperlink to online website.

Place Id	Name	Address	Place File No	Class	Status	Register Date	Distance	Direction
N/A	No records in buffer							

Heritage Data Source: Australian Government Department of the Environment and Energy - Heritage Branch
Creative Commons 3.0 © Commonwealth of Australia <https://creativecommons.org/licenses/by/3.0/au/deed.en>

State Heritage Register - Curtilages

What are the State Heritage Register Items located within the dataset buffer?

Map Id	Name	Address	LGA	Listing Date	Listing No	Plan No	Distance	Direction
N/A	No records in buffer							

Heritage Data Source: NSW Crown Copyright - Office of Environment & Heritage
Creative Commons 4.0 © Commonwealth of Australia <https://creativecommons.org/licenses/by/4.0/>

Environmental Planning Instrument - Heritage

What are the EPI Heritage Items located within the dataset buffer?

Map Id	Name	Classification	Significance	EPI Name	Published Date	Commenced Date	Currency Date	Distance	Direction
538	Diatreme Hornsby Quarry and surrounding vegetation	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	0m	Onsite
537	Sandstone steps	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	0m	South East
513	Hornsby Park, Lone Pine and sandstone steps	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	0m	South East

Map Id	Name	Classification	Significance	EPI Name	Published Date	Commenced Date	Currency Date	Distance	Direction
513	Hornsby Park,Lone Pine and sandstone steps	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	0m	South East
521	TAFE College/Buildings 'K' and 'M' and grounds (excluding other buildings)	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	0m	East
A54	Diatreme Hornsby Quarry and surrounding vegetation	Item - Archaeological	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	0m	North West
A55	Old Man's Valley Cemetery, including Higgins' Family Cemetery, sandstone receptacle, cool room and *	Item - Archaeological	State	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	0m	South East
C5	Peats Ferry Road Precinct, Hornsby West Side Heritage Conservation Area	Conservation Area - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	0m	South East
494	Street trees	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	64m	North West
514	St. Peter's Anglican Church and hall	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	135m	East
515	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	148m	North East
500	Road median, lights and palms	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	148m	South East
C3	Mount Errington Precinct, Hornsby West Side Heritage Conservation Area	Conservation Area - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	154m	South
824	"Birklands"	Item - General	Local	Hornsby Local Environmental Plan 2013	19/09/2014	19/09/2014	29/09/2017	154m	South
A53	Suspension bridge	Item - Archaeological	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	166m	North East
520	Hornsby Shire Council Chambers	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	170m	South East
472	Garden, fence and paths	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	171m	South
519	Hornsby Court House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	172m	South East
521	TAFE College/Buildings 'K' and 'M' and grounds (excluding other buildings)	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	174m	South East
516	'Belmont'	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	180m	North East
469	'Norwood'	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	183m	South East
466	Sandstone fence	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	188m	North West
467	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	203m	North West
468	Street trees	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	203m	South

Map Id	Name	Classification	Significance	EPI Name	Published Date	Commenced Date	Currency Date	Distance	Direction
459	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	218m	East
470	Christian Science Church	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	223m	South East
471	'Wyuni' and gardens	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	223m	South East
473	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	224m	South
544	Street trees	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	224m	South
546	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	224m	South
545	'Mt. Errington' and gardens	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	225m	South
474	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	225m	South
556	'Brinawa' and garden	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	225m	South
522	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	229m	North East
495	'Mount Wilga' and grounds	Item - General	State	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	231m	North
512	Bank	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	235m	South East
487	'The Browsersy Cottage'	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	245m	South East
486	Shops	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	248m	South East
826	Kuranda	Item - General	Local	Hornsby Local Environmental Plan 2013	19/09/2014	19/09/2014	29/09/2017	251m	South
825	The Haven	Item - General	Local	Hornsby Local Environmental Plan 2013	19/09/2014	19/09/2014	29/09/2017	253m	South
511	Shop	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	255m	South East
523	House and garden	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	267m	North East
557	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	274m	South
554	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	275m	South East
555	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	275m	South
517	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	286m	North East
510	Bank	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	288m	South East
484	Street trees	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	291m	East


Map Id	Name	Classification	Significance	EPI Name	Published Date	Commenced Date	Currency Date	Distance	Direction
509	Shop	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	298m	South East
485	SRA electricity plant and signal box	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	299m	East
A50	SRA electricity plant and signal box	Item - Archaeological	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	317m	South East
553	Street trees	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	320m	South
508	Shop	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	321m	South East
507	'The Junction Stores'	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	326m	South East
547	Garden tree	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	329m	South
506	Shop	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	341m	South East
505	Shop	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	349m	South East
504	Shop	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	355m	South East
502	Hornsby Cinema	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	360m	South East
488	Garden	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	363m	South
A52	Railway cloak room buildings	Item - Archaeological	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	370m	South East
541	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	379m	North East
524	'Camralla'	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	381m	North East
489	Garden	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	385m	South
492	Lisgar Gardens	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	385m	South West
A51	Railway station	Item - Archaeological	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	386m	South East
543	Hornsby Rifle Range	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	399m	North West
548	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	404m	South
503	War Memorial and Palms	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	407m	South East
490	Garden	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	409m	South
491	House and garden	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	412m	South
483	Hornsby War Memorial Hall	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	454m	South East

Map Id	Name	Classification	Significance	EPI Name	Published Date	Commenced Date	Currency Date	Distance	Direction
525	'Hovenden'	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	487m	North East
460	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	490m	East
518	'Bingley Hall'	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	508m	North East
542	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	509m	North
526	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	574m	North East
480	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	584m	North East
530	Street trees	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	595m	South
461	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	630m	East
540	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	651m	North
475	Street trees	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	659m	South East
481	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	662m	North East
C4	Pretoria Parade Precinct, Hornsby West Side Heritage Conservation Area	Conservation Area - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	697m	South
497	'Wyreema'	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	702m	North East
482	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	706m	North East
476	Hornsby Girls, High School, buildings (excluding other school structures and grounds)	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	748m	South East
535	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	756m	South
479	'Wirruna' and gardens	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	770m	South
533	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	792m	South
532	Reddy Park	Item - Landscape	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	850m	South
498	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	881m	North East
499	House	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	899m	North East
501	Barker College, group of buildings, grounds and gate	Item - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	958m	South East
C1	Barker College Heritage Conservation Area	Conservation Area - General	Local	Hornsby Local Environmental Plan 2013	27/09/2013	11/10/2013	29/09/2017	962m	South East

Heritage Data Source: NSW Crown Copyright - Planning & Environment
Creative Commons 4.0 © Commonwealth of Australia <https://creativecommons.org/licenses/by/4.0/>

Natural Hazards - Bush Fire Prone Land

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Natural Hazards

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Bush Fire Prone Land


What are the nearest Bush Fire Prone Land Categories that exist within the dataset buffer?

Bush Fire Prone Land Category	Distance	Direction
Vegetation Buffer	0m	Onsite
Vegetation Category 1	0m	Onsite
Vegetation Category 2	0m	Onsite

NSW Bush Fire Prone Land - © NSW Rural Fire Service under Creative Commons 4.0 International Licence

Ecological Constraints - Remnant Vegetation of the Cumberland Plain

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Ecological Constraints

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Remnant Vegetation of the Cumberland Plain

What remnant vegetation of the Cumberland Plain exists within the dataset buffer?

Description	Crown Cover	Distance	Direction
31 - Sandstone Ridgetop Woodland	Crown cover greater than 10%	0m	Onsite
33 - Western Sandstone Gully Forest	Crown cover greater than 10%	0m	Onsite
9999 - Unclassified Vegetation	Crown cover greater than 10%	0m	Onsite
33 - Western Sandstone Gully Forest	Crown cover less than 10%	0m	Onsite
9999 - Unclassified Vegetation	Crown cover less than 10%	0m	Onsite
33 - Western Sandstone Gully Forest	Crown cover less than 10% (urban areas)	0m	Onsite
9999 - Unclassified Vegetation	Crown cover less than 10% (urban areas)	0m	Onsite
31 - Sandstone Ridgetop Woodland	Crown cover less than 10% (urban areas)	57m	North East
43 - Turpentine-Ironbark Margin Forest	Crown cover less than 10% (urban areas)	141m	East
152 - Blue Gum High Forest	Crown cover less than 10% (urban areas)	510m	South

Remnant Vegetation of the Cumberland Plain : NSW Office of Environment and Heritage

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Ramsar Wetlands


What Ramsar Wetland areas exist within the dataset buffer?

Map Id	Ramsar Name	Wetland Name	Designation Date	Source	Distance	Direction
N/A	No records in buffer					

Ramsar Wetlands Data Source: © Commonwealth of Australia - Department of Environment

Ecological Constraints - Groundwater Dependent Ecosystems Atlas


Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Legend

Site Boundary	High potential GDE - from national assessment	Low potential GDE - from national assessment
Report Buffer	High potential GDE - from regional studies	Low potential GDE - from regional studies
Property Boundaries	Moderate potential GDE - from national assessment	Known GDE - from regional studies
	Moderate potential GDE - from regional studies	Unclassified potential GDE - from national assessment
		Unclassified potential GDE - from regional studies

Scale:



Data Sources: Property Boundaries & Topographic Data:
© Department Finance, Services & Innovation 2019

Coordinate System:
GDA 1994 MGA Zone 56

Date: 05 August 2019

Ecological Constraints

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077


Groundwater Dependent Ecosystems Atlas

Type	GDE Potential	Geomorphology	Ecosystem Type	Aquifer Geology	Distance
Terrestrial	Low potential GDE - from national assessment	Deeply dissected sandstone plateaus.	Vegetation	Consolidated sedimentary	0m
Terrestrial	Moderate potential GDE - from national assessment	Deeply dissected sandstone plateaus.	Vegetation	Consolidated sedimentary	0m
Terrestrial	High potential GDE - from national assessment	Deeply dissected sandstone plateaus.	Vegetation	Consolidated sedimentary	269m

Groundwater Dependent Ecosystems Atlas Data Source: The Bureau of Meteorology
Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Ecological Constraints - Inflow Dependent Ecosystems Likelihood

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077



Ecological Constraints

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

Inflow Dependent Ecosystems Likelihood

Type	IDE Likelihood	Geomorphology	Ecosystem Type	Aquifer Geology	Distance
Terrestrial	4	Deeply dissected sandstone plateaus.	Vegetation	Consolidated sedimentary	0m
Terrestrial	6	Deeply dissected sandstone plateaus.	Vegetation	Consolidated sedimentary	0m
Terrestrial	7	Deeply dissected sandstone plateaus.	Vegetation	Consolidated sedimentary	30m
Terrestrial	5	Deeply dissected sandstone plateaus.	Vegetation	Consolidated sedimentary	129m
Terrestrial	10	Deeply dissected sandstone plateaus.	Vegetation	Consolidated sedimentary	169m
Terrestrial	8	Deeply dissected sandstone plateaus.	Vegetation	Consolidated sedimentary	474m

Inflow Dependent Ecosystems Likelihood Data Source: The Bureau of Meteorology
Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Ecological Constraints

Hornsby Quarry, Quarry Road, Hornsby, NSW 2077

NSW BioNet Atlas

Species on the NSW BioNet Atlas that have a NSW or federal conservation status, a NSW sensitivity status, or are listed under a migratory species agreement, and are within 10km of the site?

Kingdom	Class	Scientific	Common	NSW Conservation Status	NSW Sensitivity Class	Federal Conservation Status	Migratory Species Agreements
Animalia	Amphibia	Heleioporus australiacus	Giant Burrowing Frog	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Amphibia	Litoria aurea	Green and Golden Bell Frog	Endangered	Not Sensitive	Vulnerable	
Animalia	Amphibia	Pseudophryne australis	Red-crowned Toadlet	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Anthochaera phrygia	Regent Honeyeater	Critically Endangered	Not Sensitive	Critically Endangered	
Animalia	Aves	Apus pacificus	Fork-tailed Swift	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Ardea ibis	Cattle Egret	Not Listed	Not Sensitive	Not Listed	CAMBA;JAMBA
Animalia	Aves	Ardenna carneipes	Flesh-footed Shearwater	Vulnerable	Not Sensitive	Not Listed	ROKAMBA;JAMBA
Animalia	Aves	Ardenna tenuirostris	Short-tailed Shearwater	Not Listed	Not Sensitive	Not Listed	ROKAMBA;JAMBA
Animalia	Aves	Artamus cyanopterus cyanopterus	Dusky Woodswallow	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Calidris acuminata	Sharp-tailed Sandpiper	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Calidris ferruginea	Curlew Sandpiper	Endangered	Not Sensitive	Critically Endangered	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Callocephalon fimbriatum	Gang-gang Cockatoo	Endangered Population, Vulnerable	Category 3	Not Listed	
Animalia	Aves	Callocephalon fimbriatum	Gang-gang Cockatoo	Vulnerable	Category 3	Not Listed	
Animalia	Aves	Calyptorhynchus banksii samueli	Red-tailed Black-Cockatoo (inland subspecies)	Vulnerable	Category 2	Not Listed	
Animalia	Aves	Calyptorhynchus lathami	Glossy Black-Cockatoo	Vulnerable	Category 2	Not Listed	
Animalia	Aves	Cecropis daurica	Red-rumped Swallow	Not Listed	Not Sensitive	Not Listed	ROKAMBA
Animalia	Aves	Climacteris picumnus victoriae	Brown Treecreeper (eastern subspecies)	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Daphoenositta chrysoptera	Varied Sittella	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Falco hypoleucos	Grey Falcon	Endangered	Category 2	Not Listed	
Animalia	Aves	Gallinago hardwickii	Latham's Snipe	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Glossopsitta pusilla	Little Lorikeet	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Haematopus fuliginosus	Sooty Oystercatcher	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Haematopus longirostris	Pied Oystercatcher	Endangered	Not Sensitive	Not Listed	
Animalia	Aves	Haliaeetus leucogaster	White-bellied Sea-Eagle	Vulnerable	Not Sensitive	Not Listed	CAMBA
Animalia	Aves	Hieraaetus morphnoides	Little Eagle	Vulnerable	Not Sensitive	Not Listed	

Kingdom	Class	Scientific	Common	NSW Conservation Status	NSW Sensitivity Class	Federal Conservation Status	Migratory Species Agreements
Animalia	Aves	<i>Hirundapus caudacutus</i>	White-throated Needletail	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	<i>Ixobrychus flavicollis</i>	Black Bittern	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	<i>Lathamus discolor</i>	Swift Parrot	Endangered	Category 3	Critically Endangered	
Animalia	Aves	<i>Limicola falcinellus</i>	Broad-billed Sandpiper	Vulnerable	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	<i>Lophochroa leadbeateri</i>	Major Mitchell's Cockatoo	Vulnerable	Category 2	Not Listed	
Animalia	Aves	<i>Lophoictinia isura</i>	Square-tailed Kite	Vulnerable	Category 3	Not Listed	
Animalia	Aves	<i>Melithreptus gularis gularis</i>	Black-chinned Honeyeater (eastern subspecies)	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	<i>Menura alberti</i>	Albert's Lyrebird	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	<i>Merops ornatus</i>	Rainbow Bee-eater	Not Listed	Not Sensitive	Not Listed	JAMBA
Animalia	Aves	<i>Neophema pulchella</i>	Turquoise Parrot	Vulnerable	Category 3	Not Listed	
Animalia	Aves	<i>Ninox connivens</i>	Barking Owl	Vulnerable	Category 3	Not Listed	
Animalia	Aves	<i>Ninox strenua</i>	Powerful Owl	Vulnerable	Category 3	Not Listed	
Animalia	Aves	<i>Numenius minutus</i>	Little Curlew	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	<i>Pandion cristatus</i>	Eastern Osprey	Vulnerable	Category 3	Not Listed	
Animalia	Aves	<i>Petroica boodang</i>	Scarlet Robin	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	<i>Petroica phoenicea</i>	Flame Robin	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	<i>Petroica rodinogaster</i>	Pink Robin	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	<i>Pluvialis squatarola</i>	Grey Plover	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	<i>Polytelis swainsonii</i>	Superb Parrot	Vulnerable	Category 3	Vulnerable	
Animalia	Aves	<i>Pomastotomus temporalis temporalis</i>	Grey-crowned Babbler (eastern subspecies)	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	<i>Ptilinopus regina</i>	Rose-crowned Fruit-Dove	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	<i>Ptilinopus superbus</i>	Superb Fruit-Dove	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	<i>Stagonopleura guttata</i>	Diamond Firetail	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	<i>Tyto novaehollandiae</i>	Masked Owl	Vulnerable	Category 3	Not Listed	
Animalia	Aves	<i>Tyto tenebricosa</i>	Sooty Owl	Vulnerable	Category 3	Not Listed	
Animalia	Gastropoda	<i>Meridolum corneovirens</i>	Cumberland Plain Land Snail	Endangered	Not Sensitive	Not Listed	
Animalia	Gastropoda	<i>Pommerhelix duralensis</i>	Dural Land Snail	Endangered	Not Sensitive	Endangered	
Animalia	Mammalia	<i>Cercartetus nanus</i>	Eastern Pygmy-possum	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	<i>Chalinolobus dwyeri</i>	Large-eared Pied Bat	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Mammalia	<i>Dasyurus maculatus</i>	Spotted-tailed Quoll	Vulnerable	Not Sensitive	Endangered	
Animalia	Mammalia	<i>Falsistrellus tasmaniensis</i>	Eastern False Pipistrelle	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	<i>Isodon obesulus obesulus</i>	Southern Brown Bandicoot (eastern)	Endangered	Not Sensitive	Endangered	
Animalia	Mammalia	<i>Macropus parma</i>	Parma Wallaby	Vulnerable	Not Sensitive	Not Listed	

Kingdom	Class	Scientific	Common	NSW Conservation Status	NSW Sensitivity Class	Federal Conservation Status	Migratory Species Agreements
Animalia	Mammalia	Macrotis lagotis	Bilby	Presumed Extinct	Not Sensitive	Vulnerable	
Animalia	Mammalia	Miconomus norfolkensis	Eastern Coastal Free-tailed Bat	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	Miniopterus australis	Little Bent-winged Bat	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	Miniopterus orianae oceanensis	Large Bent-winged Bat	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	Myotis macropus	Southern Myotis	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	Perameles bougainville fasciata	Western Barred Bandicoot (mainland)	Presumed Extinct	Not Sensitive	Extinct	
Animalia	Mammalia	Petauroides volans	Greater Glider	Not Listed	Not Sensitive	Vulnerable	
Animalia	Mammalia	Petaurus norfolcensis	Squirrel Glider	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	Phascolarctos cinereus	Koala	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Mammalia	Pseudomys australis	Plains Rat	Presumed Extinct	Not Sensitive	Vulnerable	
Animalia	Mammalia	Pseudomys gracilicaudatus	Eastern Chestnut Mouse	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	Pseudomys novaehollandiae	New Holland Mouse	Not Listed	Not Sensitive	Vulnerable	
Animalia	Mammalia	Pteropus poliocephalus	Grey-headed Flying-fox	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Mammalia	Saccolaimus flaviventris	Yellow-bellied Sheath-tail-bat	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	Scoteanax rueppellii	Greater Broad-nosed Bat	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	Vespadelus trougtoni	Eastern Cave Bat	Vulnerable	Not Sensitive	Not Listed	
Animalia	Reptilia	Chelonia mydas	Green Turtle	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Reptilia	Dermochelys coriacea	Leatherback Turtle	Endangered	Not Sensitive	Endangered	
Animalia	Reptilia	Suta flagellum	Little Whip Snake	Vulnerable	Not Sensitive	Not Listed	
Animalia	Reptilia	Uvidicolus sphyrurus	Border Thick-tailed Gecko	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Reptilia	Varanus rosenbergi	Rosenberg's Goanna	Vulnerable	Not Sensitive	Not Listed	
Plantae	Flora	Acacia bynoeana	Bynoe's Wattle	Endangered	Not Sensitive	Vulnerable	
Plantae	Flora	Acacia clunies-rossiae	Kanangra Wattle	Vulnerable	Not Sensitive	Not Listed	
Plantae	Flora	Acacia pubescens	Downy Wattle	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	Ancistrachne maidenii		Vulnerable	Not Sensitive	Not Listed	
Plantae	Flora	Argyrotegium nitidulum	Shining Cudweed	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	Caladenia tessellata	Thick Lip Spider Orchid	Endangered	Category 2	Vulnerable	
Plantae	Flora	Callistemon linearifolius	Netted Bottle Brush	Vulnerable	Category 3	Not Listed	
Plantae	Flora	Cryptostylis hunteriana	Leafless Tongue Orchid	Vulnerable	Category 2	Vulnerable	
Plantae	Flora	Darwinia biflora		Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	Darwinia peduncularis		Vulnerable	Not Sensitive	Not Listed	
Plantae	Flora	Deyeuxia appressa		Endangered	Not Sensitive	Endangered	
Plantae	Flora	Diuris bracteata		Endangered	Category 2	Extinct	

Kingdom	Class	Scientific	Common	NSW Conservation Status	NSW Sensitivity Class	Federal Conservation Status	Migratory Species Agreements
Plantae	Flora	<i>Epacris purpurascens</i> var. <i>purpurascens</i>		Vulnerable	Not Sensitive	Not Listed	
Plantae	Flora	<i>Eucalyptus camfieldii</i>	Camfield's Stringybark	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Eucalyptus leucoxylon</i> subsp. <i>pruinosa</i>	Yellow Gum	Vulnerable	Not Sensitive	Not Listed	
Plantae	Flora	<i>Eucalyptus nicholii</i>	Narrow-leaved Black Peppermint	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Endangered	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Eucalyptus</i> sp. <i>Cattai</i>		Critically Endangered	Not Sensitive	Critically Endangered	
Plantae	Flora	<i>Galium australe</i>	Tangled Bedstraw	Endangered	Not Sensitive	Not Listed	
Plantae	Flora	<i>Genoplesium baueri</i>	Bauer's Midge Orchid	Endangered	Category 2	Endangered	
Plantae	Flora	<i>Genoplesium plumosum</i>	Tallong Midge Orchid	Critically Endangered	Category 2	Endangered	
Plantae	Flora	<i>Grammitis stenophylla</i>	Narrow-leaf Finger Fern	Endangered	Category 3	Not Listed	
Plantae	Flora	<i>Grevillea caleyi</i>	Caley's Grevillea	Critically Endangered	Category 3	Critically Endangered	
Plantae	Flora	<i>Grevillea hilliana</i>	White Yiel Yiel	Endangered	Not Sensitive	Not Listed	
Plantae	Flora	<i>Grevillea juniperina</i> subsp. <i>juniperina</i>	Juniper-leaved Grevillea	Vulnerable	Not Sensitive	Not Listed	
Plantae	Flora	<i>Grevillea parviflora</i> subsp. <i>supplicans</i>		Endangered	Not Sensitive	Not Listed	
Plantae	Flora	<i>Haloragodendron lucasii</i>		Endangered	Not Sensitive	Endangered	
Plantae	Flora	<i>Hibbertia superans</i>		Endangered	Not Sensitive	Not Listed	
Plantae	Flora	<i>Isotoma fluviatilis</i> subsp. <i>fluviatilis</i>		Not Listed	Not Sensitive	Extinct	
Plantae	Flora	<i>Kunzea rupestris</i>		Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Lasiopetalum joyceae</i>		Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Leptospermum deanei</i>		Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Leucopogon fletcheri</i> subsp. <i>fletcheri</i>		Endangered	Not Sensitive	Not Listed	
Plantae	Flora	<i>Macadamia integrifolia</i>	Macadamia Nut	Not Listed	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Macadamia tetraphylla</i>	Rough-shelled Bush Nut	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Melaleuca biconvexa</i>	Biconvex Paperbark	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Melaleuca deanei</i>	Deane's Paperbark	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Persoonia hirsuta</i>	Hairy Geebung	Endangered	Category 3	Endangered	
Plantae	Flora	<i>Persoonia marginata</i>	Clandulla Geebung	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Persoonia mollis</i> subsp. <i>maxima</i>		Endangered	Not Sensitive	Endangered	
Plantae	Flora	<i>Persoonia pauciflora</i>	North Rothbury Persoonia	Critically Endangered	Category 3	Critically Endangered	
Plantae	Flora	<i>Pimelea curviflora</i> var. <i>curviflora</i>		Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Pomaderris brunnea</i>	Brown Pomaderris	Endangered	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Prostanthera marifolia</i>	Seaforth Mintbush	Critically Endangered	Category 3	Critically Endangered	

Kingdom	Class	Scientific	Common	NSW Conservation Status	NSW Sensitivity Class	Federal Conservation Status	Migratory Species Agreements
Plantae	Flora	<i>Pterostylis nigricans</i>	Dark Greenhood	Vulnerable	Category 2	Not Listed	
Plantae	Flora	<i>Rhodamnia rubescens</i>	Scrub Turpentine	Critically Endangered	Not Sensitive	Not Listed	
Plantae	Flora	<i>Senecio behrianus</i>		Presumed Extinct	Not Sensitive	Endangered	
Plantae	Flora	<i>Syzygium paniculatum</i>	Magenta Lilly Pilly	Endangered	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Tetradthea glandulosa</i>		Vulnerable	Not Sensitive	Not Listed	
Plantae	Flora	<i>Tetradthea juncea</i>	Black-eyed Susan	Vulnerable	Not Sensitive	Vulnerable	

Data does not include NSW category 1 sensitive species.

NSW BioNet: © State of NSW and Office of Environment and Heritage

Data obtained 05/08/2019

USE OF REPORT - APPLICABLE TERMS

The following terms apply to any person (End User) who is given the Report by the person who purchased the Report from Lotsearch Pty Ltd (ABN: 89 600 168 018) (Lotsearch) or who otherwise has access to the Report (Terms). The contract terms that apply between Lotsearch and the purchaser of the Report are specified in the order form pursuant to which the Report was ordered and the terms set out below are of no effect as between Lotsearch and the purchaser of the Report.

1. End User acknowledges and agrees that:
 - (a) the Report is compiled from or using content (**Third Party Content**) which is comprised of:
 - (i) content provided to Lotsearch by third party content suppliers with whom Lotsearch has contractual arrangements or content which is freely available or methodologies licensed to Lotsearch by third parties with whom Lotsearch has contractual arrangements (**Third Party Content Suppliers**); and
 - (ii) content which is derived from content described in paragraph (i);
 - (b) Neither Lotsearch nor Third Party Content Suppliers takes any responsibility for or give any warranty in relation to the accuracy or completeness of any Third Party Content included in the Report including any contaminated land assessment or other assessment included as part of a Report;
 - (c) the Third Party Content Suppliers do not constitute an exhaustive set of all repositories or sources of information available in relation to the property which is the subject of the Report (**Property**) and accordingly neither Lotsearch nor Third Party Content Suppliers gives any warranty in relation to the accuracy or completeness of the Third Party Content incorporated into the report including any contaminated land assessment or other assessment included as part of a Report;
 - (d) Reports are generated at a point in time (as specified by the date/time stamp appearing on the Report) and accordingly the Report is based on the information available at that point in time and Lotsearch is not obliged to undertake any additional reporting to take into consideration any information that may become available between the point in time specified by the date/time stamp and the date on which the Report was provided by Lotsearch to the purchaser of the Report;
 - (e) Reports must be used or reproduced in their entirety and End User must not reproduce or make available to other persons only parts of the Report;
 - (f) Lotsearch has not undertaken any physical inspection of the property;
 - (g) neither Lotsearch nor Third Party Content Suppliers warrants that all land uses or features whether past or current are identified in the Report;
 - (h) the Report does not include any information relating to the actual state or condition of the Property;
 - (i) the Report should not be used or taken to indicate or exclude actual fitness or unfitness of Land or Property for any particular purpose
 - (j) the Report should not be relied upon for determining saleability or value or making any other decisions in relation to the Property and in particular should not be taken to be a rating or assessment of the desirability or market value of the property or its features; and
 - (k) the End User should undertake its own inspections of the Land or Property to satisfy itself that there are no defects or failures
2. The End User may not make the Report or any copies or extracts of the report or any part of it available to any other person. If End User wishes to provide the Report to any other person or make extracts or copies of the Report, it must contact the purchaser of the Report before doing so to ensure the proposed use is consistent with the contract terms between Lotsearch and the purchaser.
3. Neither Lotsearch (nor any of its officers, employees or agents) nor any of its Third Party Content Suppliers will have any liability to End User or any person to whom End User provides the Report and End User must not represent that Lotsearch or any of its Third Party Content Suppliers accepts liability to any such person or make any other representation to any such person on behalf of Lotsearch or any Third Party Content Supplier.
4. The End User hereby to the maximum extent permitted by law:
 - (a) acknowledges that the Lotsearch (nor any of its officers, employees or agents), nor any of its Third Party Content Supplier have any liability to it under or in connection with the

- Report or these Terms;
- (b) waives any right it may have to claim against Third Party Content Supplier in connection with the Report, or the negotiation of, entry into, performance of, or termination of these Terms; and
 - (c) releases each Third Party Content Supplier from any claim it may have otherwise had in connection with the Report, or the negotiation of, entry into, performance of, or termination of these Terms.
5. The End User acknowledges that any Third Party Supplier shall be entitled to plead the benefits conferred on it under clause 4, despite not being a party to these terms.
 6. End User must not remove any copyright notices, trade marks, digital rights management information, other embedded information, disclaimers or limitations from the Report or authorise any person to do so.
 7. End User acknowledges and agrees that Lotsearch and Third Party Content Suppliers retain ownership of all copyright, patent, design right (registered or unregistered), trade marks (registered or unregistered), database right or other data right, moral right or know how or any other intellectual property right in any Report or any other item, information or data included in or provided as part of a Report.
 8. To the extent permitted by law and subject to paragraph 9, all implied terms, representations and warranties whether statutory or otherwise relating to the subject matter of these Terms other than as expressly set out in these Terms are excluded.
 9. Subject to paragraph 6, Lotsearch excludes liability to End User for loss or damage of any kind, however caused, due to Lotsearch's negligence, breach of contract, breach of any law, in equity, under indemnities or otherwise, arising out of all acts, omissions and events whenever occurring.
 10. Lotsearch acknowledges that if, under applicable State, Territory or Commonwealth law, End User is a consumer certain rights may be conferred on End User which cannot be excluded, restricted or modified. If so, and if that law applies to Lotsearch, then, Lotsearch's liability is limited to the greater of an amount equal to the cost of resupplying the Report and the maximum extent permitted under applicable laws.
 11. Subject to paragraph 9, neither Lotsearch nor the End User is liable to the other for:
 - (a) any indirect, incidental, consequential, special or exemplary damages arising out of or in relation to the Report or these Terms; or
 - (b) any loss of profit, loss of revenue, loss of interest, loss of data, loss of goodwill or loss of business opportunities, business interruption arising directly or indirectly out of or in relation to the Report or these Terms,irrespective of how that liability arises including in contract or tort, liability under indemnity or for any other common law, equitable or statutory cause of action or otherwise.
 12. These Terms are subject to New South Wales law.



SafeWork NSW

Locked Bag 2906, Lisarow NSW 2252

Customer Experience 13 10 50

ABN 81 913 830 179 | www.safework.nsw.gov.au

Our Ref: D19/175916

20 August 2019

Felicity Harrison
GHD Pty Ltd
Level 15
133 Castlereagh Street
SYDNEY NSW 2000

Dear Felicity

RE SITE: Hornsby Quarry, Quarry Road, Hornsby NSW 2077

I refer to your site search request received by SafeWork NSW on 1 August 2019 requesting information on Storage of Hazardous Chemicals for the above site.

Enclosed are copies of the documents that SafeWork NSW holds on record number 35/010344 relating to the storage of Hazardous Chemicals at the above-mentioned premises.

For further information or if you have any questions, please call us on 13 10 50 or email licensing@safework.nsw.gov.au

Yours sincerely

A handwritten signature in black ink, appearing to read 'K. Bralley'.

Customer Service Officer
Customer Experience - Operations
SafeWork NSW



10 SEP 1999



WorkCover New South Wales, 400 Kent Street, Sydney 2000. Telephone 9370 5000 ALL MAIL TO G.P.O. BOX 5364 SYDNEY 2001
Licence No. 35/010344

APPLICATION FOR RENEWAL OF LICENCE TO KEEP DANGEROUS GOODS

ISSUED UNDER AND SUBJECT TO THE PROVISIONS OF THE DANGEROUS GOODS ACT, 1975 AND REGULATION THEREUNDER

DECLARATION: Please renew licence number 35/010344 to 14/09/2000. I confirm that all the licence details shown below are correct (amend if necessary).

Jason Ferguson
(Signature)
for: CSR LTD

JASON FERGUSON
(Please print name)

8/9/99
(Date signed)

THIS SIGNED DECLARATION SHOULD BE RETURNED TO:

WorkCover New South Wales
Dangerous Goods Licensing Section
GPO BOX 5364
SYDNEY 2001

Enquiries: ph (02) 9370 5187
fax (02) 9370 6105

Details of licence on 13 August 1999

Licence Number 35/010344 Expiry Date 14/09/1999

Licensee CSR LTD ACN 000 001 276
THE READYMIX GROUP

Postal Address: THE READYMIX GROUP BOX 400 P O PARRAMATTA NSW 2150


Licensee Contact ~~R MOON~~ Ph. ~~9631 8080~~ Fax. ~~9688 4374~~
JASON FERGUSON 4730 5219 4730 5201

Premises Licensed to Keep Dangerous Goods OLD MANS VALLEY
CSR LTD THE READYMIX GROUP
DURAL ST HORNSBY 2077

Nature of Site GRAVEL AND SAND QUARRYING

Major Supplier of Dangerous Goods BP
Emergency Contact for this Site ~~R MOON~~ Ph. ~~838 0063~~
JASON FERGUSON 0419 477 516


Site staffing 8 HRS 6 DAYS




SEED (HW) 21-9-99
NL

Details of Depots


Depot No.	Depot Type	Goods Stored in Depot	Qty
1	MAGAZINE	Class 1.1B UN 0029 DETONATORS, NON-ELECTRIC UN 0030 DETONATORS, ELECTRIC	2000 NO. 500 NO. 500 NO.
2	MAGAZINE	Class 1.1D UN 0332 EXPLOSIVE, BLASTING, TYPE E	5000 KG 5000 KG
3	UNDERGROUND TANK	Class 3 UN 1203 PETROL	5000 L 5000 L



FARLEY & LEWERS
 HERNSBY QUARRY



EXPLOSIVES
 MAGAZINE



WALLS 2.438 M OUTSIDE.
 WALLS 2.316 X 1.981 M INSIDE.
 ROOF - STEEL
 ROOF - FLATE.

SHADE ROOF —
 DOORS - ONE 1.981 X 0.762 METRE.

LOCKS - TWO
 LINING - TIMBER
 LIGHTNING CONDUCTOR - BACK OF MAGAZINE.

DETONATORS
 MAGAZINE



WALLS 1.717 X 1.158 M
 WALLS - STEEL
 ROOF - FLATE.
 SHADE ROOF —
 DOOR - ONE 1.371 X 0.9
 LOCKS - TWO
 LINING - TIMBER

A. 10344.

Farley & Lewers.
Dunal St.
Hornsey.

1/1000 installed by Esso.

C.D. 29-6-66.

1/2030 Pump & Tanks removed by B.P.

H.C. 12/8/66.

INFLAMMABLE LIQUID ACT, 1915-1953.

Application for Registration of Premises or Store License under Division A or for the transfer, alteration or amendment of any such Registration or License, for the keeping of Inflammable Liquid and/or Dangerous Goods, in accordance with the provisions of the Inflammable Liquid Act, 1915-53, for the ensuing year.

EXPLANATORY

Inflammable Liquid—

Mineral Oil—Includes kerosene, mineral turpentine and white spirit (for cleaning), and compositions containing same.
Mineral Spirit—Includes petrol, benzene, benzolene, benzol and naphtha, and compositions containing same.

Dangerous Goods—

- Class 1.—Acetone, amyl acetate, butyl acetate, carbon bisulphide; any combination of substances of an inflammable character suitable for use as an industrial solvent and having a true flashing point of less than 73 degrees Fahrenheit.
- Class 2.—Nitro-cellulose (also known as "pyroxylin" and "collodion cotton") moistened with an alcohol, butyl alcohol (also known as "butanol"), methylated spirits, vegetable turpentine; and any liquid or solid containing methylated spirits, having a true flashing point of less than 150 degrees Fahrenheit.
- Class 3.—Nitro-cellulose product.
- Class 4.—Compressed or dissolved acetylene contained in a porous substance.

DIRECTIONS

1. Applications must be forwarded to the Chief Inspector of Inflammable Liquid, Explosives Department, No. 4 Albert Street, off Phillip Street, Circular Quay, Sydney (Box 48, G.P.O.), and must be accompanied by the prescribed fee, as set out hereunder:—
Registration of Premises (Fee, 15s. p.a.)—For quantities not exceeding 300 gallons of mineral oil and 100 gallons of mineral spirit, if kept together; or 800 gallons of mineral oil and 100 gallons of mineral spirit, if kept in separate depots; or 500 gallons of mineral spirit, if kept in an underground tank depot; or 800 gallons of mineral oil and 500 gallons of mineral spirit, if mineral spirit is kept in an underground tank depot.
In addition to, or in lieu of the above, similar quantities of Dangerous Goods of Classes 1 and 2 may be kept under the like conditions; reading Dangerous Goods of Class 1 for the words Mineral Spirit and Dangerous Goods of Class 2 for the words Mineral Oil.
- Store License, Div. A (Fee, £1 10s. p.a.)—For quantities in excess of those stated above, but not exceeding 4,000 gallons mineral oil and/or mineral spirit, and/or Dangerous Goods of Classes 1 and 2.
- Store License, Div. B (Fee, £3 p.a.)—For quantities exceeding 4,000 gallons of mineral oil and/or mineral spirit, and/or dangerous goods of Classes 1 and 2, and/or dangerous goods of Class 3, for the keeping of Dangerous Goods of Classes 3 and/or 4.
2. The certificate of inspection at foot hereof must be signed by an Inspector under the Inflammable Liquid Act, 1915-1953, or Police Officer, or other officer duly authorised in that behalf, and where the premises are situated outside the Metropolitan Area of Sydney, it is requested that such certificate be obtained prior to forwarding application.

1. Name in full of occupier James Albert Snell

2. Occupation Contractor

3. Locality of the premises in which the depot or depots are situated

No. or Name Blue Metal Quarry

Street Dural Rd.

Town Hornsby

4. Nature of premises (Dwelling, Garage, Store, etc.)... .. Quarry

5. Will mineral spirit be kept in a prescribed underground tank depot? Yes

6. Particulars of construction of depots and maximum quantities of Inflammable liquid and/or Dangerous Goods to be kept at any one time.

Depot No.	Construction of Depots.			Inflammable Liquid.		Dangerous Goods.			
	Walls.	Roof.	Floor.	Mineral Spirit Gallons.	Mineral Oil Gallons.	Class 1. Gallons.	Class 2. Gallons.	Class 3. lb.	Class 4. cub. ft.
1	<u>Wooden round tank</u>			<u>2120</u>				<u>2350</u>	
2									
3									
4									
5									
6									
7									
8									
9									
10									

Date of Application 26/9/55 Signature of Applicant J. A. Snell

Postal Address Bay Rd. Hornsby

CERTIFICATE OF INSPECTION.

I, Hornshum being an Inspector under the Inflammable Liquid Act, 1915-53, do hereby certify that the premises or store herein referred to and described is suitable with regard to its situation and construction for the safe keeping of inflammable liquid and/or dangerous goods in quantity and nature specified.

Place Sydney Signature of Inspector Hornshum

Date 26/9/55 (PLEASE TURN OVER)

Hornsby Metal Quarry

AS:DB

29th August, 55.

55/675.

The Manager,
Caltex Oil (Australia) Pty.
Limited,
210-214 George Street,
SYDNEY.

Dear Sir,

Inflammable Liquid Act, 1915-53.
Hornsby Metal Quarry.

Proposal to install 1 x 2,000 gallon
underground inflammable liquid storage tank at
these premises is approved and one endorsed copy
of relative drawing is returned herewith.

Yours faithfully,

Superintendent.

W. Shaw

Encl.

*Tank 253 installed. This one
was intended for Hammer
Peakhurst. but latter proposal
is indefinite*

*Inspection of 253 made by
Mr. McKeen 27/6/55*

AS 30/8/55.

CALTEX OIL (AUSTRALIA) PTY. LIMITED

INC. IN N.S.W.
CALTEX PETROLEUM PRODUCTS

TELEPHONE: BW 8471
TELEGRAPHIC ADDRESS: THUBAN
IN REPLY PLEASE QUOTE:




210-214 GEORGE STREET
BOX 1593, G.P.O.
SYDNEY, N.S.W.

WN:RL

August 23rd, 1955.

The Superintendent,
Department of Mines and Explosives,
Box 48, G. P. O.,
SYDNEY.



Dear Sir,

Attached herewith plan of works of Hornsby Metal Quarry at which site we intend to install 1 x 2,000 gallon underground tank and 1 single electric pump for dispensing gasoline.

Trusting that we will receive your co-operation and awaiting your early approval.

Yours very truly,

CALTEX OIL (AUSTRALIA) PTY. LIMITED

TERRY LEE,
Manager.

Encls.

INSPECTION RECORD


Licence No. Ax 136

Licencee: FARLEY & Lowers Pty Ltd

Address: Dural St Morneby

Storage licensed: 2000 N.E. 5000 D.T.P


Sketch of Premises (Dimensions of depot and distance of same from adjoining "protected works" to be shown).



Inspected	Initials	Requisitions made or state of depot
28-1-76	JLB	Sat.

FILL LINES - PROVIDE SUITABLE
SUPPORT WHERE REQD.


CONCRETE
CBIB WALL CONSTRUCTED BY READYMIX FARLEY.




SEE NOTE 1.

SECTION A-A 1:50

APPROX. LOCATION OF CAB
SEE NOTE 3.





WORKSHOPS

ASSUMED POSITION
OF SWITCHBOARD

EXISTING
CONCRETE
SLAB

NEW VENT RISER
FOR SUPER.

18,5

2,5

SEE NOTE 4

1,0

1,0

1,0

1,0

1,0

1,0

1,0

1,0

DIESEL
30,000L

DIESEL
25,000L

FILL POINTS.

EXISTING 4,500L (1000 GAL) UG. TANK
CONVERT TO DIRECT FILL. INSTALL NEW
FILL & DIP BOXED. REMOVE OLD VENT
LINE & RISER & OLD INDIRECT FILL LINE.
INSTALL NEW SUCTION & VENT LINES.

SUPER 4,500L

SFD

EXISTING SHED TO
BE REMOVED.



DETERMINE ON SITE

DETERMINE ON SITE

A

A


VACANT LAND



50'



No Protected Works.



→ to Quarry

CALTEX OIL (AUSTRALIA)	
DISTRICT	LOCATION
HORNSEA MERRILL Q	
The Valley	
HORNSEA	

Appendix C – Photo logs



Hornsby-4029



Hornsby-4030



Hornsby-4031



Hornsby-4032



Hornsby-4033



Hornsby-4034



Hornsby-4035



Hornsby-4036



Hornsby-4037




Hornsby-4038



Hornsby-4039



Hornsby-4040



Hornsby-4041



Hornsby-4042



Hornsby-4043



Hornsby-4044



_54A4045



Hornsby-4046



Hornsby-4047



Hornsby-4048



Hornsby-4049



Hornsby-4050



Hornsby-4051



Hornsby-4052



Hornsby-4053



Hornsby-4054



Hornsby-4055



Hornsby-4056



Hornsby-4057



Hornsby-4058



Hornsby-4059



Hornsby-4060



Hornsby-4061



_54A4062



Hornsby-4063



Hornsby-4064



Hornsby-4065



Hornsby-4066



Hornsby-4067



Hornsby-4068-2



Hornsby-4068



Hornsby-4069



Hornsby-4070



Hornsby-4071



Hornsby-4072



_54A4073



_54A4074



Hornsby-4075



Hornsby-4076



_54A4077



_54A4078



Hornsby-4079



Hornsby-4080



_54A4081



Hornsby-4082



Hornsby-4083



Hornsby-4084



Hornsby-4085



Hornsby-4086



Hornsby-4087



Hornsby-4088



Hornsby-4089



_54A4090



_54A4091



Hornsby-4092



Hornsby-4093



_54A4094



Hornsby-4095



_54A4096



Hornsby-4097



Hornsby-4098



_54A4099



_54A4100



_54A4101



Hornsby-4102



Hornsby-4103



Hornsby-4104



Hornsby-4105



_54A4106



Hornsby-4107



_54A4108



Hornsby-4109



_54A4110



Hornsby-4111



_54A4112

_54A4113



Hornsby-1



Hornsby-2



Hornsby-3



Hornsby-4



Hornsby-5



Hornsby-6



Hornsby-7



Hornsby-8



Hornsby-9




Hornsby-10




Hornsby-11




Hornsby-12



Hornsby-13



Hornsby-14



Hornsby-15



Hornsby-16



Hornsby-17



Hornsby-18



Hornsby-19



Hornsby-20



Hornsby-21



Hornsby-22



Hornsby-23



Hornsby-24



Hornsby-25



Hornsby-26



Hornsby-27



Hornsby-28



Hornsby-29



Hornsby-30



Hornsby-31



Hornsby-32



Hornsby-33



Hornsby-34



Hornsby-35



Hornsby-36



Hornsby-37



Hornsby-38



Hornsby-39



Hornsby-40



Hornsby-41



Hornsby-42



Hornsby-43



Hornsby-44



Hornsby-45



Hornsby-46



Hornsby-47



Hornsby-48



Hornsby-49



Hornsby-50



Hornsby-51



Hornsby-52



Hornsby-58



Hornsby-59



Hornsby-60



Hornsby-61



Hornsby-62



Hornsby-63



Hornsby-64



Hornsby-65



Hornsby-66



Hornsby-67



TPE1 (1)



TPE1 (2)



TPE1 (3)



TPE1 (4)



TPE1 (5)



TPE1 (6)



TPE1 (7)



TPE1 (8)



TPE1 (9)



TPE1 (10)



TPE1 (11)



TPE1 (12)



TPE2 (1)



TPE2 (2)



TPE2 (3)



TPE2 (4)



TPE2 (5)



TPE2 (6)



TPE2 (7)



TPE2 (8)



TPE2 (9)



TPE2 (10)



TPE3 (1)




TPE3 (2)




TPE3 (3)



TPE3 (4)



TPE3 (5)



TPE3 (6)



TPE3 (7)



TPE3 (8)



TPE3 (9)



TPW1 (1)



TPW1 (2)




TPW1 (3)



TPW1 (4)



TPW1 (5)



TPW1 (6)



TPW1 (7)




TPW1 (8)



TPW1 (9)



TPW1 (10)



TPW1 (11)



TPW1 (12)



TPW1 (13)



TPW1 (14)



TPW1 (15)



TPW1 (16)



TPW1 (17)



TPW1 (18)



TPW1 (19)



TPW1 (20)



TPW1 (21)



TPW1 (22)




TPW1 (23)



TPW1 (24)



TPW1 (25)



TPW1 (26)



TPW1 (27)



TPW1 (28)



TPW2 (1)



TPW2 (2)



TPW2 (3)



TPW2 (4)



TPW2 (5)



TPW2 (6)



TPW2 (7)



TPW2 (8)




TPW2 (9)




TPW2 (10)




TPW2 (11)



TPW2 (12)



TPW2 (13)



TPW2 (14)



TPW2 (15)



TPW2 (16)



TPW2 (17)



TPW2 (18)



TPW3 (1)



TPW3 (2)




TPW3 (3)



TPW3 (4)



TPW3 (5)




TPW3 (6)




TPW3 (7)



TPW3 (8)




TPW3 (9)



TPW3 (10)



TPW3 (11)



TPW3 (12)



TPW3 (13)

Appendix D – Borehole logs



ENVIRONMENTAL BOREHOLE / TESTPIT BH01

PROJECT NUMBER 212645726	DRILLING DATE 6/08/2019 12:00:00 AM - 6/08/2019 12:00:00 AM	COORDINATES -33.69679, 151.08924
PROJECT NAME Hornsby Quarry Rehabilitation E	DRILLING COMPANY Stratcore	COORD SYS GDA94_MGA_zone_56
CLIENT Hornsby Shire Council	DRILLER	SURFACE ELEVATION
ADDRESS Hornsby Quarry	DRILLING METHOD	LOGGED BY EH
	TOTAL DEPTH 4.000	CHECKED BY

COMMENTS Weathered interlaminated clays/sst. of Hawkesbury SST by 0.5m crushed doleritic gravell fill material

Depth (m)	PID	Samples	Is Analysed?	Graphic Log	USCS	Material Description	Additional Observations
0.0 - 0.5	1.1	BH01_0-0.1	Y			GRAVELLY SAND Dolerite sandstone, fine to coarse grained, poorly graded, angular, medium grey, trace rootlets, doleritic gravels, moist, loose FILL	no staining, no odour
0.5 - 1.0	1					SANDY CLAY , high plasticity, orange, moist, firm, NATURAL	dark brown at 1.0m staining, earthy (minor roots) odour
1.0 - 1.5	1.5					SANDY CLAY , low to medium plasticity, mottled creamy orange, slightly moist, soft, NATURAL	no staining, no odour, Brown organic smelling lense at 1.6m
1.5 - 2.0						CLAYEY SAND , low plasticity, creamy orange, dry, NATURAL	weathered interlaminated clays and sands in Hawkesbury SST
2.0 - 2.5	1.4	BH01_2.0-2.1	Y				
2.5 - 3.0							
3.0 - 3.5	1					CLAY , medium plasticity, creamy brown, moist, firm, NATURAL	no staining, no odour
3.5 - 4.0							
4.0 - 4.5						Termination Depth at:4.000 m. Refusal	
4.5 - 5.0							
5.0 - 5.5							
5.5 - 6.0							
6.0 - 6.5							
6.5 - 7.0							
7.0 - 7.5							
7.5 - 8.0							
8.0 - 8.5							
8.5 - 9.0							
9.0 - 9.5							

Disclaimer This log is intended for environmental not geotechnical purposes.
 produced by ESlog.ESdat.net on 28 Aug 2019



ENVIRONMENTAL BOREHOLE / TESTPIT BH02

PROJECT NUMBER 212645726	DRILLING DATE 6/08/2019 12:00:00 AM - 6/08/2019 12:00:00 AM	COORDINATES -33.69682, 151.08921
PROJECT NAME Hornsby Quarry Rehabilitation E	DRILLING COMPANY Stratcore	COORD SYS GDA94_MGA_zone_56
CLIENT Hornsby Shire Council	DRILLER	SURFACE ELEVATION
ADDRESS Hornsby Quarry	DRILLING METHOD	LOGGED BY EH
	TOTAL DEPTH 4.500	CHECKED BY

COMMENTS Pushtubes refused at 3.0m. Solid auger to 4.5m. Possible crosscontamination of augered samples

Depth (m)	PID	Samples	Is Analysed?	Graphic Log	USCS	Material Description	Additional Observations
0.0 - 0.5	1.2 9.4	BH02 0.5-0.6	Y			GRAVELLY SAND , fine to coarse grained, poorly graded, angular, dark brown, rootlets, gravel, dolerite, moist, loose	no staining, topsoil odour 0.4-0.6 dark brown stain
0.5 - 1.0	2					GRAVELLY SAND , fine to coarse grained, poorly graded, angular, dark grey, moist, loose	staining, strong hydrocarbon odour, 0.4-0.6 m-lense of hydrocarbon impacted fill material
1.0 - 1.5	1.8					GRAVELLY SAND , fine to coarse grained, poorly graded, angular, dark brown, moist, loose	no staining, no odour, Concrete fragment at 1.0m
1.5 - 2.0						GRAVELLY SAND , fine to coarse grained, poorly graded, angular, brown, moist, loose	no staining, no odour
2.0 - 2.5						GRAVELLY SAND , fine to coarse grained, poorly graded, yellow brown, moist, loose, NATURAL	natural soil with ironstone cemented layers in SSC
2.5 - 3.0	1	BH02 3.0-3.1	Y			SANDY CLAY , high plasticity, fine grained, orange (terracotta), moist, loose, NATURAL	staining, no odour
3.0 - 3.5							no stain, bright orange clays staining, no odour
3.5 - 4.0	1.3						
4.0 - 4.5							
4.5 - 5.0						Termination Depth at:4.500 m. Proposed depth	
5.0 - 5.5							
5.5 - 6.0							
6.0 - 6.5							
6.5 - 7.0							
7.0 - 7.5							
7.5 - 8.0							
8.0 - 8.5							
8.5 - 9.0							
9.0 - 9.5							



ENVIRONMENTAL BOREHOLE / TESTPIT BH03

PROJECT NUMBER 212645726	DRILLING DATE 6/08/2019 12:00:00 AM - 6/08/2019 12:00:00 AM	COORDINATES -33.69676, 151.08937
PROJECT NAME Hornsby Quarry Rehabilitation E	DRILLING COMPANY Stratcore	COORD SYS GDA94_MGA_zone_56
CLIENT Hornsby Shire Council	DRILLER	SURFACE ELEVATION
ADDRESS Hornsby Quarry	DRILLING METHOD	LOGGED BY EH
	TOTAL DEPTH 6.000	CHECKED BY

COMMENTS Pushtubes from 1-6m. Hole extended 1m to reach possible natural soils and clear hydrocarbon contamination

Depth (m)	PID	Samples	Is Analysed?	Graphic Log	USCS	Material Description	Additional Observations
0.5	3.8 0.8					SANDY GRAVEL , medium to coarse grained, poorly graded, angular, dark grey, crushed dolerite gravels, moist	no staining, no odour, Hit concrete fragments at 0.5m (edge of tank foundations?)
1.0	1.1					SANDY GRAVEL , medium to coarse grained, poorly graded, brown	no staining, no odour
2.0	1.8					SANDY CLAY , fine to medium grained, poorly graded, mottled orange brown, FILL?	
2.5						GRAVELLY SAND , medium to coarse grained, poorly graded, grey brown	
3.0	1.5						
4.0	5.4	BH03_4.0-4.1	Y			SAND , medium grained, well graded, cream, l	dark grey staining, strong hydrocarbon odour odour
4.5	2.4	BH03_4.4-4.5	Y			CLAYEY SAND , low plasticity, medium grained, dark grey, s	
4.5						SAND , medium grained, brown grey, f	grey at 4.4m staining, strong hydrocarbon odour odour
5.0	2.5					SANDY CLAY , medium to high plasticity, fine grained, mottled creamy brown, f, NATURAL?	
6.0	1.7	BH03_5.9-6.0	Y				
6.0						Termination Depth at:6.000 m. Proposed depth	
6.5							
7.0							
7.5							
8.0							
8.5							
9.0							
9.5							



ENVIRONMENTAL BOREHOLE / TESTPIT BH04

PROJECT NUMBER 212645726	DRILLING DATE 6/08/2019 12:00:00 AM - 6/08/2019 12:00:00 AM	COORDINATES -33.69675, 151.08922
PROJECT NAME Hornsby Quarry Rehabilitation E	DRILLING COMPANY Stratcore	COORD SYS GDA94_MGA_zone_56
CLIENT Hornsby Shire Council	DRILLER	SURFACE ELEVATION
ADDRESS Hornsby Quarry	DRILLING METHOD	LOGGED BY EH
	TOTAL DEPTH 5.000	CHECKED BY

COMMENTS Pushtube at 0-1m; SF auger 1m. Hole ended at proposed depth in possible natural clays

Depth (m)	PID	Samples	Is Analysed?	Graphic Log	USCS	Material Description	Additional Observations
0.0 - 0.5	0.7 0.8					SANDY GRAVEL , medium to coarse grained, poorly graded, grey brown, dolerite gravels, moist	no staining, no odour
0.5 - 1.0		BH04 1.0-1.1	Y				
1.0 - 2.8							
2.8 - 3.0	0.7					GRAVELLY SAND , brown	
3.0 - 4.4	0.7						
4.4 - 4.9						CLAY , high plasticity, fine grained, orange, moist, NATURAL	no staining, no odour
4.9 - 5.0	1.9	BH04 4.9-5.0	Y				
5.0 - 5.5						Termination Depth at:5.000 m. Proposed depth	
5.5 - 6.0							
6.0 - 6.5							
6.5 - 7.0							
7.0 - 7.5							
7.5 - 8.0							
8.0 - 8.5							
8.5 - 9.0							
9.0 - 9.5							



ENVIRONMENTAL BOREHOLE / TESTPIT BH05

PROJECT NUMBER 212645726	DRILLING DATE 6/08/2019 12:00:00 AM - 6/08/2019 12:00:00 AM	COORDINATES -33.69689, 151.08915
PROJECT NAME Hornsby Quarry Rehabilitation E	DRILLING COMPANY Stratcore	COORD SYS GDA94_MGA_zone_56
CLIENT Hornsby Shire Council	DRILLER	SURFACE ELEVATION
ADDRESS Hornsby Quarry	DRILLING METHOD	LOGGED BY EH
	TOTAL DEPTH 0.300	CHECKED BY

COMMENTS Hole refused at 0.3m due to dolerite gravels

Depth (m)	PID	Samples	Is Analysed?	Graphic Log	USCS	Material Description	Additional Observations
0.28		BH05_0-0.1	Y			SANDY GRAVEL , poorly graded, angular, grey, dolerite / basalt road base gravels, moist,	no staining, no odour
0.3						Termination Depth at:0.300 m. Refusal	
0.5							
1							
1.5							
2							
2.5							
3							
3.5							
4							
4.5							
5							
5.5							
6							
6.5							
7							
7.5							
8							
8.5							
9							
9.5							



ENVIRONMENTAL BOREHOLE / TESTPIT BH06

PROJECT NUMBER 212645726	DRILLING DATE 6/08/2019 12:00:00 AM - 6/08/2019	COORDINATES -33.69687, 151.08917
PROJECT NAME Hornsby Quarry Rehabilitation E	DRILLING COMPANY Stratcore	COORD SYS GDA94_MGA_zone_56
CLIENT Hornsby Shire Council	DRILLER	SURFACE ELEVATION
ADDRESS Hornsby Quarry	DRILLING METHOD	LOGGED BY EH
	TOTAL DEPTH 0.400	CHECKED BY

COMMENTS 0.6m end of hole on refusal due to possible concrete slab / piece

Depth (m)	PID	Samples	Is Analysed?	Graphic Log	USCS	Material Description	Additional Observations
0.0	1.7	BH06_0-0.1	Y			SANDY GRAVEL , medium to coarse grained, poorly graded, angular, dark brown, doleritic gravels, moist.	hole ended on refusal due to possible concrete slab
0.5						Termination Depth at:0.400 m. Refusal	
1							
1.5							
2							
2.5							
3							
3.5							
4							
4.5							
5							
5.5							
6							
6.5							
7							
7.5							
8							
8.5							
9							
9.5							



ENVIRONMENTAL BOREHOLE / TESTPIT BH07

PROJECT NUMBER 212645726	DRILLING DATE 6/08/2019 12:00:00 AM - 6/08/2019	COORDINATES -33.69689, 151.08899
PROJECT NAME Hornsby Quarry Rehabilitation E	DRILLING COMPANY Stratcore	COORD SYS GDA94_MGA_zone_56
CLIENT Hornsby Shire Council	DRILLER	SURFACE ELEVATION
ADDRESS Hornsby Quarry	DRILLING METHOD	LOGGED BY EH
	TOTAL DEPTH 0.400	CHECKED BY

COMMENTS End of hole at 0.3m refused on basaltic / doleritic gravels. No penetration with hand auger

Depth (m)	PID	Samples	Is Analysed?	Graphic Log	USCS	Material Description	Additional Observations
0.0	1.6	BH07 0-0.1	Y			GRAVELLY SAND , medium to coarse grained, angular, dark brown, basalt gravels, rootlets, very moist	
0.5						Termination Depth at:0.400 m. Refusal	
1							
1.5							
2							
2.5							
3							
3.5							
4							
4.5							
5							
5.5							
6							
6.5							
7							
7.5							
8							
8.5							
9							
9.5							



ENVIRONMENTAL BOREHOLE / TESTPIT TPE1

PROJECT NUMBER 212645726	DRILLING DATE 6/08/2019 12:00:00 AM - 6/08/2019 12:00:00 AM	COORDINATES ,
PROJECT NAME Hornsby Quarry Rehabilitation E	DRILLING COMPANY	COORD SYS GDA94_MGA_zone_56
CLIENT Hornsby Shire Council	DRILLER	SURFACE ELEVATION
ADDRESS Hornsby Quarry	DRILLING METHOD	LOGGED BY FH
	TOTAL DEPTH 1.000	CHECKED BY

COMMENTS

Depth (m)	PID	Samples	Is Analysed?	Graphic Log	USCS	Material Description	Additional Observations
0.0	1.7					SURFACE: GRADED AND SEEDED	no odour
0.0	2.2					SANDY GRAVEL , brown grey	Metal pipe
0.5	2.5					CLAY , compacted, white, red, orange, black & brown, with rocks and pockets of sand	plastic pipe
0.5	5.2						
1.0	1.9						
1.0	2.5					Termination Depth at:1.000 m. Target depth achieved.	
1.5	3						
1.5	3.6						
2.0	4.4						
2.0	2						
2.0	2.8						
2.5	2.9						
2.5	3.1						
2.5	3.5						
3.0							
3.5							
4.0							
4.5							
5.0							
5.5							
6.0							
6.5							
7.0							
7.5							
8.0							
8.5							
9.0							
9.5							



ENVIRONMENTAL BOREHOLE / TESTPIT TPE2

PROJECT NUMBER 212645726	DRILLING DATE 6/08/2019 12:00:00 AM - 6/08/2019	COORDINATES ,
PROJECT NAME Hornsby Quarry Rehabilitation E	DRILLING COMPANY	COORD SYS GDA94_MGA_zone_56
CLIENT Hornsby Shire Council	DRILLER	SURFACE ELEVATION
ADDRESS Hornsby Quarry	DRILLING METHOD	LOGGED BY FH
	TOTAL DEPTH 3.000	CHECKED BY

COMMENTS

Depth (m)	PID	Samples	Is Analysed?	Graphic Log	USCS	Material Description	Additional Observations
0.0	2.4					SURFACE: GRADED AND SEEDED	
0.0	3					GRAVELLY SAND , fine to medium grained, white, tan, d, loose	Metal pipe formwork
0.5	3.6						
0.5	2.8					SANDY GRAVEL , brown, grey, pockets of black rock	tightly packed
0.5	3						
1.0	3.1						
1.0	2.2						
1.5	3						
1.5	3.3						
2.0							
2.5							
3.0						Termination Depth at:3.000 m. Target depth achieved. 3.4m in length due to refusal	
3.5							
4.0							
4.5							
5.0							
5.5							
6.0							
6.5							
7.0							
7.5							
8.0							
8.5							
9.0							
9.5							



ENVIRONMENTAL BOREHOLE / TESTPIT TPE3

PROJECT NUMBER 212645726	DRILLING DATE 6/08/2019 12:00:00 AM - 6/08/2019 12:00:00 AM	COORDINATES ,
PROJECT NAME Hornsby Quarry Rehabilitation E	DRILLING COMPANY	COORD SYS GDA94_MGA_zone_56
CLIENT Hornsby Shire Council	DRILLER	SURFACE ELEVATION
ADDRESS Hornsby Quarry	DRILLING METHOD	LOGGED BY FH
	TOTAL DEPTH 0.800	CHECKED BY

COMMENTS

Depth (m)	PID	Samples	Is Analysed?	Graphic Log	USCS	Material Description	Additional Observations
0.5	0.8 0.9 2.6 2.3 2.5					GRAVELLY SAND , fine to medium grained, gap graded, subangular, white-tan, damp	Plastic pipe
						GRAVELLY SAND , brown, white, red and orange, with trace clay, tightly packed black, flat rocks throughout	tightly packed, plastic and road base
1						Termination Depth at:0.800 m. refusal. Length 3.4m due to refusal	
1.5							
2							
2.5							
3							
3.5							
4							
4.5							
5							
5.5							
6							
6.5							
7							
7.5							
8							
8.5							
9							
9.5							



ENVIRONMENTAL BOREHOLE / TESTPIT TPW1

PROJECT NUMBER 212645726	DRILLING DATE 6/08/2019 12:00:00 AM - 6/08/2019 12:00:00 AM	COORDINATES ,
PROJECT NAME Hornsby Quarry Rehabilitation E	DRILLING COMPANY	COORD SYS GDA94_MGA_zone_56
CLIENT Hornsby Shire Council	DRILLER	SURFACE ELEVATION
ADDRESS Hornsby Quarry	DRILLING METHOD	LOGGED BY FH
	TOTAL DEPTH 1.000	CHECKED BY

COMMENTS

Depth (m)	PID	Samples	Is Analysed?	Graphic Log	USCS	Material Description	Additional Observations
0.0	2.3					SURFACE: GRASS	no odour
0.0	2.5					GRAVELLY SAND , fine to medium grained, poorly graded, brown, with clay, large rocks and boulders; iron rich	Piece of quartz
0.0	3						
0.0	3.2						
0.0	1.8						
1.0	2.5					Termination Depth at:1.000 m. Target depth achieved	
1.0	3.2						
1.0	3.3						
1.0	4.1						
1.0	2.4						
1.0	2.6						
1.0	2.7						
1.0	3.2						
1.0	3.9						
1.0							



ENVIRONMENTAL BOREHOLE / TESTPIT TPW2

PROJECT NUMBER 212645726	DRILLING DATE 6/08/2019 12:00:00 AM - 6/08/2019 12:00:00 AM	COORDINATES ,
PROJECT NAME Hornsby Quarry Rehabilitation E	DRILLING COMPANY	COORD SYS GDA94_MGA_zone_56
CLIENT Hornsby Shire Council	DRILLER	SURFACE ELEVATION
ADDRESS Hornsby Quarry	DRILLING METHOD	LOGGED BY FH
	TOTAL DEPTH 1.000	CHECKED BY

COMMENTS

Depth (m)	PID	Samples	Is Analysed?	Graphic Log	USCS	Material Description	Additional Observations
0.0	1.6					SURFACE: TALL GRASS AND TREES	fabric, rubber matting, metal rods, wire, plastic sheet, string, plastic piping,
0.1	1.9					GRAVELLY SAND , fine to coarse grained, subrounded, subrounded to angular, brown, mottled red & tan, with clay, trace quartz, roots and rootlets, moist	electrical wire, tyre all on northern wall, minor hydrocarbon odour on pipe
0.2	4						
0.3	1.8						
0.4	2.2						
0.5	2.3						
1.0	3.4					Termination Depth at:1.000 m. Target depth achieved	
1.5	1.9						
2.0	2.5						
2.5	2.6						
3.0	3.1						
3.5							
4.0							
4.5							
5.0							
5.5							
6.0							
6.5							
7.0							
7.5							
8.0							
8.5							
9.0							
9.5							



ENVIRONMENTAL BOREHOLE / TESTPIT TPW3

PROJECT NUMBER 212645726	DRILLING DATE 6/08/2019 12:00:00 AM - 6/08/2019	COORDINATES ,
PROJECT NAME Hornsby Quarry Rehabilitation E	DRILLING COMPANY	COORD SYS GDA94_MGA_zone_56
CLIENT Hornsby Shire Council	DRILLER	SURFACE ELEVATION
ADDRESS Hornsby Quarry	DRILLING METHOD	LOGGED BY FH
	TOTAL DEPTH 1.000	CHECKED BY

COMMENTS

Depth (m)	PID	Samples	Is Analysed?	Graphic Log	USCS	Material Description	Additional Observations
0.5	1.6 2.3 2.4 3.5 5.1					GRAVELLY SAND , rounded-angular, brown, trace clay	rootlets
1.0	3.7					GRAVELLY CLAY , brown, mottled red & grey	large rocks, sandstone rocks yellow, pipe, cement
1.5	4.6 5.2 3.1 3.5					Termination Depth at:1.000 m. Target depth achieved	
2.0	3.7 5.3 5.6						
2.5							
3.0							
3.5							
4.0							
4.5							
5.0							
5.5							
6.0							
6.5							
7.0							
7.5							
8.0							
8.5							
9.0							
9.5							

Appendix E – Tables



Appendix E Table 2 - Soil results

Hornsby Quarry Rehabilitation Contamination Investigation

ES EPA8100	Inorganics		Metals										BTEXN						TRH - NEPM 2013							
	Benzo(a)pyrene (half LOR)	Benzo(a)pyrene TEQ (LOR)	Benzo(a)pyrene TEQ (zero)	Moisture (%)	Moisture Content (%)	Arsenic	Cadmium	Chromium (III+VI)	Copper	Lead	Mercury	Nickel	Zinc	Benzene	Toluene	Ethylbenzene	Xylene (o)	Xylene (m & p)	Xylene Total	Naphthalene (BTEXN)	BTEX (Sum of Total) - Lab Calc	F1 (C6-C10 minus BTEX)	C6-C10 Fraction	F2 (>C10-C16 minus Naphthalene)	>C10-C16 Fraction	F3 (>C16-C34 Fraction)
TEQ (mg/kg)	TEQ (mg/kg)	TEQ (mg/kg)	%	%	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
EQL	0.5	0.5	0.5	1	1	2	0.4	2	5	5	0.1	2	5	0.1	0.1	0.1	0.1	0.2	0.3	0.5	0.2	10	10	50	50	100
CRC CARE 2011 Soil Direct Contact HSL-C Recreational / Open Space														120	18,000	5,300			15,000	1,900		5,100		3,800		5,300
NEPM 2013 EIL-Urban Residential- Public Open Space 0-2m						100		190	60	1,100		30	70							170						
NEPM 2013 Table 1A(1) HIL C Rec						300	90	300	17,000	600	80	1,200	30,000													
NEPM 2013 Table 1A(3) HSL C Rec Soil for Vapour Intrusion, Sand 0-1m														999,999	999,999	999,999			999,999	999,999		999,999		999,999		

Location Code	Field ID	Depth	Benzo(a)pyrene (half LOR)	Benzo(a)pyrene TEQ (LOR)	Benzo(a)pyrene TEQ (zero)	Moisture (%)	Moisture Content (%)	Arsenic	Cadmium	Chromium (III+VI)	Copper	Lead	Mercury	Nickel	Zinc	Benzene	Toluene	Ethylbenzene	Xylene (o)	Xylene (m & p)	Xylene Total	Naphthalene (BTEXN)	BTEX (Sum of Total) - Lab Calc	F1 (C6-C10 minus BTEX)	C6-C10 Fraction	F2 (>C10-C16 minus Naphthalene)	>C10-C16 Fraction	F3 (>C16-C34 Fraction)
Northern Fill	GS01 0-0.1	0 - 0.1				21	3.2	<0.4	160	40	7.9	<0.1	160	96	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
Northern Fill	GS02 0-0.1	0 - 0.1				24	2.1	<0.4	140	36	<5	<0.1	180	88	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
Northern Fill	GS03 0-0.1	0 - 0.1				18	2.4	<0.4	66	22	13	<0.1	100	170	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
Eastern Fill	TPE1-2 1.0	1				11	2.3	<0.4	8.0	12	17	<0.1	<5	14	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
Eastern Fill	TPE1-3 0.5	0.5				9.0	2.2	<0.4	9.0	9.7	16	<0.1	6.8	37	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
Eastern Fill	TPE1-5 0.0	0				8.5	3.0	<0.4	11	13	15	<0.1	8.8	43	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
Eastern Fill	TPE2-1 0.5	0.5				8.7	2.3	<0.4	15	7.6	14	<0.1	11	36	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
Eastern Fill	TPE2-2 1.0	1				10	3.2	<0.4	50	14	11	<0.1	50	62	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
Eastern Fill	TPE2-3 0.0	0				10	6.0	<0.4	17	24	45	<0.1	13	67	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	120
Eastern Fill	TPE3-1 0.5	0.5				9.0	3.7	<0.4	20	21	43	<0.1	11	57	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	220
Eastern Fill	TPE3-3 0.0	0				9.8	3.2	<0.4	14	15	22	<0.1	9.7	49	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	180
Eastern Fill	QA03	0				8.3	2.9	<0.4	12	9.4	15	<0.1	7.1	41	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
Eastern Fill	QA04	0				8.2	<5	<1	13	9	15	<0.1	10	38	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<10	<10	<50	<50	<100
Eastern Fill	TPE3-3 0.8	0.8				9.2	2.4	<0.4	15	11	29	<0.1	12	50	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
Western Fill	TPW1-2 1.0	1				13	3.1	<0.4	120	34	8.1	<0.1	120	70	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
Western Fill	TPW1-3 0.0	0				11	2.8	<0.4	120	32	7.4	<0.1	120	76	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
Western Fill	TPW1-5 0.5	0.5				13	2.9	<0.4	88	28	7.5	<0.1	91	59	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
Western Fill	TPW2-1 0.0	0				15	2.4	<0.4	120	30	7.9	<0.1	120	72	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
Western Fill	TPW2-2 0.5	0.5				12	<2	<0.4	71	22	13	<0.1	72	64	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
Western Fill	TPW2-3 0.5	0.5				12	3.1	<0.4	160	35	11	<0.1	150	110	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
Western Fill	QA01	0.5				12	3.3	<0.4	170	38	15	<0.1	160	110	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
Western Fill	QA02	0.5				11.2	<5	<1	117	30	14	<0.1	125	157	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<10	<10	<50	<50	<100
Western Fill	TPW3-1 0.0	0				13	2.7	<0.4	75	25	7.6	<0.1	80	62	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
Western Fill	TPW3-1 0.5	0.5				14	3.0	<0.4	58	19	12	<0.1	56	65	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
Western Fill	TPW3-5 1.0	1				17	2.2	<0.4	120	29	5.9	<0.1	130	78	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
BH01	BH01 0-0.1	0 - 0.1	0.6	1.2	<0.5	9.2	2.2	<0.4	100	35	6.9	<0.1	110	63	<0.1	<0.1	<0.1	<0.1	<0.1	0.3	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
BH01	BH01 2.0-2.1	2 - 2.1	0.6	1.2	<0.5	20	3.4	<0.4	53	45	11	<0.1	96	60	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
BH02	BH02 0.5-0.6	0.5 - 0.6				15	2.6	<0.4	68	27	8.2	<0.1	81	58	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	440	440	260
BH02	QC 01	0.5 - 0.6				14	2.3	<0.4	58	20	8.4	<0.1	62	45	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
BH02	BH02 3.0-3.1	3 - 3.1				12	<2	<0.4	150	37	<5	<0.1	150	86	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
BH03	BH03 4.0-4.1	4 - 4.1				17	3.4	<0.4	130	34	8.2	<0.1	140	86	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	500	500	480
BH03	QC 02	4 - 4.1				15	3.3	<0.4	130	33	8.3	<0.1	130	85	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	57	57	<100
BH03	BH03 4.4-4.5	4.4 - 4.5				12	3.3	<0.4	49	12	12	<0.1	46	50	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
BH03	BH03 5.9-6.0	5.9 - 6				18	3.4	<0.4	37	31	11	0.1	160	140	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
BH04	BH04 1.0-1.1	1 - 1.1				8.1	2.2	<0.4	110	30	7.7	<0.1	120	71	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5	<0.2	<20	<20	<50	<50	<100
BH04	BH04 4.9-5.0	4.9 - 5				22	3.6	<0.4	55	28	13	0.1	69	62	<0.1	<0.1	<0.1	<0.1										



Appendix E Table 2 - Soil results

Hornsby Quarry Rehabilitation Contamination Investigation

EQL	Phenols																									
	Total 8 PAHs (as BaP TEO)(zero LOR) - Lab Calc	Total 8 PAHs (as BaP TEO)(half LOR) - Lab Calc	Total 8 PAHs (as BaP TEO)(full LOR) - Lab Calc	3,4-Methylphenol (m,p-cresol)	2,3,4,6-Tetrachlorophenol	2,4,5-trichlorophenol	2,4,6-trichlorophenol	2,4-dichlorophenol	2,4-dimethylphenol	2,4-dinitrophenol	2,6-dichlorophenol	2-chlorophenol	2-methylnaphthalene	2-methylphenol	2-nitrophenol	3-methylcholanthrene	4,6-Dinitro-2-methylphenol	4,6-Dinitro-o-cyclohexyl phenol	4-chloro-3-methylphenol	4-nitrophenol	Acetophenone	Pentachlorophenol	Phenol	tetrachlorophenols	Phenols (Total Halogenated)	Phenols (Total Non Halogenated)
mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
0.5	0.5	0.5	0.4	5	1	1	0.5	0.5	5	5	0.5	0.5	0.5	0.2	1	0.5	5	20	1	5	0.5	1	0.5	10	1	20
CRC CARE 2011 Soil Direct Contact HSL-C Recre																										
NEPM 2013 EIL-Urban Residential- Public Open S																										
0-2m																										
NEPM 2013 Table 1A(1) HIL C Rec	3	3	3																							
NEPM 2013 Table 1A(3) HSL C Rec Soil for Vapo																					120	40,000				
0-1m																										

Location Code	Field ID	Depth	Total 8 PAHs (as BaP TEO)(zero LOR) - Lab Calc	Total 8 PAHs (as BaP TEO)(half LOR) - Lab Calc	Total 8 PAHs (as BaP TEO)(full LOR) - Lab Calc	3,4-Methylphenol (m,p-cresol)	2,3,4,6-Tetrachlorophenol	2,4,5-trichlorophenol	2,4,6-trichlorophenol	2,4-dichlorophenol	2,4-dimethylphenol	2,4-dinitrophenol	2,6-dichlorophenol	2-chlorophenol	2-methylnaphthalene	2-methylphenol	2-nitrophenol	3-methylcholanthrene	4,6-Dinitro-2-methylphenol	4,6-Dinitro-o-cyclohexyl phenol	4-chloro-3-methylphenol	4-nitrophenol	Acetophenone	Pentachlorophenol	Phenol	tetrachlorophenols	Phenols (Total Halogenated)	Phenols (Total Non Halogenated)	
Northern Fill	GS01	0-0.1	<0.5	0.6	1.2																								
Northern Fill	GS02	0-0.1	<0.5	0.6	1.2																								
Northern Fill	GS03	0-0.1	<0.5	0.6	1.2																								
Eastern Fill	TPE1-2	1.0	<0.5	0.6	1.2																								
Eastern Fill	TPE1-3	0.5	<0.5	0.6	1.2																								
Eastern Fill	TPE1-5	0.0	<0.5	0.6	1.2																								
Eastern Fill	TPE2-1	0.5	<0.5	0.6	1.2																								
Eastern Fill	TPE2-2	1.0	<0.5	0.6	1.2																								
Eastern Fill	TPE2-3	0.0	<0.5	0.6	1.2																								
Eastern Fill	TPE3-1	0.5	<0.5	0.6	1.2																								
Eastern Fill	TPE3-3	0.0	<0.5	0.6	1.2																								
Eastern Fill	QA03	0	<0.5	0.6	1.2																								
Eastern Fill	QA04	0	<0.5	0.6	1.2																								
Eastern Fill	TPE3-3	0.8	<0.5	0.6	1.2																								
Western Fill	TPW1-2	1.0	<0.5	0.6	1.2																								
Western Fill	TPW1-3	0.0	<0.5	0.6	1.2																								
Western Fill	TPW1-5	0.5	<0.5	0.6	1.2																								
Western Fill	TPW2-1	0.0	<0.5	0.6	1.2																								
Western Fill	TPW2-2	0.5	<0.5	0.6	1.2																								
Western Fill	TPW2-3	0.5	<0.5	0.6	1.2																								
Western Fill	QA01	0.5	<0.5	0.6	1.2																								
Western Fill	QA02	0.5	<0.5	0.6	1.2																								
Western Fill	TPW3-1	0.0	<0.5	0.6	1.2																								
Western Fill	TPW3-1	0.5	<0.5	0.6	1.2																								
Western Fill	TPW3-5	1.0	<0.5	0.6	1.2																								
BH01	BH01	0-0.1	<0.5	0.6	1.2	<0.4	<5	<1	<1	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.2	<1	<0.5	<5	<20	<1	<5	<0.5	<1	<0.5	<10	<1	<20	
BH01	BH01	2.0-2.1	<0.5	0.6	1.2	<0.4	<5	<1	<1	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.2	<1	<0.5	<5	<20	<1	<5	<0.5	<1	<0.5	<10	<1	<20	
BH02	BH02	0.5-0.6	<0.5	0.6	1.2	<0.4	<5	<1	<1	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.2	<1	<0.5	<5	<20	<1	<5	<0.5	<1	<0.5	<10	<1	<20	
BH02	QC 01	0.5-0.6	<0.5	0.6	1.2	<0.4	<5	<1	<1	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.2	<1	<0.5	<5	<20	<1	<5	<0.5	<1	<0.5	<10	<1	<20	
BH02	BH02	3.0-3.1	<0.5	0.6	1.2	<0.4	<5	<1	<1	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.2	<1	<0.5	<5	<20	<1	<5	<0.5	<1	<0.5	<10	<1	<20	
BH03	BH03	4.0-4.1	<0.5	0.6	1.2	<0.4	<5	<1	<1	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.2	<1	<0.5	<5	<20	<1	<5	<0.5	<1	<0.5	<10	<1	<20	
BH03	QC 02	4-4.1	<0.5	0.6	1.2	<0.4	<5	<1	<1	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.2	<1	<0.5	<5	<20	<1	<5	<0.5	<1	<0.5	<10	<1	<20	
BH03	BH03	4.4-4.5	<0.5	0.6	1.2	<0.4	<5	<1	<1	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.2	<1	<0.5	<5	<20	<1	<5	<0.5	<1	<0.5	<10	<1	<20	
BH03	BH03	5.9-6.0	<0.5	0.6	1.2	<0.4	<5	<1	<1	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.2	<1	<0.5	<5	<20	<1	<5	<0.5	<1	<0.5	<10	<1	<20	
BH04	BH04	1.0-1.1	<0.5	0.6	1.2	<0.4	<5	<1	<1	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.2	<1	<0.5	<5	<20	<1	<5	<0.5	<1	<0.5	<10	<1	<20	
BH04	BH04	4.9-5.0	<0.5	0.6	1.2	<0.4	<5	<1	<1	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.2	<1	<0.5	<5	<20	<1	<5	<0.5	<1	<0.5	<10	<1	<20	
BH05	BH05	0-0.1	<0.5	0.6	1.2	<0.4	<5	<1	<1	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.2	<1	<0.5	<5	<20	<1	<5	<0.5	<1	<0.5	<10	<1	<20	
BH06	BH06	0-0.1	<0.5	0.6	1.2	<0.4	<5	<1	<1	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.2	<1	<0.5	<5	<20	<1	<5	<0.5	<1	<0.5	<10	<1	<20	
BH07	BH07	0-0.1	<0.5	0.6	1.2	<0.4	<5	<1	<1	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.2	<1	<0.5	<5	<20	<1	<5	<0.5	<1	<0.5	<10	<1	<20	



Appendix E Table 2 - Soil results

		VOCs																										
		1,1-dichloroethane	1,2-trichlorobenzene	1,2,3-trichloropropane	1,2-dibromoethane	1,3-dichlorobenzene	2-butanone (MEK)	4-methyl-2-pentanone (MIBK)	Acetone	Allyl chloride	Bromodichloromethane	Bromoform	Carbon disulfide	Chlorodibromomethane	Chloroethane	cis-1,3-dichloropropene	Dibromomethane	Iodomethane	Trichloroethene	Tetrachloroethene	trans-1,3-dichloropropene	trans-1,2-dichloroethene	Trichlorofluoromethane	1,2,3,4-tetrachlorobenzene	1,2,3,5-Tetrachlorobenzene	1,2,4,5-tetrachlorobenzene	1,3,5-Trichlorobenzene	
EQL		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
CRC CARE 2011 Soil Direct Contact HSL-C Recre																												
NEPM 2013 EIL-Urban Residential- Public Open S	0-2m																											
NEPM 2013 Table 1A(1) HIL C Rec																												
NEPM 2013 Table 1A(3) HSL C Rec Soil for Vapo	0-1m																											

Location Code	Field ID	Depth	1,1-dichloroethane	1,2-trichlorobenzene	1,2,3-trichloropropane	1,2-dibromoethane	1,3-dichlorobenzene	2-butanone (MEK)	4-methyl-2-pentanone (MIBK)	Acetone	Allyl chloride	Bromodichloromethane	Bromoform	Carbon disulfide	Chlorodibromomethane	Chloroethane	cis-1,3-dichloropropene	Dibromomethane	Iodomethane	Trichloroethene	Tetrachloroethene	trans-1,3-dichloropropene	trans-1,2-dichloroethene	Trichlorofluoromethane	1,2,3,4-tetrachlorobenzene	1,2,3,5-Tetrachlorobenzene	1,2,4,5-tetrachlorobenzene	1,3,5-Trichlorobenzene		
Northern Fill	GS01 0-0.1	0 - 0.1																												
Northern Fill	GS02 0-0.1	0 - 0.1																												
Northern Fill	GS03 0-0.1	0 - 0.1																												
Eastern Fill	TPE1-2 1.0	1																												
Eastern Fill	TPE1-3 0.5	0.5																												
Eastern Fill	TPE1-5 0.0	0																												
Eastern Fill	TPE2-1 0.5	0.5																												
Eastern Fill	TPE2-2 1.0	1																												
Eastern Fill	TPE2-3 0.0	0																												
Eastern Fill	TPE3-1 0.5	0.5																												
Eastern Fill	TPE3-3 0.0	0																												
Eastern Fill	QA03	0																												
Eastern Fill	QA04	0																												
Eastern Fill	TPE3-3 0.8	0.8																												
Western Fill	TPW1-2 1.0	1																												
Western Fill	TPW1-3 0.0	0																												
Western Fill	TPW1-5 0.5	0.5																												
Western Fill	TPW2-1 0.0	0																												
Western Fill	TPW2-2 0.5	0.5																												
Western Fill	TPW2-3 0.5	0.5																												
Western Fill	QA01	0.5																												
Western Fill	QA02	0.5																												
Western Fill	TPW3-1 0.0	0																												
Western Fill	TPW3-1 0.5	0.5																												
Western Fill	TPW3-5 1.0	1																												
BH01	BH01 0-0.1	0 - 0.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
BH01	BH01 2.0-2.1	2 - 2.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
BH02	BH02 0.5-0.6	0.5 - 0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
BH02	QC 01	0.5 - 0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
BH02	BH02 3.0-3.1	3 - 3.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
BH03	BH03 4.0-4.1	4 - 4.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
BH03	QC 02	4 - 4.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
BH03	BH03 4.4-4.5	4.4 - 4.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
BH03	BH03 5.9-6.0	5.9 - 6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
BH04	BH04 1.0-1.1	1 - 1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
BH04	BH04 4.9-5.0	4.9 - 5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
BH05	BH05 0-0.1	0 - 0.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
BH06	BH06 0-0.1	0 - 0.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
BH07	BH07 0-0.1	0 - 0.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	



Appendix E Table 2 - Soil results

Hornsby Quarry Rehabilitation Contamination Investigation

			SVOCs																											
			1-Chloronaphthalene	1-naphthylamine	2-naphthylamine	2-nitroaniline	3,3-Dichlorobenzidine	4-(dimethylamino)azobenzene	4-bromophenyl phenyl ether	4-chlorophenyl phenyl ether	7,12-dimethylbenz(a)anthracene	Aniline	Benzyl chloride	Bis(2-chloroethoxy)methane	Bis(2-chloroisopropyl) ether	Dibenz(a,j)acridine	Diphenylamine	Hexachlorocyclopentadiene	Hexachloroethane	N-nitrosodi-n-butylamine	N-nitrosodi-n-propylamine	N-nitrosopiperidine	Pentachlorobenzene	Trifluralin	Organochlorine pesticides EPA V/c	Other organochlorine pesticides EPA V/c	4,4'-DDE	a-BHC		
			mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
EQL			0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.05	0.05		
CRC CARE 2011 Soil Direct Contact HSL-C Recre																														
NEPM 2013 EIL-Urban Residential- Public Open S																														
0-2m																														
NEPM 2013 Table 1A(1) HIL C Rec																														
NEPM 2013 Table 1A(3) HSL C Rec Soil for Vapo																														
0-1m																														
Location Code	Field ID	Depth																												
Northern Fill	GS01	0-0.1																								<0.1	<0.1	<0.05	<0.05	
Northern Fill	GS02	0-0.1																								<0.1	<0.1	<0.05	<0.05	
Northern Fill	GS03	0-0.1																								<0.1	<0.1	<0.05	<0.05	
Eastern Fill	TPE1-2	1.0																								<0.1	<0.1	<0.05	<0.05	
Eastern Fill	TPE1-3	0.5																								<0.1	<0.1	<0.05	<0.05	
Eastern Fill	TPE1-5	0.0																								<0.1	<0.1	<0.05	<0.05	
Eastern Fill	TPE2-1	0.5																								<0.1	<0.1	<0.05	<0.05	
Eastern Fill	TPE2-2	1.0																								<0.1	<0.1	<0.05	<0.05	
Eastern Fill	TPE2-3	0.0																								<0.1	<0.1	<0.05	<0.05	
Eastern Fill	TPE3-1	0.5																								<0.1	<0.1	<0.05	<0.05	
Eastern Fill	TPE3-3	0.0																								<0.1	<0.1	<0.05	<0.05	
Eastern Fill	QA03	0																								<0.1	<0.1	<0.05	<0.05	
Eastern Fill	QA04	0																									<0.1	<0.1	<0.05	<0.05
Eastern Fill	TPE3-3	0.8																								<0.1	<0.1	<0.05	<0.05	
Western Fill	TPW1-2	1.0																								<0.1	<0.1	<0.05	<0.05	
Western Fill	TPW1-3	0.0																								<0.1	<0.1	<0.05	<0.05	
Western Fill	TPW1-5	0.5																								<0.1	<0.1	<0.05	<0.05	
Western Fill	TPW2-1	0.0																								<0.1	<0.1	<0.05	<0.05	
Western Fill	TPW2-2	0.5																								<0.1	<0.1	<0.05	<0.05	
Western Fill	TPW2-3	0.5																								<0.1	<0.1	<0.05	<0.05	
Western Fill	QA01	0.5																								<0.1	<0.1	<0.05	<0.05	
Western Fill	QA02	0.5																									<0.1	<0.1	<0.05	<0.05
Western Fill	TPW3-1	0.0																								<0.1	<0.1	<0.05	<0.05	
Western Fill	TPW3-1	0.5																								<0.1	<0.1	<0.05	<0.05	
Western Fill	TPW3-5	1.0																								<0.1	<0.1	<0.05	<0.05	
BH01	BH01	0-0.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.05	<0.05		
BH01	BH01	2.0-2.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.05	<0.05		
BH02	BH02	0.5-0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.05	<0.05		
BH02	QC 01	0.5 - 0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.05	<0.05		
BH02	BH02	3.0-3.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.05	<0.05		
BH03	BH03	4.0-4.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.05	<0.05		
BH03	QC 02	4 - 4.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.05	<0.05		
BH03	BH03	4.4-4.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.05	<0.05		
BH03	BH03	5.9-6.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.05	<0.05		
BH04	BH04	1.0-1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.05	<0.05		
BH04	BH04	4.9-5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.05	<0.05		
BH05	BH05	0-0.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.05	<0.05		
BH06	BH06	0-0.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.05	<0.05		
BH07	BH07	0-0.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.05	<0.05		



Appendix E Table 2 - Soil results

	Pesticides													MAH				Halogenated Hydrocarbons		PCBs						
	Naled (Dibrom)	Omethoate	Parathion	Phorate	Pirimphos-ethyl	Pirimphos-methyl	Prothiofos	Pyrazophos	Ronnel	Terbufos	Trichloronate	Tetrachlorvinphos	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Isopropylbenzene	Styrene	Total MAH	Bromomethane	Dichlorodifluoromethane	Arochlor 1016	Arochlor 1221	Arochlor 1232	Arochlor 1242	Arochlor 1248	Arochlor 1254	Arochlor 1260
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
EQL	0.2	2		0.2	0.05	0.2	0.05	0.2	0.2	0.2	0.2	0.2	0.5	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
CRC CARE 2011 Soil Direct Contact HSL-C Recre																										
NEPM 2013 EIL-Urban Residential- Public Open S																										
NEPM 2013 Table 1A(1) HIL C Rec																										
NEPM 2013 Table 1A(3) HSL C Rec Soil for Vapo																										

Location Code	Field ID	Depth	Naled (Dibrom)	Omethoate	Parathion	Phorate	Pirimphos-ethyl	Pirimphos-methyl	Prothiofos	Pyrazophos	Ronnel	Terbufos	Trichloronate	Tetrachlorvinphos	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Isopropylbenzene	Styrene	Total MAH	Bromomethane	Dichlorodifluoromethane	Arochlor 1016	Arochlor 1221	Arochlor 1232	Arochlor 1242	Arochlor 1248	Arochlor 1254	Arochlor 1260
Northern Fill	GS01	0-0.1	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Northern Fill	GS02	0-0.1	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Northern Fill	GS03	0-0.1	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Eastern Fill	TPE1-2	1.0	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Eastern Fill	TPE1-3	0.5	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Eastern Fill	TPE1-5	0.0	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Eastern Fill	TPE2-1	0.5	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Eastern Fill	TPE2-2	1.0	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Eastern Fill	TPE2-3	0.0	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Eastern Fill	TPE3-1	0.5	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Eastern Fill	TPE3-3	0.0	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Eastern Fill	QA03	0	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Eastern Fill	QA04	0	<0.2	<2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Eastern Fill	TPE3-3	0.8	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Western Fill	TPW1-2	1.0	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Western Fill	TPW1-3	0.0	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Western Fill	TPW1-5	0.5	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Western Fill	TPW2-1	0.0	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Western Fill	TPW2-2	0.5	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Western Fill	TPW2-3	0.5	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Western Fill	QA01	0.5	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Western Fill	QA02	0.5	<0.2	<2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Western Fill	TPW3-1	0.0	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Western Fill	TPW3-1	0.5	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
Western Fill	TPW3-5	1.0	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2														
BH01	BH01	0-0.1	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH01	BH01	2.0-2.1	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH02	BH02	0.5-0.6	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH02	QC 01	0.5 - 0.6	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH02	BH02	3.0-3.1	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH03	BH03	4.0-4.1	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH03	QC 02	4 - 4.1	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH03	BH03	4.4-4.5	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH03	BH03	5.9-6.0	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH04	BH04	1.0-1.1	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH04	BH04	4.9-5.0	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH05	BH05	0-0.1	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH06	BH06	0-0.1	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH07	BH07	0-0.1	<0.2	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5



Appendix E Table 2 - Soil results

Hornsby Quarry Rehabilitation Contamination Investigation

	Herbicides			Chlorinated Hydrocarbons																							
	PCBs (Total)	Dinoseb	Pronamide	Chlorinated hydrocarbons EPAVic	Other chlorinated hydrocarbons (Total)	1,1,1,2-tetrachloroethane	1,1,1-trichloroethane	1,1,2,2-tetrachloroethane	1,1,2-trichloroethane	1,1-dichloroethene	1,2,4-trichlorobenzene	1,2-dichlorobenzene	1,2-dichloroethane	1,2-dichloropropane	1,3-dichloropropane	1,4-dichlorobenzene	2-chloronaphthalene	4-chlorotoluene	Bromobenzene	Bromochloromethane	Carbon tetrachloride	Chlorobenzene	Chloroform	Chloromethane	cis-1,2-dichloroethene	Methylene chloride	
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
EQL	0.1	20	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	
CRC CARE 2011 Soil Direct Contact HSL-C Recre																											
NEPM 2013 EIL-Urban Residential- Public Open S																											
0-2m																											
NEPM 2013 Table 1A(1) HIL C Rec	1																										
NEPM 2013 Table 1A(3) HSL C Rec Soil for Vapo																											
0-1m																											

Location Code	Field ID	Depth	PCBs (Total)	Dinoseb	Pronamide	Chlorinated hydrocarbons EPAVic	Other chlorinated hydrocarbons (Total)	1,1,1,2-tetrachloroethane	1,1,1-trichloroethane	1,1,2,2-tetrachloroethane	1,1,2-trichloroethane	1,1-dichloroethene	1,2,4-trichlorobenzene	1,2-dichlorobenzene	1,2-dichloroethane	1,2-dichloropropane	1,3-dichloropropane	1,4-dichlorobenzene	2-chloronaphthalene	4-chlorotoluene	Bromobenzene	Bromochloromethane	Carbon tetrachloride	Chlorobenzene	Chloroform	Chloromethane	cis-1,2-dichloroethene	Methylene chloride	
Northern Fill	GS01 0-0.1	0 - 0.1																											
Northern Fill	GS02 0-0.1	0 - 0.1																											
Northern Fill	GS03 0-0.1	0 - 0.1																											
Eastern Fill	TPE1-2 1.0	1																											
Eastern Fill	TPE1-3 0.5	0.5																											
Eastern Fill	TPE1-5 0.0	0																											
Eastern Fill	TPE2-1 0.5	0.5																											
Eastern Fill	TPE2-2 1.0	1																											
Eastern Fill	TPE2-3 0.0	0																											
Eastern Fill	TPE3-1 0.5	0.5																											
Eastern Fill	TPE3-3 0.0	0																											
Eastern Fill	QA03	0																											
Eastern Fill	QA04	0																											
Eastern Fill	TPE3-3 0.8	0.8																											
Western Fill	TPW1-2 1.0	1																											
Western Fill	TPW1-3 0.0	0																											
Western Fill	TPW1-5 0.5	0.5																											
Western Fill	TPW2-1 0.0	0																											
Western Fill	TPW2-2 0.5	0.5																											
Western Fill	TPW2-3 0.5	0.5																											
Western Fill	QA01	0.5																											
Western Fill	QA02	0.5																											
Western Fill	TPW3-1 0.0	0																											
Western Fill	TPW3-1 0.5	0.5																											
Western Fill	TPW3-5 1.0	1																											
BH01	BH01 0-0.1	0 - 0.1	<0.1	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH01	BH01 2.0-2.1	2 - 2.1	<0.1	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH02	BH02 0.5-0.6	0.5 - 0.6	<0.1	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH02	QC 01	0.5 - 0.6	<0.1	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH02	BH02 3.0-3.1	3 - 3.1	<0.1	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH03	BH03 4.0-4.1	4 - 4.1	<0.1	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH03	QC 02	4 - 4.1	<0.1	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH03	BH03 4.4-4.5	4.4 - 4.5	<0.1	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH03	BH03 5.9-6.0	5.9 - 6	<0.1	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH04	BH04 1.0-1.1	1 - 1.1	<0.1	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH04	BH04 4.9-5.0	4.9 - 5	<0.1	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH05	BH05 0-0.1	0 - 0.1	<0.1	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH06	BH06 0-0.1	0 - 0.1	<0.1	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH07	BH07 0-0.1	0 - 0.1	<0.1	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5



Appendix E Table 2 - Soil results

	Hexachlorobutadiene	Vinyl chloride	Dioxins & Furans		Explosives			Nitroaromatics			Phthalates				
			Dibenzofuran	2,4-Dinitrotoluene	2,6-dinitrotoluene	Nitrobenzene	2-Picoline	4-aminobiphenyl	Pentachloronitrobenzene	Bis(2-ethylhexyl) phthalate	Butyl benzyl phthalate	Diethylphthalate	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate
EQL	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
CRC CARE 2011 Soil Direct Contact HSL-C Recre	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
NEPM 2013 EIL-Urban Residential- Public Open S															
0-2m															
NEPM 2013 Table 1A(1) HIL C Rec															
NEPM 2013 Table 1A(3) HSL C Rec Soil for Vapo															
0-1m															

Location Code	Field ID	Depth	Hexachlorobutadiene	Vinyl chloride	Dibenzofuran	2,4-Dinitrotoluene	2,6-dinitrotoluene	Nitrobenzene	2-Picoline	4-aminobiphenyl	Pentachloronitrobenzene	Bis(2-ethylhexyl) phthalate	Butyl benzyl phthalate	Diethylphthalate	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate
Northern Fill	GS01	0-0.1															
Northern Fill	GS02	0-0.1															
Northern Fill	GS03	0-0.1															
Eastern Fill	TPE1-2	1.0															
Eastern Fill	TPE1-3	0.5															
Eastern Fill	TPE1-5	0.0															
Eastern Fill	TPE2-1	0.5															
Eastern Fill	TPE2-2	1.0															
Eastern Fill	TPE2-3	0.0															
Eastern Fill	TPE3-1	0.5															
Eastern Fill	TPE3-3	0.0															
Eastern Fill	QA03	0															
Eastern Fill	QA04	0															
Eastern Fill	TPE3-3	0.8															
Western Fill	TPW1-2	1.0															
Western Fill	TPW1-3	0.0															
Western Fill	TPW1-5	0.5															
Western Fill	TPW2-1	0.0															
Western Fill	TPW2-2	0.5															
Western Fill	TPW2-3	0.5															
Western Fill	QA01	0.5															
Western Fill	QA02	0.5															
Western Fill	TPW3-1	0.0															
Western Fill	TPW3-1	0.5															
Western Fill	TPW3-5	1.0															
BH01	BH01	0-0.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH01	BH01	2.0-2.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH02	BH02	0.5-0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH02	QC 01	0.5 - 0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH02	BH02	3.0-3.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH03	BH03	4.0-4.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH03	QC 02	4 - 4.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH03	BH03	4.4-4.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH03	BH03	5.9-6.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH04	BH04	1.0-1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH04	BH04	4.9-5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH05	BH05	0-0.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH06	BH06	0-0.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
BH07	BH07	0-0.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

	Metals							TRH - NEPM 2013				TRH - NEPM 1999												
	Arsenic	Cadmium	Chromium (III+VI)	Copper	Lead	Mercury	Nickel	Zinc	>C10-C16 Fraction	F3 (>C16-C34 Fraction)	F4 (>C34-C40 Fraction)	>C10-C40 (Sum of Total)	C10-C14 Fraction	C15-C28 Fraction	C29-C36 Fraction	C10-C36 (Sum of Total)	Acenaphthene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a) pyrene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	
	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
EQL	0.001	0.0002	0.001	0.001	0.001	0.0001	0.001	0.005	50	100	100	100	50	100	100	100	1	1	1	1	1	1	1	
ANZG (2018) - Freshwater - 95% level of species protection	0.013	0.0002	0.0004	0.0014	0.0034	0.0006	0.011	0.008																
ANZECC 2000 FW 95%	0.013	0.0002	0.001	0.0014	0.0034	0.0006	0.011	0.008																
Location Code	Field ID	Depth																						
Diversion Drain	SW_01	1	<0.001	<0.0002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<50	<100	<100	<100	<50	<100	<100	<100	<100	<1	<1	<1	<1	<1

Environmental Standards
 National Health and Medical Research Council, August 2018, ADWG 2011 Health (v3.5 updated 2018)
 Department of Agriculture and Water Resources, August 2018, ANZG (2018) - Freshwater - 95% level of species protection

	PAHs												OC Pesticides											
	Benzo(g,h,i)perylene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene	Naphthalene-PAH	Phenanthrene	Pyrene	PAHs (Sum of total) - Lab calc	Organochlorine pesticides EPA/Vic	Other organochlorine pesticides EPA/Vic	4,4'-DDE	a-BHC	Aldrin	Aldrin + Dieldrin	b-BHC	Chlordane	d-BHC	4,4 DDD	4,4 DDT	DDT+DDE+DDD - Lab Calc	Dieldrin	
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
EQL	1	1	1	1	1	1	1	1	1	1	1	1	0.1	0.1	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	0.1	0.1
ANZG (2018) - Freshwater - 95% level of species protection							16											0.08				0.01		
ANZECC 2000 FW 95%							16											0.08				0.01		
Location Code	Field ID	Depth																						
Diversion Drain	SW_01	1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1

Environmental Standards
 National Health and Medical Research Council, August 2018, ADWG 20
 Department of Agriculture and Water Resources, August 2018, ANZG (2

	Endosulfan I (alpha)	Endosulfan II (beta)	Endosulfan Sulfate	Endrin	Endrin aldehyde	Endrin ketone	g-BHC (Lindane)	Heptachlor	Heptachlor epoxide	Hexachlorobenzene	Methoxychlor	Toxaphene	Tokuthion	Azinphos methyl	Bolstar (Sulprofos)	Chlorfenvinphos	Chlorpyrifos	Chlorpyrifos-methyl	Coumaphos	Demeton-O	Demeton-S	Diazinon	Dichlorvos
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EQL	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	10	2	2	2	2	20	2	20	2	20	2	2
ANZG (2018) - Freshwater - 95% level of species protection				0.02			0.2	0.09				0.2		0.02			0.01					0.01	
ANZECC 2000 FW 95%				0.02			0.2	0.09				0.2		0.02			0.01					0.01	
Location Code	Field ID	Depth																					
Diversion Drain	SW_01	1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<10	<2	<2	<2	<2	<20	<2	<20	<2	<20	<2

Environmental Standards
 National Health and Medical Research Council, August 2018, ADWG 20
 Department of Agriculture and Water Resources, August 2018, ANZG (2)

		OP Pesticides																						
		Dimethoate	Disulfoton	EPN	Ethion	Ethoprop	Fenitrothion	Fensulfotthion	Fenthion	Malathion	Merphos	Methyl parathion	Mevinphos (Phosdrin)	Monocrotophos	Naled (Dibrom)	Omethoate	Parathion	Phorate	Pirimiphos-methyl	Pyrazophos	Ronnel	Terbufos	Trichloronate	Tetrachlorvinphos
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EQL		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	20	2	2	2	2	2
ANZG (2018) - Freshwater - 95% level of species protection		0.15					0.2			0.05							0.004							
ANZECC 2000 FW 95%		0.15					0.2			0.05							0.004							
Location Code	Field ID	Depth																						
Diversion Drain	SW_01	1																						
		<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<20	<2	<2	<2	<2

Environmental Standards
 National Health and Medical Research Council, August 2018, ADWG 20
 Department of Agriculture and Water Resources, August 2018, ANZG (2

Appendix E Table 1 Field and Interlab Duplicates

Hornsby Quarry Rehabilitation Contamination Investigation

Field or Interlab Duplicates

Lab Report Number	Field ID	Matrix Type	Date	Inorganics		Metals						BTEXN							TR						
				Moisture (%)	Moisture Content (%)	Arsenic	Cadmium	Chromium (III+VI)	Copper	Lead	Mercury	Nickel	Zinc	Benzene	Toluene	Ethylbenzene	Xylene (o)	Xylene (m & p)	Xylene Total	Naphthalene (BTEXN)	BTEX (Sum of Total) - Lab Calc	F1 (C6-C10 minus BTEX)	C6-C10 Fraction	F2 (>C10-C16 minus Naphthalene)	
				%	%	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
EQL				1	1	2	0.4	2	5	5	0.1	2	5	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.5	0.2	10	10	50
670027	BH02_0.5-0.6	soil	6/08/2019		15	2.6	<0.4	68	27	8.2	<0.1	81	58	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5		<20	<20	440	
	QC_01	soil	6/08/2019		14	2.3	<0.4	58	20	8.4	<0.1	62	45	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5		<20	<20	<50	
					7	12	0	16	30	2	0	27	25	0	0	0	0	0	0	0		0	0	159	
670027	BH03_4.0-4.1	soil	6/08/2019		17	3.4	<0.4	130	34	8.2	<0.1	140	86	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5		<20	<20	500	
	QC_02	soil	6/08/2019		15	3.3	<0.4	130	33	8.3	<0.1	130	85	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5		<20	<20	57	
					12	3	0	0	3	1	0	7	1	0	0	0	0	0	0	0		0	0	159	
670027	TPE3-3_0.0	soil	6/08/2019		9.8	3.2	<0.4	14	15	22	<0.1	9.7	49	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5		<20	<20	<50	
	QA03	soil	6/08/2019		8.3	2.9	<0.4	12	9.4	15	<0.1	7.1	41	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5		<20	<20	<50	
					17	10	0	15	46	38	0	31	18	0	0	0	0	0	0	0		0	0	0	
670027	TPE3-3_0.0	soil	6/08/2019		9.8	3.2	<0.4	14	15	22	<0.1	9.7	49	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5		<20	<20	<50	
ES1925091	QA04	soil	6/08/2019	8.2		<5	<1	13	9	15	<0.1	10	38	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<10	<10	<50	
						0	0	7	50	38	0	3	25	0	0	0	0	0	0	0		0	0	0	
670027	TPW2-3_0.5	soil	6/08/2019		12	3.1	<0.4	160	35	11	<0.1	150	110	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5		<20	<20	<50	
	QA01	soil	6/08/2019		12	3.3	<0.4	170	38	15	<0.1	160	110	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5		<20	<20	<50	
					0	6	0	6	8	31	0	6	0	0	0	0	0	0	0	0		0	0	0	
670027	TPW2-3_0.5	soil	6/08/2019		12	3.1	<0.4	160	35	11	<0.1	150	110	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<0.5		<20	<20	<50	
ES1925091	QA02	soil	6/08/2019	11.2		<5	<1	117	30	14	<0.1	125	157	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<10	<10	<50	
						0	0	31	15	24	0	18	35	0	0	0	0	0	0	0		0	0	0	

*RPDs have only been considered where a concentration is greater than 1 times the EQL.

**Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiplier range are: 81 (1 - 10 x EQL); 50 (10 - 30 x EQL); 30 (> 30 x EQL))

***Interlab Duplicates are matched on a per compound basis as methods vary between laboratories. Any methods in the row header relate to those used in the primary laboratory

Field or Interlab Duplicates

				H - NEPM 2013				TRH - NEPM 1999					PAHs													
				>C10-C16 Fraction	F3 (>C16-C34 Fraction)	F4 (>C34-C40 Fraction)	>C10-C40 (Sum of Total)	C6-C9 Fraction	C10-C14 Fraction	C15-C28 Fraction	C29-C36 Fraction	C10-C36 (Sum of Total)	Sum of polycyclic aromatic hydrocarbons	Acenaphthene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Benzo(g,h,i)perylene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene		
				mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
EQL				50	100	100	50	10	20	50	50	50	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	
Lab Report Number	Field ID	Matrix Type	Date																							
670027	BH02_0.5-0.6	soil	6/08/2019	440	260	<100	700	<20	210	500	<50	710		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
	QC_01	soil	6/08/2019	<50	<100	<100	<100	<20	<20	64	<50	64		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
				159	89	0	150	0	165	155	0	167		0	0	0	0	0	0	0	0	0	0	0	0	
670027	BH03_4.0-4.1	soil	6/08/2019	500	480	<100	980	<20	200	750	<50	950		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
	QC_02	soil	6/08/2019	57	<100	<100	<100	<20	24	100	<50	124		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
				159	131	0	163	0	157	153	0	154		0	0	0	0	0	0	0	0	0	0	0	0	
670027	TPE3-3_0.0	soil	6/08/2019	<50	180	110	290	<20	<20	110	130	240		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
	QA03	soil	6/08/2019	<50	<100	<100	<100	<20	<20	<50	<50	<50		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
				0	57	10	97	0	0	75	89	131		0	0	0	0	0	0	0	0	0	0	0	0	
670027	TPE3-3_0.0	soil	6/08/2019	<50	180	110	290	<20	<20	110	130	240		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
ES1925091	QA04	soil	6/08/2019	<50	<100	<100	<50	<10	<50	<100	<100	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
				0	57	10	141	0	0	10	26	131		0	0	0	0	0	0	0	0	0	0	0	0	
670027	TPW2-3_0.5	soil	6/08/2019	<50	<100	<100	<100	<20	<20	<50	<50	<50		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
	QA01	soil	6/08/2019	<50	<100	<100	<100	<20	<20	59	54	113		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
				0	0	0	0	0	0	17	8	77		0	0	0	0	0	0	0	0	0	0	0	0	
670027	TPW2-3_0.5	soil	6/08/2019	<50	<100	<100	<100	<20	<20	<50	<50	<50		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
ES1925091	QA02	soil	6/08/2019	<50	<100	<100	<50	<10	<50	<100	<100	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
				0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	

*RPDs have only been considered where a concentration is greater than 1 times the EQL.

**Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL

***Interlab Duplicates are matched on a per compound basis as methods vary between laborat

Field or Interlab Duplicates

				Naphthalene	Fluorene	Indeno(1,2,3-c,d)pyrene	Naphthalene-PAH	Phenanthrene	Pyrene	PAHs (Sum of total) - Lab Calc	Total 8 PAHs (as BaP TEQ)(zero LOR) - Lab Calc	Total 8 PAHs (as BaP TEQ)(half LOR) - Lab Calc	Total 8 PAHs (as BaP TEQ)(full LOR) - Lab Calc	3,4-Methylphenol (m,p-cresol)	2,3,4,6-Tetrachlorophenol	2,4,5-trichlorophenol	2,4,6-trichlorophenol	2,4-dichlorophenol	2,4-dimethylphenol	2,4-dinitrophenol	2,6-dichlorophenol	2-chlorophenol	2-methylnaphthalene	2-methylphenol		
EQL				0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.4	5	1	1	0.5	0.5	5	0.5	0.5	0.5	0.2		
Lab Report Number	Field ID	Matrix Type	Date																							
670027	BH02_0.5-0.6	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	0.7	<0.5	0.6	1.2	<0.4	<5	<1	<1	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.2		
	QC_01	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	1.2	<0.4	<5	<1	<1	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.2		
				0	0	0	0	33	0	33	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
670027	BH03_4.0-4.1	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	1.2	<0.4	<5	<1	<1	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.2		
	QC_02	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	1.2	<0.4	<5	<1	<1	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.2		
				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
670027	TPE3-3_0.0	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	1.2													
	QA03	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	1.2													
				0	0	0	0	0	0	0	0	0	0													
670027	TPE3-3_0.0	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	1.2													
ES1925091	QA04	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	1.2													
				0	0	0	0	0	0	0	0	0	0													
670027	TPW2-3_0.5	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	1.2													
	QA01	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	1.2													
				0	0	0	0	0	0	0	0	0	0													
670027	TPW2-3_0.5	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	1.2													
ES1925091	QA02	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	1.2													
				0	0	0	0	0	0	0	0	0	0													

*RPDs have only been considered where a concentration is greater than 1 times the EQL.
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL)
 ***Interlab Duplicates are matched on a per compound basis as methods vary between laborator

Field or Interlab Duplicates

				Phenols																				
				2-nitrophenol	3-methylcholanthrene	4,6-Dinitro-2-methylphenol	4,6-Dinitro-o-cyclohexyl phenol	4-chloro-3-methylphenol	4-nitrophenol	Acetophenone	Pentachlorophenol	Phenol	tetrachlorophenols	Phenols (Total Halogenated)	Phenols (Total Non Halogenated)	1,1-dichloroethane	1,2,3-trichlorobenzene	1,2,3-trichloropropane	1,2-dibromoethane	1,3-dichlorobenzene	2-butanone (MEK)	4-methyl-2-pentanone (MIBK)	Acetone	Allyl chloride
				mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
EQL				1	0.5	5	20	1	5	0.5	1	0.5	10	1	20	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Lab Report Number	Field ID	Matrix Type	Date																					
670027	BH02_0.5-0.6	soil	6/08/2019	<1	<0.5	<5	<20	<1	<5	<0.5	<1	<0.5	<10	<1	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	QC_01	soil	6/08/2019	<1	<0.5	<5	<20	<1	<5	<0.5	<1	<0.5	<10	<1	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
670027	BH03_4.0-4.1	soil	6/08/2019	<1	<0.5	<5	<20	<1	<5	<0.5	<1	<0.5	<10	<1	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	QC_02	soil	6/08/2019	<1	<0.5	<5	<20	<1	<5	<0.5	<1	<0.5	<10	<1	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
670027	TPE3-3_0.0	soil	6/08/2019																					
	QA03	soil	6/08/2019																					
670027	TPE3-3_0.0	soil	6/08/2019																					
ES1925091	QA04	soil	6/08/2019																					
670027	TPW2-3_0.5	soil	6/08/2019																					
	QA01	soil	6/08/2019																					
670027	TPW2-3_0.5	soil	6/08/2019																					
ES1925091	QA02	soil	6/08/2019																					

*RPDs have only been considered where a concentration is greater than 1 times the EQL.
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL
 ***Interlab Duplicates are matched on a per compound basis as methods vary between laborat

Field or Interlab Duplicates

				VOCs																				
				Bromodichloromethane	Bromoform	Carbon disulfide	Chlorodibromomethane	Chloroethane	cis-1,3-dichloropropene	Dibromomethane	Iodomethane	Trichloroethene	Tetrachloroethene	trans-1,3-dichloropropene	trans-1,2-dichloroethene	Trichlorofluoromethane	1,2,3,4-tetrachlorobenzene	1,2,3,5-Tetrachlorobenzene	1,2,4,5-tetrachlorobenzene	1,3,5-Trichlorobenzene	1-Chloronaphthalene	1-naphthylamine	2-naphthylamine	2-nitroaniline
				mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
EQL				0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Lab Report Number	Field ID	Matrix Type	Date																					
670027	BH02_0.5-0.6	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	QC_01	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
670027	BH03_4.0-4.1	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	QC_02	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
670027	TPE3-3_0.0	soil	6/08/2019																					
	QA03	soil	6/08/2019																					
670027	TPE3-3_0.0	soil	6/08/2019																					
ES1925091	QA04	soil	6/08/2019																					
670027	TPW2-3_0.5	soil	6/08/2019																					
	QA01	soil	6/08/2019																					
670027	TPW2-3_0.5	soil	6/08/2019																					
ES1925091	QA02	soil	6/08/2019																					

*RPDs have only been considered where a concentration is greater than 1 times the EQL.
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL
 ***Interlab Duplicates are matched on a per compound basis as methods vary between laborat

Field or Interlab Duplicates

				SVOCs																					
				3,3-Dichlorobenzidine	4-(dimethylamino)azobenzene	4-bromophenyl phenyl ether	4-chlorophenyl phenyl ether	7,12-dimethylbenz(a)anthracene	Aniline	Benzyl chloride	Bis(2-chloroethoxy)methane	Bis(2-chloroisopropyl) ether	Dibenz(a)jacridine	Diphenylamine	Hexachlorocyclopentadiene	Hexachloroethane	N-nitrosodi-n-butylamine	N-nitrosodi-n-propylamine	N-nitrosopiperidine	Pentachlorobenzene	Trifluralin	Organochlorine pesticides EPAVc	Other organochlorine pesticides EPAVc	4,4'-DDE	
EQL				0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.05
Lab Report Number	Field ID	Matrix Type	Date																						
670027	BH02_0.5-0.6	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.05
	QC_01	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.05
				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
670027	BH03_4.0-4.1	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.05
	QC_02	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.05
				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
670027	TPE3-3_0.0	soil	6/08/2019																			<0.1	<0.1	<0.05	
	QA03	soil	6/08/2019																			<0.1	<0.1	<0.05	
																						0	0	0	
670027	TPE3-3_0.0	soil	6/08/2019																			<0.1	<0.1	<0.05	
ES1925091	QA04	soil	6/08/2019																			<0.1	<0.1	<0.05	
																									0
670027	TPW2-3_0.5	soil	6/08/2019																			<0.1	<0.1	<0.05	
	QA01	soil	6/08/2019																			<0.1	<0.1	<0.05	
																						0	0	0	
670027	TPW2-3_0.5	soil	6/08/2019																			<0.1	<0.1	<0.05	
ES1925091	QA02	soil	6/08/2019																			<0.1	<0.1	<0.05	
																									0

*RPDs have only been considered where a concentration is greater than 1 times the EQL.

**Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL

***Interlab Duplicates are matched on a per compound basis as methods vary between laborat

Field or Interlab Duplicates

				OC Pesticides																						
				a-BHC	Aldrin	Aldrin + Dieldrin	b-BHC	Chlordane	Chlordane (cis)	Chlordane (trans)	d-BHC	4,4 DDD	4,4 DDT	DDT+DDE+DDD - Lab Calc	Dieldrin	Endosulfan	Endosulfan I (alpha)	Endosulfan II (beta)	Endosulfan Sulfate	Endrin	Endrin aldehyde	Endrin ketone	g-BHC (Lindane)	Heptachlor		
				mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg		
EQL				0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	
Lab Report Number	Field ID	Matrix Type	Date																							
670027	BH02_0.5-0.6	soil	6/08/2019	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
	QC_01	soil	6/08/2019	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
				0	0	0	0	0			0	0	0	0	0		0	0	0	0	0	0	0	0	0	
670027	BH03_4.0-4.1	soil	6/08/2019	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
	QC_02	soil	6/08/2019	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
				0	0	0	0	0			0	0	0	0	0		0	0	0	0	0	0	0	0	0	
670027	TPE3-3_0.0	soil	6/08/2019	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
	QA03	soil	6/08/2019	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
				0	0	0	0	0			0	0	0	0	0		0	0	0	0	0	0	0	0	0	
670027	TPE3-3_0.0	soil	6/08/2019	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
ES1925091	QA04	soil	6/08/2019	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.2	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
				0	0	0	0	0			0	0	0	0	0		0	0	0	0	0	0	0	0	0	
670027	TPW2-3_0.5	soil	6/08/2019	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
	QA01	soil	6/08/2019	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
				0	0	0	0	0			0	0	0	0	0		0	0	0	0	0	0	0	0	0	
670027	TPW2-3_0.5	soil	6/08/2019	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
ES1925091	QA02	soil	6/08/2019	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.2	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
				0	0	0	0	0			0	0	0	0	0		0	0	0	0	0	0	0	0	0	

*RPDs have only been considered where a concentration is greater than 1 times the EQL.
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL
 ***Interlab Duplicates are matched on a per compound basis as methods vary between laborat

Appendix E Table 1 Field and Interlab Duplicates

Field or Interlab Duplicates

				Heptachlor epoxide	Hexachlorobenzene	Methoxychlor	Toxaphene	Triphenylene	Azinphos methyl	Bostar (Sulprofos)	Bromophos-ethyl	Carbophenothion	Chlorfenvinphos	Chlorpyrifos	Chlorpyrifos-methyl	Coumaphos	Demeton-O	Demeton-S	Demeton-S-methyl	Diazinon	Dichlorvos	Dimethoate	Disulfoton	EPN		
				mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg		
EQL				0.05	0.05	0.05	1	0.2	0.05	0.2	0.05	0.05	0.05	0.05	0.05	2	0.2	0.2	0.05	0.05	0.05	0.05	0.2	0.2		
Lab Report Number	Field ID	Matrix Type	Date																							
670027	BH02_0.5-0.6	soil	6/08/2019	<0.05	<0.05	<0.05	<1	<0.2	<0.2	<0.2			<0.2	<0.2	<0.2	<2	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2		
	QC_01	soil	6/08/2019	<0.05	<0.05	<0.05	<1	<0.2	<0.2	<0.2			<0.2	<0.2	<0.2	<2	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2		
				0	0	0	0	0	0	0			0	0	0	0	0	0		0	0	0	0	0		
670027	BH03_4.0-4.1	soil	6/08/2019	<0.05	<0.05	<0.05	<1	<0.2	<0.2	<0.2			<0.2	<0.2	<0.2	<2	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2		
	QC_02	soil	6/08/2019	<0.05	<0.05	<0.05	<1	<0.2	<0.2	<0.2			<0.2	<0.2	<0.2	<2	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2		
				0	0	0	0	0	0	0			0	0	0	0	0	0		0	0	0	0	0		
670027	TPE3-3_0.0	soil	6/08/2019	<0.05	<0.05	<0.05	<1	<0.2	<0.2	<0.2			<0.2	<0.2	<0.2	<2	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2		
	QA03	soil	6/08/2019	<0.05	<0.05	<0.05	<1	<0.2	<0.2	<0.2			<0.2	<0.2	<0.2	<2	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2		
				0	0	0	0	0	0	0			0	0	0	0	0	0		0	0	0	0	0		
670027	TPE3-3_0.0	soil	6/08/2019	<0.05	<0.05	<0.05	<1	<0.2	<0.2	<0.2			<0.2	<0.2	<0.2	<2	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2		
ES1925091	QA04	soil	6/08/2019	<0.05	<0.05	<0.2			<0.05		<0.05	<0.05	<0.05	<0.05	<0.05	<2	<0.2	<0.2	<0.05	<0.05	<0.05	<0.05	<0.2	<0.2		
				0	0	0			0				0	0	0					0	0	0	0	0		
670027	TPW2-3_0.5	soil	6/08/2019	<0.05	<0.05	<0.05	<1	<0.2	<0.2	<0.2			<0.2	<0.2	<0.2	<2	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2		
	QA01	soil	6/08/2019	<0.05	<0.05	<0.05	<1	<0.2	<0.2	<0.2			<0.2	<0.2	<0.2	<2	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2		
				0	0	0	0	0	0	0			0	0	0	0	0	0		0	0	0	0	0		
670027	TPW2-3_0.5	soil	6/08/2019	<0.05	<0.05	<0.05	<1	<0.2	<0.2	<0.2			<0.2	<0.2	<0.2	<2	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2		
ES1925091	QA02	soil	6/08/2019	<0.05	<0.05	<0.2			<0.05		<0.05	<0.05	<0.05	<0.05	<0.05	<2	<0.2	<0.2	<0.05	<0.05	<0.05	<0.05	<0.2	<0.2		
				0	0	0			0				0	0	0					0	0	0	0	0		

*RPDs have only been considered where a concentration is greater than 1 times the EQL.
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL
 ***Interlab Duplicates are matched on a per compound basis as methods vary between laborat

Appendix E Table 1 Field and Interlab Duplicates

Field or Interlab Duplicates

				OP Pesticides																				
				Ethion	Ethoprop	Fenamiphos	Fenitrothion	Fensulfathion	Fenthion	Malathion	Merphos	Methyl parathion	Mevinphos (Phosdrin)	Monocrotophos	Naled (Dibrom)	Omethoate	Parathion	Phorate	Priniphos-ethyl	Priniphos-methyl	Prothiofos	Pyrazophos	Ronnel	Terbufos
				mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
EQL				0.05	0.2	0.05	0.2	0.2	0.05	0.05	0.2	0.2	0.2	0.2	0.2	2	0.2	0.2	0.05	0.2	0.05	0.2	0.2	0.2
Lab Report Number	Field ID	Matrix Type	Date																					
670027	BH02_0.5-0.6	soil	6/08/2019	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	<0.2		<0.2		<0.2	<0.2	<0.2
	QC_01	soil	6/08/2019	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	<0.2		<0.2		<0.2	<0.2	<0.2	<0.2
				0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
670027	BH03_4.0-4.1	soil	6/08/2019	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	<0.2		<0.2		<0.2	<0.2	<0.2	<0.2
	QC_02	soil	6/08/2019	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	<0.2		<0.2		<0.2	<0.2	<0.2	<0.2
				0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
670027	TPE3-3_0.0	soil	6/08/2019	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	<0.2		<0.2		<0.2	<0.2	<0.2	<0.2
	QA03	soil	6/08/2019	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	<0.2		<0.2		<0.2	<0.2	<0.2	<0.2
				0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
670027	TPE3-3_0.0	soil	6/08/2019	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	<0.2		<0.2		<0.2	<0.2	<0.2	<0.2
ES1925091	QA04	soil	6/08/2019	<0.05		<0.05			<0.05	<0.05		<0.2	<0.2	<0.2	<2	<0.2	<0.2		<0.05		<0.05			
				0					0	0		0	0	0	0	0	0	0	0	0	0	0	0	0
670027	TPW2-3_0.5	soil	6/08/2019	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	<0.2		<0.2		<0.2	<0.2	<0.2	<0.2
	QA01	soil	6/08/2019	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	<0.2		<0.2		<0.2	<0.2	<0.2	<0.2
				0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
670027	TPW2-3_0.5	soil	6/08/2019	<0.2	<0.2		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	<0.2		<0.2		<0.2	<0.2	<0.2	<0.2
ES1925091	QA02	soil	6/08/2019	<0.05		<0.05			<0.05	<0.05		<0.2	<0.2	<0.2	<2	<0.2	<0.2		<0.05		<0.05			
				0					0	0		0	0	0	0	0	0	0	0	0	0	0	0	0

*RPDs have only been considered where a concentration is greater than 1 times the EQL.

**Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL

***Interlab Duplicates are matched on a per compound basis as methods vary between laborat

Appendix E Table 1 Field and Interlab Duplicates

Field or Interlab Duplicates

Lab Report Number	Field ID	Matrix Type	Date	MAH							Halogenated Hydrocarbons		PCBs							Herbicides		Chlorinated hydrocarbons EPAVic	Other chlorinated hydrocarbons (Total)	
				Trichloronate	Tetrachlorvinphos	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Isopropylbenzene	Styrene	Total MAH	Bromomethane	Dichlorodifluoromethane	Arochlor 1016	Arochlor 1221	Arochlor 1232	Arochlor 1242	Arochlor 1248	Arochlor 1254	Arochlor 1260	PCBs (Total)	Dinoseb			Pronamide
EQL				0.2	0.2	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
670027	BH02_0.5-0.6	soil	6/08/2019	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	QC_01	soil	6/08/2019	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
670027	BH03_4.0-4.1	soil	6/08/2019	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	QC_02	soil	6/08/2019	<0.2	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
670027	TPE3-3_0.0	soil	6/08/2019	<0.2	<0.2																			
	QA03	soil	6/08/2019	<0.2	<0.2																			
				0	0																			
670027	TPE3-3_0.0	soil	6/08/2019	<0.2	<0.2																			
ES1925091	QA04	soil	6/08/2019	<0.2	<0.2																			
670027	TPW2-3_0.5	soil	6/08/2019	<0.2	<0.2																			
	QA01	soil	6/08/2019	<0.2	<0.2																			
				0	0																			
670027	TPW2-3_0.5	soil	6/08/2019	<0.2	<0.2																			
ES1925091	QA02	soil	6/08/2019	<0.2	<0.2																			

*RPDs have only been considered where a concentration is greater than 1 times the EQL.
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL
 ***Interlab Duplicates are matched on a per compound basis as methods vary between laborat

Field or Interlab Duplicates

				Chlorinated Hydrocarbons																					
				1,1,1,2-tetrachloroethane	1,1,1-trichloroethane	1,1,2,2-tetrachloroethane	1,1,2-trichloroethane	1,1-dichloroethene	1,2,4-trichlorobenzene	1,2-dichlorobenzene	1,2-dichloroethane	1,2-dichloropropane	1,3-dichloropropane	1,4-dichlorobenzene	2-chloronaphthalene	4-chlorotoluene	Bromobenzene	Bromochloromethane	Carbon tetrachloride	Chlorobenzene	Chloroform	Chloromethane	cis-1,2-dichloroethene	Methylene chloride	
EQL				0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Lab Report Number	Field ID	Matrix Type	Date																						
670027	BH02_0.5-0.6	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
	QC_01	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
670027	BH03_4.0-4.1	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
	QC_02	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
670027	TPE3-3_0.0	soil	6/08/2019																						
	QA03	soil	6/08/2019																						
670027	TPE3-3_0.0	soil	6/08/2019																						
ES1925091	QA04	soil	6/08/2019																						
670027	TPW2-3_0.5	soil	6/08/2019																						
	QA01	soil	6/08/2019																						
670027	TPW2-3_0.5	soil	6/08/2019																						
ES1925091	QA02	soil	6/08/2019																						

*RPDs have only been considered where a concentration is greater than 1 times the EQL.
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL
 ***Interlab Duplicates are matched on a per compound basis as methods vary between laborator

Appendix E Table 1 Field and Interlab Duplicates

Field or Interlab Duplicates

				Dioxins & Furans			Explosives			Nitroaromatics			Phthalates					
				Hexachlorobutadiene	Vinyl chloride	Dibenzofuran	2,4-Dinitrotoluene	2,6-dinitrotoluene	Nitrobenzene	2-Picoline	4-aminobiphenyl	Pentachloronitrobenzene	Bis(2-ethylhexyl) phthalate	Butyl benzy phthalate	Diethylphthalate	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate
EQL				0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Lab Report Number	Field ID	Matrix Type	Date															
670027	BH02_0.5-0.6	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	QC_01	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
670027	BH03_4.0-4.1	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	QC_02	soil	6/08/2019	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
670027	TPE3-3_0.0	soil	6/08/2019															
	QA03	soil	6/08/2019															
670027	TPE3-3_0.0	soil	6/08/2019															
ES1925091	QA04	soil	6/08/2019															
670027	TPW2-3_0.5	soil	6/08/2019															
	QA01	soil	6/08/2019															
670027	TPW2-3_0.5	soil	6/08/2019															
ES1925091	QA02	soil	6/08/2019															

*RPDs have only been considered where a concentration is greater than 1 times the EQL.

**Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL

***Interlab Duplicates are matched on a per compound basis as methods vary between laborat

Appendix F – Laboratory Documentation



CHAIN OF CUSTODY RECORD

ABN 50 005 085 521

Sydney Laboratory
Unit F3 Bld F, 16 Mars Rd, Lane Cove West, NSW 2066
02 9900 8400 EnviroSampleNSW@eurofins.com

Brisbane Laboratory
Unit 1, 21 Smallwood Pl., Marame, QLD 4172
07 3502 4600 EnviroSampleQLD@eurofins.com

Perth Laboratory
Unit 2, 91 Leach Highway, Kewdale, WA 6105
08 9251 9600 EnviroSampleWA@eurofins.com

Melbourne Laboratory
2 Kingston Town Close, Oakleigh, VIC 3166
03 8564 5000 EnviroSampleVic@eurofins.com

Company		GHD Pty Ltd		Project No		2126457-26		Project Manager		Emma Harrison			
Address		Level 15, 133 Castlereagh St Sydney, 2000		Project Name		Hornsby Quarry Contamination Investigation		Report Format		ESDat			
Contact Name		Emma Harrison		Analysis (Note: Where applicable, please specify "Soil" or "Filtered")		Soil B10: TRH, BTEXN, PAH, OCP, OPP, Metals		Soil B7A: TRH, BTEXN, PAH, Phenols, Metals		Soil B15: OCP, OPP, PCB			
Phone No		0408 401 511				Soil SW: SVOC, VOC		Asbestos ID in soil					
Special Direction		Please email results to: emma.harrison@ghd.com felicity.harrison@ghd.com											
Purchase Order													
Quote ID No		181121GHDN											
Relinquished by		2 of 14 F. Harrison								6/8/19			
Email for Results		see special directions											
Containers		1L Plastic 250mL Plastic 125mL Plastic 200mL Amber Glass 40mL vial 125mL Amber Glass Jar		Turn Around Requirements		<input type="checkbox"/> Overnight (9am)* <input type="checkbox"/> 1 Day* <input type="checkbox"/> 2 Day* <input type="checkbox"/> 3 Day* <input checked="" type="checkbox"/> 5 Day* <input type="checkbox"/> Other { }							
Sample Comments / DG Hazard Warning													
No	Client Sample ID	Date	Matrix										
1	BH02-0-0.1	6/8	soil										
2	BH02-0.5-0.6				X	X	X						
3	BH02-1.0-1.1												
4	BH02-2.0-2.1												
5	BH02-3.0-3.1				X	X	X						
6	BH02-4.0-4.1												
7	BH03-0-0.1												
8	BH03-0.5-0.6												
9	BH03-1.0-1.1												
10	BH03-2.0-2.1												
Total Counts													
Method of Shipment		<input type="checkbox"/> Courier (#) <input checked="" type="checkbox"/> Hand Delivered <input type="checkbox"/> Postal		Name		Signature		Date		7/8/19			
Laboratory Use Only		Received By: Grace Turnwell		SYD BNE MEL PER ADL NEW DAR		Signature: <i>gturnwell</i>		Date: 7/8/19		Time: 1:59			
		Received By:		SYD BNE MEL PER ADL NEW DAR		Signature:		Date: ___/___/___		Time: ___:___			
										Report No: 670027			



CHAIN OF CUSTODY RECORD

ABN 50 005 085 521

Sydney Laboratory
Unit F3 Bld.F, 15 Mars Rd, Lane Cove West, NSW 2066
02 9501 8400 EnviroSampleNSW@eurofins.com

Brisbane Laboratory
Unit 1, 21 Smallwood Pl., Murarie, QLD 4172
07 3802 4600 EnviroSampleQLD@eurofins.com

Perth Laboratory
Unit 2, 91 Leach Highway, Kowdale WA 6105
08 9251 9600 EnviroSampleWA@eurofins.com

Melbourne Laboratory
2 Kingston Town Close, Oakleigh, VIC 3166
03 8564 5000 EnviroSampleVic@eurofins.com

Company: **GHD Pty Ltd**

Address: **Level 15, 133 Castlereagh St Sydney, 2000**

Contact Name: **Emma Harrison**

Phone No: **0408 401 511**

Special Direction: **Please email results to: emma.harrison@ghd.com felicity.harrison@ghd.com**

Purchase Order: _____

Quote ID No: **181121GHDN**

Project No: **2126457-26**

Project Name: **Hornsby Quarry Contamination Investigation**

Project Manager: **Emma Harrison**

Report Format: **ESDat**

Analysis (Note: Where relevant, append photo/species, 'Soil' or 'Flashed'):

- Suite B10: TRH, BTEXN, PAH, OCP, OPP, Metals
- Suite B7A: TRH, BTEXN, PAH, Phenols, Metals
- Suite B15: OCP, OPP, PCB
- Suite SW: SVOC, VOC
- Asbestos ID in soil

3 of 14

Relinquished by: F. Harrison

Date: 6/8/19

Email for Results: see special directions

Containers: 1L Plastic, 250ml Plastic, 125ml Plastic, 200ml Amber Glass, 40ml vial, 125ml Amber Glass Jar

Turn Around Requirements:

Overnight (9am)*

1 Day* 2 Day*

3 Day* 5 Day*

Other () *Surcharges apply

Sample Comments / DG Hazard Warning

No	Client Sample ID	Date	Matrix	Suite B10: TRH, BTEXN, PAH, OCP, OPP, Metals	Suite B7A: TRH, BTEXN, PAH, Phenols, Metals	Suite B15: OCP, OPP, PCB	Suite SW: SVOC, VOC	Asbestos ID in soil
1	BH03 - 3.0 - 3.1	6/8	soil					
2	BH03 - 4.0 - 4.1	↓	↓		x	x	x	
3	BH03 - 4.4 - 4.5				x	x	x	
4	BH03 - 5.0 - 5.1							
5	BH03 - 5.9 - 6.0				x	x	x	
6	BH04 - 0 - 0.1							
7	BH04 - 0.5 - 0.6							
8	BH04 - 1.0 - 1.1				x	x	x	
9	BH04 - 2.0 - 2.1							
10	BH04 - 3.0 - 3.1							
Total Counts								

Method of Shipment: Courier (#) Hand Delivered Postal

Name: _____ Signature: _____ Date: 6/8/19 Time: _____

Received By: Grace Twinnell Signature: [Signature] Date: 7/8/19 Time: 1:59 Temperature: 8.77

Received By: _____ Signature: _____ Date: _____ Time: _____ Report No: 670027

CHAIN OF CUSTODY RECORD

Sydney Laboratory
Unit F3 Bld F 16 Mars Rd Lane Cove NSW 2060
02 9500 8500 enquiries@wipac.com.au

Brisbane Laboratory
Unit 2/27 Ermacora Pl Maroon QLD 4171
07 5401 9400 enquiries@wipac.com.au

Perth Laboratory
Unit 2/111 North Hill Rd Kalamunda WA 6076
08 9251 9900 enquiries@wipac.com.au

Melbourne Laboratory
2 Kingsford Drive Clonsilla VIC 3101
03 9541 5000 enquiries@wipac.com.au

Company: **GHD Pty Ltd**

Address: **Level 15, 133 Castlereagh St Sydney, 2000**

Contact Name: **Emma Harrison**

Phone No: **0408 401 511**

Special Direction: **Please email results to: emma.harrison@ghd.com felicity.harrison@ghd.com**

Quote ID No: **181121GHDN**

Project No: **2126457-26**

Project Name: **Hornsby Quarry Contamination Investigation**

Project Manager: **Emma Harrison**

Report Format: **ESDat**

Analysis (Note: Where multiple are requested, please specify 'Total' or 'Fraction')
 Suite B10: TRH, BTEXN, PAH, OCP, OPP, Metals
 Suite B7A: TRH, BTEXN, PAH, Phenols, Metals
 Suite B15: OCP, OPP, PCB
 Suite SW: SVOC, VOC
 Asbestos ID in soil

Relinquished by: **F. Harrison** 4 of 14

Date: **6/8/19**

Email for Results: **see special directions**

Containers	Turn Around Requirements
<input type="checkbox"/> 1L Plastic	<input type="checkbox"/> Overnight (9am)*
<input type="checkbox"/> 250mL Plastic	<input type="checkbox"/> 1 Day* <input type="checkbox"/> 2 Day*
<input type="checkbox"/> 125mL Plastic	<input type="checkbox"/> 3 Day* <input checked="" type="checkbox"/> 5 Day*
<input type="checkbox"/> 200mL Amber Glass	<input type="checkbox"/> Other ()
<input type="checkbox"/> 40mL vial	
<input type="checkbox"/> 125mL Amber Glass Jar	
Other ()	

Sample Comments / DG Hazard Warning

No	Client Sample ID	Date	Matrix			
1	BH04-4-0-4-1	6/8	Soil			
2	BH04-4-9-5-0			+	+	+
3	BH05-0-0-1			+	+	+
4	BH06-0-0-1			+	+	+
5	BH07-0-0-1			+	+	+
6	QC-01			+	+	+
7	QC-02			+	+	+
8	QR-01	6/8	Water	X		
9						
10						

Total Counts														

Method of Shipment: Courier (#) Hand Delivered Postal

Received By: **Grace Turkwell** SYD | BNE | MEL | PER | ADL | NEW | DAR Signature: *Grace Turkwell* Date: **7/8/19** Time: **1:59** Temperature: **8.17**

Received By: _____ SYD | BNE | MEL | PER | ADL | NEW | DAR Signature: _____ Date: ____/____/____ Time: ____:____ Report No: **670027**



CHAIN OF CUSTODY RECORD

ABN 50 005 855 521

Sydney Laboratory
Unit F3 Bld F, 16 Mars Rd, Lane Cove West, NSW 2066
02 9900 8400 EnviroSampleNSW@eurofins.com

Brisbane Laboratory
Unit 1, 21 Smallwood Pl, Muramba, QLD 4172
07 3902 4600 EnviroSampleQLD@eurofins.com

Perth Laboratory
Unit 2, 91 Leach Highway, Kewdale WA 6105
08 9251 9600 EnviroSampleWA@eurofins.com

Melbourne Laboratory
2 Kingston Town Close, Oakleigh, VIC 3166
03 8564 5000 EnviroSampleVic@eurofins.com

Company: **GHD Pty Ltd**

Address: **Level 15, 133 Castlereagh St Sydney, 2000**

Contact Name: **Emma Harrison**

Phone No: **0408 401 511**

Special Direction: **Please email results to: emma.harrison@ghd.com felicity.harrison@ghd.com**

Purchase Order

Quote ID No: **181121GHDN**

Project No: **2126457-26**

Project Name: **Hornsby Quarry Contamination Investigation**

Project Manager: **Emma Harrison**

Report Format: **ESDat**

Relinquished by: _____

Email for Results: _____

Analysis	Matrix	Client Sample ID	Date	Matrix
Suite B1C: TRH, BTEXN, PAH, OCP, OPP, Metals	Soil	TPWI-1-0-0	6-8-19	Soil
Suite B7A: TRH, BTEXN, PAH, Phenols, Metals	Soil	-2		
Suite B1S: OCP, OPP, PCB	Soil	-3		
Suite SW: SVOC, VOC	Soil	-4		
Asbestos ID in soil	Soil	-5		
		-1-0.5		
		-2		
		-3		
		-4		
		-5		

Containers:

- 1L Plastic
- 250mL Plastic
- 125mL Plastic
- 200mL Amber Glass
- 40mL vial
- 125mL Amber Glass
- Jar
- Other ()

Turn Around Requirements:

- Overnight (9am)*
- 1 Day*
- 2 Day*
- 3 Day*
- 5 Day*
- Other ()

Sample Comments / DG Hazard Warning

No	Client Sample ID	Date	Matrix	Analysis	Matrix	Signature	Date	Time	Temperature	Report No
1	TPWI-1-0-0	6-8-19	Soil	Suite B1C: TRH, BTEXN, PAH, OCP, OPP, Metals	Soil					
2	-2			Suite B7A: TRH, BTEXN, PAH, Phenols, Metals	Soil					
3	-3			Suite B1S: OCP, OPP, PCB	Soil					
4	-4			Suite SW: SVOC, VOC	Soil					
5	-5			Asbestos ID in soil	Soil					
6	-1-0.5									
7	-2									
8	-3									
9	-4									
10	-5									
Total Counts										

Method of Shipment: Courier (#) Hand Delivered Postal

Received By: **Grace Turner** Signature: **[Signature]** Date: **7-8-19** Time: **1:59** Temperature: **8.17**

Received By: _____ Signature: _____ Date: _____ Time: _____ Report No: **670027**



CHAIN OF CUSTODY RECORD

ABN 50 005 085 521

Sydney Laboratory
Unit F3 Bld.F, 16 Mars Rd, Lane Cove West, NSW 2066
02 9300 8400 EnviroSampleNSW@eurofins.com

Brisbane Laboratory
Unit 1, 21 Smellwood Pl., Murarrie, QLD 4172
07 3902 4600 EnviroSampleQLD@eurofins.com

Perth Laboratory
Unit 2, 91 Leach Highway, Kewdale WA 6105
08 9251 9500 EnviroSampleWA@eurofins.com

Melbourne Laboratory
2 Kingston Town Close, Oakleigh, VIC 3166
03 8564 5000 EnviroSampleVic@eurofins.com

Company	GHD Pty Ltd	Project No	2128457-26				Project Manager	Emma Harrison				Relinquished by : / /	
Address	Level 15, 133 Castlereagh St Sydney, 2000	Project Name	Hornsby Quarry Contamination Investigation				Report Format	ESDat					
Contact Name	Emma Harrison	Analysis (Note: All containers to be analysed please specify 'Pass' or 'Fail'):	Suite B10: TRH, BTEXN, PAH, OCP, OPP, Metals	Suite B7A: TRH, BTEXN, PAH, Phenols, Metals	Suite B15: OCP, OPP, PCB	Suite SW: SVOC, VOC	Asbestos ID in soil					Email for Results	
Phone No	0408 401 511												
Special Direction	Please email results to: emma.harrison@ghd.com felicity.harrison@ghd.com												
Purchase Order													
Quote ID No	181121GHDN												
No	Client Sample ID	Date	Matrix									Containers	Turn Around Requirements
												1L Plastic	<input type="checkbox"/> Overnight (9am)*
												250mL Plastic	<input type="checkbox"/> 1 Day* <input type="checkbox"/> 2 Day*
												125mL Plastic	<input type="checkbox"/> 3 Day* <input checked="" type="checkbox"/> 5 Day
												200mL Amber Glass	<input type="checkbox"/> Other ()
												40mL vial	
												125mL Amber Glass Jar	
												Other ()	Sample Comments / DG Hazard Warning

6 of 14

1	TPW1-1-1.0	6-8-19	Soil										
2	- 2 -			X									
3	- 3 -												
4	- 4 -												
5	- 5 -												
6	TPW2-1-0.0			X									
7	- 2 -												
8	- 3 -												
9	- 4 -												
10	- 5 -												
Total Counts													

Method of Shipment	<input type="checkbox"/> Courier (#) <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Postal	Name	Signature	Date	Time
Laboratory Use Only	Received By <i>Grace Turkwell</i> <input checked="" type="checkbox"/> SYD BNE MEL PER ADL NEW DAR	Signature <i>Grace Turkwell</i>	Date <i>7/8/19</i>	Time <i>1:59</i>	Temperature <i>8.17</i>
	Received By	Signature	Date	Time	Report No <i>670027</i>



CHAIN OF CUSTODY RECORD

ABN 50 005 015 521

Sydney Laboratory
 Unit F3 Bld. F, 16 Mars Rd, Lane Cove West, NSW 2066
 02 9900 8400 EnviroSampleNSW@eurofins.com

Brisbane Laboratory
 Unit 1, 21 Smallwood Pl, Maranoa, QLD 4172
 07 3902 4600 EnviroSampleQLD@eurofins.com

Perth Laboratory
 Unit 2, 91 Leach Highway, Kooralla WA 6105
 08 9251 9600 EnviroSampleWA@eurofins.com

Melbourne Laboratory
 2 Kingston Town Close, Oakleigh, VIC 3166
 03 8564 5000 EnviroSampleVIC@eurofins.com

Company GHD Pty Ltd		Project No 212845728		Project Manager Emma Harrison		Relinquished by 8 of 14			
Address Level 15, 133 Castlereagh St Sydney, 2000		Project Name Hornsby Quarry Contamination Investigation		Report Format ESDat		Email for Results			
Contact Name Emma Harrison		Analysis (only where multiple are requested, please specify Test or Filter)	Suite B10: TRH, BTEXN, PAH, OCP, OPP, Metals						
Phone No 0408 401 511			Suite B7A: TRH, BTEXN, PAH, Phenols, Metals	Suite B15: OCP, OPP, PCB	Suite SW: SVOC, VOC	Asbestos ID in soil			
Special Direction Please email results to: emma.harrison@ghd.com felicity.harrison@ghd.com									
Purchase Order									
Quote ID No 181121GHDN						Containers 1L Plastic 250ml Plastic 125ml Plastic 200mL Amber Glass 40mL vial 125mL Amber Glass Jar Turn Around Requirements <input type="checkbox"/> Overnight (9am)* <input type="checkbox"/> 1 Day* <input type="checkbox"/> 2 Day* <input type="checkbox"/> 3 Day* <input checked="" type="checkbox"/> 5 Day* <input type="checkbox"/> Other { }			
No	Client Sample ID	Date	Matrix					Sample Comments / DG Hazard Warning	
1	TPW3-1-0.0	6-8-17	Soil	X					
2	2								
3	3								
4	4								
5	5								
6	1-0.05			X					
7	2								
8	3								
9	4								
10	5								
Total Counts									
Method of Shipment		<input type="checkbox"/> Courier (#) <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Postal		Name		Signature		Date	Time
Laboratory Use Only		Received By	<input checked="" type="radio"/> SYD <input type="radio"/> BNE <input type="radio"/> MEL <input type="radio"/> PER <input type="radio"/> ADL <input type="radio"/> NEW <input type="radio"/> DAR	Signature		Date	Time	Temperature	
		Received By	<input type="radio"/> SYD <input type="radio"/> BNE <input type="radio"/> MEL <input type="radio"/> PER <input type="radio"/> ADL <input type="radio"/> NEW <input type="radio"/> DAR	Signature		Date	Time	Report No	



CHAIN OF CUSTODY RECORD

ABN 50 005 085 521

Sydney Laboratory
Unit F3 Bld F, 16 Mars Rd, Lane Cove West, NSW 2066
02 9900 8400 EnviroSampleNSW@eurofins.com

Brisbane Laboratory
Unit 1, 21 Smallwood Pl, Murarie, QLD 4172
07 3902 4600 EnviroSampleQLD@eurofins.com

Perth Laboratory
Unit 2, 91 Leach Highway, Kewdale WA 6105
08 9251 9600 EnviroSampleWA@eurofins.com

Melbourne Laboratory
2 Kingston Town Close, Oakleigh, VIC 3166
03 8564 5000 EnviroSampleVic@eurofins.com

Company GHD Pty Ltd		Project No 2126457-26		Project Manager Emma Harrison		Relinquished by 11 of 14					
Address Level 15, 133 Castlereagh St Sydney, 2000		Project Name Hornsby Quarry Contamination Investigation		Report Format ESDat		Email for Results					
Contact Name Emma Harrison		Analysis <small>(Web: www.eurofins.com in Australia, please specify "Toys" or "Food")</small> Suite 810: TRH, BTEXN, PAH, OCP, OPP, Metals Suite 87A: TRH, BTEXN, PAH, Phenols, Metals Suite 815: OCP, OPP, PCB Suite SW: SVOC, VOC Asbestos ID in soil		Containers 1L Plastic 250mL Plastic 125mL Plastic 200mL Amber Glass 40mL vial 120mL Amber Glass Jar		Turn Around Requirements					
Phone No 0408 401 511						<input type="checkbox"/> Overnight (9am)*					
Special Direction Please email results to: emma.harrison@ghd.com felicity.harrison@ghd.com						<input type="checkbox"/> 1 Day* <input type="checkbox"/> 2 Day*					
						<input type="checkbox"/> 3 Day* <input checked="" type="checkbox"/> 5 Day					
Purchase Order		Quote ID No 181121GHDN		Other ()		Sample Comments / DG Hazard Warning					
No	Client Sample ID	Date	Matrix								
1	TPE2-1-0.0	6.8.19	S								
2	2 ↓										
3	3 ↓			X							
4	1-0.5			X							
5	2 ↓										
6	3 ↓										
7	1-1.0										
8	2 ↓			X							
9	3 ↓										
10	TPE3-1-0.0										
Total Counts											
Method of Shipment		<input type="checkbox"/> Courier (#) <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Postal		Name		Signature		Date		Time	
Laboratory Use Only		Received By Grace Trukwell		SYD BNE MEL PER ADL NEW DAR		Signature <i>Trukwell</i>		Date 7.8.19		Time 1:59	
		Received By		SYD BNE MEL PER ADL NEW DAR		Signature		Date 11		Time	
								Temperature 8-17		Report No 67-0027	

CHAIN OF CUSTODY RECORD

Sydney Laboratory
Unit F3 Bld F 15 Macs Rd Lane 100 West NSW 2008
02 9500 8800 SydneySample@ghd.com

Brisbane Laboratory
Unit 5, 21 Time Access Pt Manning QLD 4173
07 380 4900 brisbane@ghd.com

Perth Laboratory
Unit 2 11 Leach Highway Kewdale WA 6105
08 9251 9944 perth@ghd.com

Melbourne Laboratory
Kingsgate North Gate Cnr High St VIC 3040
03 9564 5000 melbourne@ghd.com

Company: **GHD Pty Ltd**
Address: **Level 15, 133 Castlereagh St Sydney, 2000**
Contact Name: **Emma Harrison**
Phone No: **0408 401 511**
Special Direction: **Please email results to:
emma.harrison@ghd.com
felicity.harrison@ghd.com**

Project No: **2126457-26**
Project Name: **Hornsby Quarry Contamination Investigation**
Analysis: **Suite B10: TRH, BTEXN, PAH, OCP, OPP, Metals
Suite B7A: TRH, BTEXN, PAH, Phenols, Metals
Suite B15: OCP, OPP, PCB
Suite SW: SVOC, VOC
Asbestos ID in soil**

Project Manager: **Emma Harrison**
Report Format: **ESDat**

Relinquished by: _____
Email for Results: _____
Containers:
1L Plastic
250mL Plastic
125mL Plastic
200mL Amber Glass
40mL Vial
125mL Amber Glass Jar
Other: **BAG**
Turn Around Requirements:
 Overnight (9am)*
 1 Day* 2 Day*
 3 Day* 5 Day*
 Other ()
Sample Comments / DG Hazard Warning

No	Client Sample ID	Date	Matrix	Analysis																	
1	TPE3-2-0.0	6.8.19	S																		
2	3 ↓																				
3	1-0.5																				
4	2 ↓																				
5	3 ↓																				
6	1-0.8																				
7	2 ↓																				
8	3 ↓																				
9	QA 01																				
10	QA 03																				
Total Counts																					

Method of Shipment: Courier (#) Hand Delivered Postal

Received By: **Grace Turnwell** (SYD | BNE | MEL | PER | ADL | NEW | DAR) Signature: *Turnwell* Date: **7.8.19** Time: **1.59** Temperature: **8.17**

Received By: _____ (SYD | BNE | MEL | PER | ADL | NEW | DAR) Signature: _____ Date: _____ Time: _____ Report No: **670027**

12 of 14



CHAIN OF CUSTODY RECORD

ABN 50 005 085 521

Sydney Laboratory
Unit F3 Bld.F, 16 Mars Rd, Lane Cove West, NSW 2066
02 9600 8400 EnviroSampleNSW@eurofins.com

Brisbane Laboratory
Unit 1, 21 Smallwood Pl., Murarie, QLD 4172
07 3802 4600 EnviroSampleQLD@eurofins.com

Perth Laboratory
Unit 2, 91 Leach Highway, Kewdale WA 6105
08 9251 9600 EnviroSampleWA@eurofins.com

Melbourne Laboratory
2 Kingston Town Close, Oakleigh, VIC 3166
03 8564 5000 EnviroSampleVic@eurofins.com

Company		GHD Pty Ltd		Project No		2126457-26		Project Manager		Emma Harrison			
Address		Level 15, 133 Castlereagh St Sydney, 2000		Project Name		Hornsby Quarry Contamination Investigation		Report Format		ESDat			
Contact Name		Emma Harrison		Analysis (Note: Where relevant, an expanded address specifying 'Total Cr' should be used)		Suite B10: TRH, BTEXN, PAH, OCP, OPP, Metals				Relinquished by			
Phone No		0408 401 511				Suite B7A: TRH, BTEXN, PAH, Phenols, Metals						Email for Results	
Special Direction		Please email results to: emma.harrison@ghd.com felicity.harrison@ghd.com				Suite B15: OCP, OPP, PCB						Containers	
Purchase Order						Suite SW: SVOC, VOC						Turn Around Requirements	
Quote ID No		181121GHDN		Asbestos ID in soil						<input type="checkbox"/> Overnight (9am)* <input type="checkbox"/> 1 Day* <input type="checkbox"/> 2 Day* <input type="checkbox"/> 3 Day* <input checked="" type="checkbox"/> 5 Day* <input type="checkbox"/> Other ()			
No	Client Sample ID	Date	Matrix							Sample Comments / DG Hazard Warning			
1	RB01	6-8-19W								11			
2	TRIP blank									2			
3													
4													
5													
6													
7													
8													
9													
10													
Total Counts													
Method of Shipment		<input type="checkbox"/> Courier (#) <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Postal		Name		Signature		Date		Time			
Laboratory Use Only		Received By <i>Grave Tucker</i>		SYD BNE MEL PER ADL NEW DAR		Signature <i>[Signature]</i>		Date <i>7.8.19</i>		Time <i>1.59</i>			
		Received By		SYD BNE MEL PER ADL NEW DAR		Signature		Date		Temperature <i>8.17</i>			
								Date		Report No <i>670027</i>			

13 of 14

Enviro Sample NSW

Subject: FW: Project 2126457 - incorrect sample IDs

From: Emma.Harrison@ghd.com [<mailto:Emma.Harrison@ghd.com>]

Sent: Wednesday, 7 August 2019 9:27 AM

To: Nibha Vaidya; Rhonda Chouman

Cc: Felicity Harrison

Subject: Project 2126457 - incorrect sample IDs

EXTERNAL EMAIL*

Hi Nibha and Rhonda,

Felicity Harrison dropped off some samples for us yesterday for project # 2126456-26 (Hornsby Quarry).

Three of the jars you received are incorrectly named. Would you please rename them as follows:

BH08_0-0.1 should be : GS01_0-0.1

BH09_0-0.1 should be : GS02_0-0.1

BH010_0-0.1 should be : GS03_0-0.1

The COC lists the GS sample IDs correctly.

Sorry for the inconvenience.

Cheers,

Emma

Emma Harrison
Senior Environmental Geologist

GHD

Proudly employee owned

T: +61 2 9239 7910 | V: 217910 | M: +61 408 401 511 | E: emma.harrison@ghd.com
Level 15 133 Castlereagh Street Sydney NSW 2000 Australia | www.ghd.com

Connect



[WATER](#) | [ENERGY & RESOURCES](#) | [ENVIRONMENT](#) | [PROPERTY & BUILDINGS](#) | [TRANSPORTATION](#)

Please consider our environment before printing this email

CONFIDENTIALITY NOTICE: This email, including any attachments, is confidential and may be privileged. If you are not the intended recipient please notify the sender immediately, and please delete it; you should not copy it or use it for any purpose or disclose its contents to any other person. GHD and its affiliates reserve the right to monitor and modify all email communications through their networks.

Click [here](#) to report this email as spam.

* WARNING - EXTERNAL: This email originated from outside of Eurofins. Do not click any links or open any attachments unless you trust the sender and know that the content is safe!

Melbourne

6 Monterey Road
Dandenong South Vic 3175
Phone : +61 3 8564 5000
NATA # 1261
Site # 1254 & 14271

Sydney

Unit F3, Building F
16 Mars Road
Lane Cove West NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane

1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Perth

2/91 Leach Highway
Kewdale WA 6105
Phone : +61 8 9251 9600
NATA # 1261 Site # 23736

ABN – 50 005 085 521

e.mail : EnviroSales@eurofins.com

web : www.eurofins.com.au

Sample Receipt Advice

Company name: **GHD Pty Ltd NSW**
Contact name: Emma Harrison
Project name: **HORNSBY QUARRY CONTAMINATION INVESTIGATION**
Project ID: 2126457-26
COC number: Not provided
Turn around time: 5 Day
Date/Time received: Aug 7, 2019 1:59 PM
Eurofins reference: **670027**

Sample information

- A detailed list of analytes logged into our LIMS, is included in the attached summary table.
- Sample Temperature of a random sample selected from the batch as recorded by Eurofins Sample Receipt : 8.2 degrees Celsius.
- All samples have been received as described on the above COC.
- COC has been completed correctly.
- Attempt to chill was evident.
- Appropriately preserved sample containers have been used.
- All samples were received in good condition.
- Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
- Appropriate sample containers have been used.
- Sample containers for volatile analysis received with zero headspace.
- Split sample sent to requested external lab.
- Some samples have been subcontracted.

Notes N/A Custody Seals intact (if used).

QA02 and QA04 (1 jar each) sent to ALS. Sample QR02 received instead of QR_01. Trip spikes received extra and placed on hold. No vials received for QR02 and SW01, volatile TPH and BTEXN analysis cancelled.

Contact notes

If you have any questions with respect to these samples please contact:

Alena Bounkeua on Phone : or by e.mail: AlenaBounkeua@eurofins.com

Results will be delivered electronically via e.mail to Emma Harrison - emma.harrison@ghd.com.

Company Name: GHD Pty Ltd NSW
Address: Level 15, 133 Castlereagh Street
Sydney
NSW 2000

Order No.:
Report #: 670027
Phone: 02 9239 7100
Fax: 02 9239 7199

Received: Aug 7, 2019 1:59 PM
Due: Aug 14, 2019
Priority: 5 Day
Contact Name: Emma Harrison

Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION
Project ID: 2126457-26

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
External Laboratory																		
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID													
1	GS01_0-0.1	Aug 06, 2019		Soil	S19-Au09356										X	X		
2	GS02_0-0.1	Aug 06, 2019		Soil	S19-Au09357										X	X		
3	GS03_0-0.1	Aug 06, 2019		Soil	S19-Au09358										X	X		
4	SW_01	Aug 06, 2019		Water	S19-Au09359			X	X	X	X		X					
5	BH01_0-0.1	Aug 06, 2019		Soil	S19-Au09360							X		X		X	X	
6	BH01_2.0-2.1	Aug 06, 2019		Soil	S19-Au09361							X		X		X	X	
7	BH02_0.5-0.6	Aug 06, 2019		Soil	S19-Au09362							X		X		X	X	
8	BH02_3.0-3.1	Aug 06, 2019		Soil	S19-Au09363							X		X		X	X	
9	BH03_4.0-4.1	Aug 06, 2019		Soil	S19-Au09364							X		X		X	X	

Company Name: GHD Pty Ltd NSW
Address: Level 15, 133 Castlereagh Street
Sydney
NSW 2000

Order No.:
Report #: 670027
Phone: 02 9239 7100
Fax: 02 9239 7199

Received: Aug 7, 2019 1:59 PM
Due: Aug 14, 2019
Priority: 5 Day
Contact Name: Emma Harrison

Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION
Project ID: 2126457-26

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
10	BH03_4.4-4.5	Aug 06, 2019		Soil	S19-Au09365								X	X		X	X	
11	BH03_5.9-6.0	Aug 06, 2019		Soil	S19-Au09366								X	X		X	X	
12	BH04_1.0-1.1	Aug 06, 2019		Soil	S19-Au09367								X	X		X	X	
13	BH04_4.9-5.0	Aug 06, 2019		Soil	S19-Au09368								X	X		X	X	
14	BH05_0-0.1	Aug 06, 2019		Soil	S19-Au09369								X	X		X	X	
15	BH06_0-0.1	Aug 06, 2019		Soil	S19-Au09370								X	X		X	X	
16	BH07_0-0.1	Aug 06, 2019		Soil	S19-Au09371								X	X		X	X	
17	QC_01	Aug 06, 2019		Soil	S19-Au09372								X	X		X	X	
18	QC_02	Aug 06, 2019		Soil	S19-Au09373								X	X		X	X	
19	QR02	Aug 06, 2019		Water	S19-Au09374			X	X	X	X		X					
20	TPW1-3_0.0	Aug 06, 2019		Soil	S19-Au09375									X	X			
21	TPW1-5_0.5	Aug 06, 2019		Soil	S19-Au09376									X	X			

Company Name: GHD Pty Ltd NSW
Address: Level 15, 133 Castlereagh Street
Sydney
NSW 2000

Order No.:
Report #: 670027
Phone: 02 9239 7100
Fax: 02 9239 7199

Received: Aug 7, 2019 1:59 PM
Due: Aug 14, 2019
Priority: 5 Day
Contact Name: Emma Harrison

Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION
Project ID: 2126457-26

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
22	TPW1-2_1.0	Aug 06, 2019		Soil	S19-Au09377										X	X		
23	TPW2-1_0.0	Aug 06, 2019		Soil	S19-Au09378										X	X		
24	TPW2-2_0.5	Aug 06, 2019		Soil	S19-Au09379										X	X		
25	TPW2-3_0.5	Aug 06, 2019		Soil	S19-Au09380										X	X		
26	TPW3-1_0.0	Aug 06, 2019		Soil	S19-Au09381										X	X		
27	TPW3-1_0.5	Aug 06, 2019		Soil	S19-Au09382										X	X		
28	TPW3-5_1.0	Aug 06, 2019		Soil	S19-Au09383										X	X		
29	TPE1-5_0.0	Aug 06, 2019		Soil	S19-Au09384										X	X		
30	TPE1-3_0.5	Aug 06, 2019		Soil	S19-Au09385										X	X		
31	TPE1-2_1.0	Aug 06, 2019		Soil	S19-Au09386										X	X		
32	TPE2-3_0.0	Aug 06, 2019		Soil	S19-Au09387										X	X		
33	TPE2-1_0.5	Aug 06, 2019		Soil	S19-Au09388										X	X		

Company Name: GHD Pty Ltd NSW
Address: Level 15, 133 Castlereagh Street
Sydney
NSW 2000

Order No.:
Report #: 670027
Phone: 02 9239 7100
Fax: 02 9239 7199

Received: Aug 7, 2019 1:59 PM
Due: Aug 14, 2019
Priority: 5 Day
Contact Name: Emma Harrison

Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION
Project ID: 2126457-26

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
118	TPE3-2_0.8	Aug 06, 2019		Soil	S19-Au09473	X												
119	RB01	Aug 06, 2019		Water	S19-Au09474	X												
120	TRIP BLANK	Aug 06, 2019		Soil	S19-Au09475		X											
121	TRIP SPIKE	Aug 06, 2019		Soil	S19-Au10358		X											
122	TRIP SPIKE LAB	Aug 06, 2019		Soil	S19-Au10359		X											
Test Counts						83	83	2	2	2	2	2	14	2	37	23	14	14

GHD Pty Ltd NSW
 Level 15, 133 Castlereagh Street
 Sydney
 NSW 2000



NATA Accredited
 Accreditation Number 1261
 Site Number 18217

Accredited for compliance with ISO/IEC 17025 – Testing
 The results of the tests, calibrations and/or
 measurements included in this document are traceable
 to Australian/national standards.

Attention: **Emma Harrison**

Report **670027-S**
 Project name **HORNSBY QUARRY CONTAMINATION INVESTIGATION**
 Project ID **2126457-26**
 Received Date **Aug 07, 2019**

Client Sample ID			GS01_0-0.1	GS02_0-0.1	GS03_0-0.1	BH01_0-0.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09356	S19-Au09357	S19-Au09358	S19-Au09360
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons - 1999 NEPM Fractions						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
BTEX						
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	0.3
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Xylenes - Total	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
4-Bromofluorobenzene (surr.)	1	%	55	80	61	70
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	-	-	-	< 0.5
1.1-Dichloroethene	0.5	mg/kg	-	-	-	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	-	-	-	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	-	-	-	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	-	-	-	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	-	-	-	< 0.5
1.2-Dibromoethane	0.5	mg/kg	-	-	-	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	-	-	-	< 0.5
1.2-Dichloroethane	0.5	mg/kg	-	-	-	< 0.5
1.2-Dichloropropane	0.5	mg/kg	-	-	-	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	-	-	-	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	-	-	-	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	-	-	-	< 0.5
1.3-Dichloropropane	0.5	mg/kg	-	-	-	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	-	-	-	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	-	-	-	< 0.5
2-Butanone (MEK)	0.5	mg/kg	-	-	-	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	-	-	-	< 0.5
4-Chlorotoluene	0.5	mg/kg	-	-	-	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	-	-	-	< 0.5
Allyl chloride	0.5	mg/kg	-	-	-	< 0.5

Client Sample ID			GS01_0-0.1	GS02_0-0.1	GS03_0-0.1	BH01_0-0.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09356	S19-Au09357	S19-Au09358	S19-Au09360
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Volatile Organics						
Benzene	0.1	mg/kg	-	-	-	< 0.1
Bromobenzene	0.5	mg/kg	-	-	-	< 0.5
Bromochloromethane	0.5	mg/kg	-	-	-	< 0.5
Bromodichloromethane	0.5	mg/kg	-	-	-	< 0.5
Bromoform	0.5	mg/kg	-	-	-	< 0.5
Bromomethane	0.5	mg/kg	-	-	-	< 0.5
Carbon disulfide	0.5	mg/kg	-	-	-	< 0.5
Carbon Tetrachloride	0.5	mg/kg	-	-	-	< 0.5
Chlorobenzene	0.5	mg/kg	-	-	-	< 0.5
Chloroethane	0.5	mg/kg	-	-	-	< 0.5
Chloroform	0.5	mg/kg	-	-	-	< 0.5
Chloromethane	0.5	mg/kg	-	-	-	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	-	-	-	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	-	-	-	< 0.5
Dibromochloromethane	0.5	mg/kg	-	-	-	< 0.5
Dibromomethane	0.5	mg/kg	-	-	-	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	-	-	-	< 0.5
Ethylbenzene	0.1	mg/kg	-	-	-	< 0.1
Iodomethane	0.5	mg/kg	-	-	-	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	-	-	-	< 0.5
m&p-Xylenes	0.2	mg/kg	-	-	-	0.3
Methylene Chloride	0.5	mg/kg	-	-	-	< 0.5
o-Xylene	0.1	mg/kg	-	-	-	< 0.1
Styrene	0.5	mg/kg	-	-	-	< 0.5
Tetrachloroethene	0.5	mg/kg	-	-	-	< 0.5
Toluene	0.1	mg/kg	-	-	-	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	-	-	-	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	-	-	-	< 0.5
Trichloroethene	0.5	mg/kg	-	-	-	< 0.5
Trichlorofluoromethane	0.5	mg/kg	-	-	-	< 0.5
Vinyl chloride	0.5	mg/kg	-	-	-	< 0.5
Xylenes - Total	0.3	mg/kg	-	-	-	< 0.3
Total MAH*	0.5	mg/kg	-	-	-	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	-	-	-	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	-	-	-	< 0.5
4-Bromofluorobenzene (surr.)	1	%	-	-	-	70
Toluene-d8 (surr.)	1	%	-	-	-	63
Total Recoverable Hydrocarbons - 2013 NEPM Fractions						
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100

Client Sample ID			GS01_0-0.1	GS02_0-0.1	GS03_0-0.1	BH01_0-0.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09356	S19-Au09357	S19-Au09358	S19-Au09360
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	67	61	52	136
p-Terphenyl-d14 (surr.)	1	%	138	91	81	142
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4.4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4.4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4.4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-BHC (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	1	mg/kg	< 1	< 1	< 1	< 1
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	107	104	91	92
Tetrachloro-m-xylene (surr.)	1	%	81	77	77	80

Client Sample ID			GS01_0-0.1	GS02_0-0.1	GS03_0-0.1	BH01_0-0.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09356	S19-Au09357	S19-Au09358	S19-Au09360
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Organophosphorus Pesticides						
Azinphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Bolstar	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorfenvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Coumaphos	2	mg/kg	< 2	< 2	< 2	< 2
Demeton-S	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Demeton-O	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Diazinon	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dichlorvos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dimethoate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Disulfoton	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
EPN	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethoprop	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenitrothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fensulfothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Malathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Merphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Mevinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Monocrotophos	2	mg/kg	< 2	< 2	< 2	< 2
Naled	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Omethoate	2	mg/kg	< 2	< 2	< 2	< 2
Phorate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pirimiphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pyrazophos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ronnel	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Terbufos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tetrachlorvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tokuthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Trichloronate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Triphenylphosphate (surr.)	1	%	138	111	108	113
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	-	-	-	< 0.1
Aroclor-1221	0.1	mg/kg	-	-	-	< 0.1
Aroclor-1232	0.1	mg/kg	-	-	-	< 0.1
Aroclor-1242	0.1	mg/kg	-	-	-	< 0.1
Aroclor-1248	0.1	mg/kg	-	-	-	< 0.1
Aroclor-1254	0.1	mg/kg	-	-	-	< 0.1
Aroclor-1260	0.1	mg/kg	-	-	-	< 0.1
Total PCB*	0.1	mg/kg	-	-	-	< 0.1
Dibutylchloroendate (surr.)	1	%	-	-	-	92
Tetrachloro-m-xylene (surr.)	1	%	-	-	-	80

Client Sample ID			GS01_0-0.1	GS02_0-0.1	GS03_0-0.1	BH01_0-0.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09356	S19-Au09357	S19-Au09358	S19-Au09360
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	-	-	-	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	-	-	-	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	-	-	-	< 1
2,4,6-Trichlorophenol	1	mg/kg	-	-	-	< 1
2,6-Dichlorophenol	0.5	mg/kg	-	-	-	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	-	-	-	< 1
Pentachlorophenol	1	mg/kg	-	-	-	< 1
Tetrachlorophenols - Total	10	mg/kg	-	-	-	< 10
Total Halogenated Phenol*	1	mg/kg	-	-	-	< 1
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	-	-	-	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	-	-	-	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	-	-	-	< 0.2
2-Nitrophenol	1.0	mg/kg	-	-	-	< 1
2,4-Dimethylphenol	0.5	mg/kg	-	-	-	< 0.5
2,4-Dinitrophenol	5	mg/kg	-	-	-	< 5
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	-	-	-	< 0.4
4-Nitrophenol	5	mg/kg	-	-	-	< 5
Dinoseb	20	mg/kg	-	-	-	< 20
Phenol	0.5	mg/kg	-	-	-	< 0.5
Total Non-Halogenated Phenol*	20	mg/kg	-	-	-	< 20
Phenol-d6 (surr.)	1	%	-	-	-	27
Semivolatile Organics						
2-Methyl-4,6-dinitrophenol	5	mg/kg	-	-	-	< 5
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	-	-	-	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	-	-	-	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	-	-	-	1.2
1-Chloronaphthalene	0.5	mg/kg	-	-	-	< 0.5
1-Naphthylamine	0.5	mg/kg	-	-	-	< 0.5
1,2-Dichlorobenzene	0.5	mg/kg	-	-	-	< 0.5
1,2,3-Trichlorobenzene	0.5	mg/kg	-	-	-	< 0.5
1,2,3,4-Tetrachlorobenzene	0.5	mg/kg	-	-	-	< 0.5
1,2,3,5-Tetrachlorobenzene	0.5	mg/kg	-	-	-	< 0.5
1,2,4-Trichlorobenzene	0.5	mg/kg	-	-	-	< 0.5
1,2,4,5-Tetrachlorobenzene	0.5	mg/kg	-	-	-	< 0.5
1,3-Dichlorobenzene	0.5	mg/kg	-	-	-	< 0.5
1,3,5-Trichlorobenzene	0.5	mg/kg	-	-	-	< 0.5
1,4-Dichlorobenzene	0.5	mg/kg	-	-	-	< 0.5
2-Chloronaphthalene	0.5	mg/kg	-	-	-	< 0.5
2-Chlorophenol	0.5	mg/kg	-	-	-	< 0.5
2-Methylnaphthalene	0.5	mg/kg	-	-	-	< 0.5
2-Methylphenol (o-Cresol)	0.2	mg/kg	-	-	-	< 0.2
2-Naphthylamine	0.5	mg/kg	-	-	-	< 0.5
2-Nitroaniline	0.5	mg/kg	-	-	-	< 0.5
2-Nitrophenol	1.0	mg/kg	-	-	-	< 1
2-Picoline	0.5	mg/kg	-	-	-	< 0.5
2,3,4,6-Tetrachlorophenol	5	mg/kg	-	-	-	< 5
2,4-Dichlorophenol	0.5	mg/kg	-	-	-	< 0.5
2,4-Dimethylphenol	0.5	mg/kg	-	-	-	< 0.5

Client Sample ID			GS01_0-0.1	GS02_0-0.1	GS03_0-0.1	BH01_0-0.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09356	S19-Au09357	S19-Au09358	S19-Au09360
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Semivolatile Organics						
2,4-Dinitrophenol	5	mg/kg	-	-	-	< 5
2,4-Dinitrotoluene	0.5	mg/kg	-	-	-	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	-	-	-	< 1
2,4,6-Trichlorophenol	1	mg/kg	-	-	-	< 1
2,6-Dichlorophenol	0.5	mg/kg	-	-	-	< 0.5
2,6-Dinitrotoluene	0.5	mg/kg	-	-	-	< 0.5
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	-	-	-	< 0.4
3-Methylcholanthrene	0.5	mg/kg	-	-	-	< 0.5
3,3'-Dichlorobenzidine	0.5	mg/kg	-	-	-	< 0.5
4-Aminobiphenyl	0.5	mg/kg	-	-	-	< 0.5
4-Bromophenyl phenyl ether	0.5	mg/kg	-	-	-	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	-	-	-	< 1
4-Chlorophenyl phenyl ether	0.5	mg/kg	-	-	-	< 0.5
4-Nitrophenol	5	mg/kg	-	-	-	< 5
4,4'-DDD	0.5	mg/kg	-	-	-	< 0.5
4,4'-DDE	0.5	mg/kg	-	-	-	< 0.5
4,4'-DDT	0.5	mg/kg	-	-	-	< 0.5
7,12-Dimethylbenz(a)anthracene	0.5	mg/kg	-	-	-	< 0.5
a-BHC	0.5	mg/kg	-	-	-	< 0.5
Acenaphthene	0.5	mg/kg	-	-	-	< 0.5
Acenaphthylene	0.5	mg/kg	-	-	-	< 0.5
Acetophenone	0.5	mg/kg	-	-	-	< 0.5
Aldrin	0.5	mg/kg	-	-	-	< 0.5
Aniline	0.5	mg/kg	-	-	-	< 0.5
Anthracene	0.5	mg/kg	-	-	-	< 0.5
b-BHC	0.5	mg/kg	-	-	-	< 0.5
Benz(a)anthracene	0.5	mg/kg	-	-	-	< 0.5
Benzo(a)pyrene	0.5	mg/kg	-	-	-	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	-	-	-	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	-	-	-	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	-	-	-	< 0.5
Benzyl chloride	0.5	mg/kg	-	-	-	< 0.5
Bis(2-chloroethoxy)methane	0.5	mg/kg	-	-	-	< 0.5
Bis(2-chloroisopropyl)ether	0.5	mg/kg	-	-	-	< 0.5
Bis(2-ethylhexyl)phthalate	0.5	mg/kg	-	-	-	< 0.5
Butyl benzyl phthalate	0.5	mg/kg	-	-	-	< 0.5
Chrysene	0.5	mg/kg	-	-	-	< 0.5
d-BHC	0.5	mg/kg	-	-	-	< 0.5
Di-n-butyl phthalate	0.5	mg/kg	-	-	-	< 0.5
Di-n-octyl phthalate	0.5	mg/kg	-	-	-	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	-	-	-	< 0.5
Dibenz(a,j)acridine	0.5	mg/kg	-	-	-	< 0.5
Dibenzofuran	0.5	mg/kg	-	-	-	< 0.5
Dieldrin	0.5	mg/kg	-	-	-	< 0.5
Diethyl phthalate	0.5	mg/kg	-	-	-	< 0.5
Dimethyl phthalate	0.5	mg/kg	-	-	-	< 0.5
Dimethylaminoazobenzene	0.5	mg/kg	-	-	-	< 0.5
Diphenylamine	0.5	mg/kg	-	-	-	< 0.5
Endosulfan I	0.5	mg/kg	-	-	-	< 0.5

Client Sample ID			GS01_0-0.1	GS02_0-0.1	GS03_0-0.1	BH01_0-0.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09356	S19-Au09357	S19-Au09358	S19-Au09360
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Semivolatile Organics						
Endosulfan II	0.5	mg/kg	-	-	-	< 0.5
Endosulfan sulphate	0.5	mg/kg	-	-	-	< 0.5
Endrin	0.5	mg/kg	-	-	-	< 0.5
Endrin aldehyde	0.5	mg/kg	-	-	-	< 0.5
Endrin ketone	0.5	mg/kg	-	-	-	< 0.5
Fluoranthene	0.5	mg/kg	-	-	-	< 0.5
Fluorene	0.5	mg/kg	-	-	-	< 0.5
g-BHC (Lindane)	0.5	mg/kg	-	-	-	< 0.5
Heptachlor	0.5	mg/kg	-	-	-	< 0.5
Heptachlor epoxide	0.5	mg/kg	-	-	-	< 0.5
Hexachlorobenzene	0.5	mg/kg	-	-	-	< 0.5
Hexachlorobutadiene	0.5	mg/kg	-	-	-	< 0.5
Hexachlorocyclopentadiene	0.5	mg/kg	-	-	-	< 0.5
Hexachloroethane	0.5	mg/kg	-	-	-	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	-	-	-	< 0.5
Methoxychlor	0.5	mg/kg	-	-	-	< 0.5
N-Nitrosodibutylamine	0.5	mg/kg	-	-	-	< 0.5
N-Nitrosodipropylamine	0.5	mg/kg	-	-	-	< 0.5
N-Nitrosopiperidine	0.5	mg/kg	-	-	-	< 0.5
Naphthalene	0.5	mg/kg	-	-	-	< 0.5
Nitrobenzene	0.5	mg/kg	-	-	-	< 0.5
Pentachlorobenzene	0.5	mg/kg	-	-	-	< 0.5
Pentachloronitrobenzene	0.5	mg/kg	-	-	-	< 0.5
Pentachlorophenol	1	mg/kg	-	-	-	< 1
Phenanthrene	0.5	mg/kg	-	-	-	< 0.5
Phenol	0.5	mg/kg	-	-	-	< 0.5
Pronamide	0.5	mg/kg	-	-	-	< 0.5
Pyrene	0.5	mg/kg	-	-	-	< 0.5
Trifluralin	0.5	mg/kg	-	-	-	< 0.5
Phenol-d6 (surr.)	1	%	-	-	-	27
Nitrobenzene-d5 (surr.)	1	%	-	-	-	72
2-Fluorobiphenyl (surr.)	1	%	-	-	-	136
2.4.6-Tribromophenol (surr.)	1	%	-	-	-	78
Heavy Metals						
Arsenic	2	mg/kg	3.2	2.1	2.4	2.2
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	160	140	66	100
Copper	5	mg/kg	40	36	22	35
Lead	5	mg/kg	7.9	< 5	13	6.9
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Nickel	5	mg/kg	160	180	100	110
Zinc	5	mg/kg	96	88	170	63
% Moisture	1	%	21	24	18	9.2

Client Sample ID			BH01_2.0-2.1	BH02_0.5-0.6	BH02_3.0-3.1	BH03_4.0-4.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09361	S19-Au09362	S19-Au09363	S19-Au09364
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons - 1999 NEPM Fractions						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	210	< 20	200
TRH C15-C28	50	mg/kg	< 50	500	< 50	750
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	710	< 50	950
BTEX						
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Xylenes - Total	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
4-Bromofluorobenzene (surr.)	1	%	56	76	81	85
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			BH01_2.0-2.1	BH02_0.5-0.6	BH02_3.0-3.1	BH03_4.0-4.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09361	S19-Au09362	S19-Au09363	S19-Au09364
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Volatile Organics						
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	56	76	81	85
Toluene-d8 (surr.)	1	%	57	63	69	69
Total Recoverable Hydrocarbons - 2013 NEPM Fractions						
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	440	< 50	500
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	440	< 50	500
TRH >C16-C34	100	mg/kg	< 100	260	< 100	480
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	700	< 100	980
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			BH01_2.0-2.1	BH02_0.5-0.6	BH02_3.0-3.1	BH03_4.0-4.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09361	S19-Au09362	S19-Au09363	S19-Au09364
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Polycyclic Aromatic Hydrocarbons						
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	0.7	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	0.7	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	117	105	105	101
p-Terphenyl-d14 (surr.)	1	%	120	109	100	111
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4.4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4.4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4.4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-BHC (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	1	mg/kg	< 1	< 1	< 1	< 1
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	82	81	78	88
Tetrachloro-m-xylene (surr.)	1	%	74	99	100	98
Organophosphorus Pesticides						
Azinphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Bolstar	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorfenvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Coumaphos	2	mg/kg	< 2	< 2	< 2	< 2
Demeton-S	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Demeton-O	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Diazinon	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dichlorvos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dimethoate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Disulfoton	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
EPN	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2

Client Sample ID			BH01_2.0-2.1	BH02_0.5-0.6	BH02_3.0-3.1	BH03_4.0-4.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09361	S19-Au09362	S19-Au09363	S19-Au09364
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Organophosphorus Pesticides						
Ethoprop	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenitrothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fensulfothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Malathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Merphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Mevinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Monocrotophos	2	mg/kg	< 2	< 2	< 2	< 2
Naled	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Omethoate	2	mg/kg	< 2	< 2	< 2	< 2
Phorate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pirimiphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pyrazophos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ronnel	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Terbufos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tetrachlorvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tokuthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Trichloronate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Triphenylphosphate (surr.)	1	%	86	88	76	86
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	82	81	78	88
Tetrachloro-m-xylene (surr.)	1	%	74	99	100	98
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5

Client Sample ID			BH01_2.0-2.1	BH02_0.5-0.6	BH02_3.0-3.1	BH03_4.0-4.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09361	S19-Au09362	S19-Au09363	S19-Au09364
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Phenols (non-Halogenated)						
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
Phenol-d6 (surr.)	1	%	27	85	89	83
Semivolatile Organics						
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
1-Chloronaphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1-Naphthylamine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,2,3-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,2,3,4-Tetrachlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,2,3,5-Tetrachlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,2,4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,2,4,5-Tetrachlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,3,5-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Chloronaphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Methylnaphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
2-Naphthylamine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Nitroaniline	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2-Picoline	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,3,4,6-Tetrachlorophenol	5	mg/kg	< 5	< 5	< 5	< 5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2,4-Dinitrotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,6-Dinitrotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
3-Methylcholanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
3,3'-Dichlorobenzidine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Aminobiphenyl	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromophenyl phenyl ether	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
4-Chlorophenyl phenyl ether	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
4,4'-DDD	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4,4'-DDE	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			BH01_2.0-2.1	BH02_0.5-0.6	BH02_3.0-3.1	BH03_4.0-4.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09361	S19-Au09362	S19-Au09363	S19-Au09364
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Semivolatile Organics						
4.4'-DDT	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
7.12-Dimethylbenz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
a-BHC	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acetophenone	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aniline	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
b-BHC	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bis(2-chloroethoxy)methane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bis(2-chloroisopropyl)ether	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bis(2-ethylhexyl)phthalate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Butyl benzyl phthalate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
d-BHC	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Di-n-butyl phthalate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Di-n-octyl phthalate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,j)acridine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenzofuran	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dieldrin	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Diethyl phthalate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dimethyl phthalate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dimethylaminoazobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Diphenylamine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Endosulfan I	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Endosulfan II	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Endosulfan sulphate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Endrin	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Endrin aldehyde	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Endrin ketone	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
g-BHC (Lindane)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Heptachlor	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Heptachlor epoxide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Hexachlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Hexachlorocyclopentadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Hexachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Methoxychlor	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			BH01_2.0-2.1	BH02_0.5-0.6	BH02_3.0-3.1	BH03_4.0-4.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09361	S19-Au09362	S19-Au09363	S19-Au09364
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Semivolatile Organics						
N-Nitrosodibutylamine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
N-Nitrosodipropylamine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
N-Nitrosopiperidine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Nitrobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pentachlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pentachloronitrobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Phenanthrene	0.5	mg/kg	< 0.5	0.7	< 0.5	< 0.5
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pronamide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trifluralin	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	27	85	89	83
Nitrobenzene-d5 (surr.)	1	%	74	61	61	56
2-Fluorobiphenyl (surr.)	1	%	117	105	105	101
2,4,6-Tribromophenol (surr.)	1	%	46	58	33	96
Heavy Metals						
Arsenic	2	mg/kg	3.4	2.6	< 2	3.4
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	53	68	150	130
Copper	5	mg/kg	45	27	37	34
Lead	5	mg/kg	11	8.2	< 5	8.2
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Nickel	5	mg/kg	96	81	150	140
Zinc	5	mg/kg	60	58	86	86
% Moisture	1	%	20	15	12	17

Client Sample ID			BH03_4.4-4.5	BH03_5.9-6.0	BH04_1.0-1.1	BH04_4.9-5.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09365	S19-Au09366	S19-Au09367	S19-Au09368
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons - 1999 NEPM Fractions						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
BTEX						
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Xylenes - Total	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
4-Bromofluorobenzene (surr.)	1	%	79	65	115	66

Client Sample ID			BH03_4.4-4.5	BH03_5.9-6.0	BH04_1.0-1.1	BH04_4.9-5.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09365	S19-Au09366	S19-Au09367	S19-Au09368
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			BH03_4.4-4.5	BH03_5.9-6.0	BH04_1.0-1.1	BH04_4.9-5.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09365	S19-Au09366	S19-Au09367	S19-Au09368
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Volatile Organics						
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	79	65	115	66
Toluene-d8 (surr.)	1	%	70	58	90	60
Total Recoverable Hydrocarbons - 2013 NEPM Fractions						
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	96	86	93	117
p-Terphenyl-d14 (surr.)	1	%	93	73	92	93
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4.4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4.4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4.4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05

Client Sample ID			BH03_4.4-4.5	BH03_5.9-6.0	BH04_1.0-1.1	BH04_4.9-5.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09365	S19-Au09366	S19-Au09367	S19-Au09368
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Organochlorine Pesticides						
d-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-BHC (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	1	mg/kg	< 1	< 1	< 1	< 1
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	73	61	66	56
Tetrachloro-m-xylene (surr.)	1	%	94	79	87	69
Organophosphorus Pesticides						
Azinphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Bolstar	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorfenvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Coumaphos	2	mg/kg	< 2	< 2	< 2	< 2
Demeton-S	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Demeton-O	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Diazinon	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dichlorvos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dimethoate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Disulfoton	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
EPN	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethoprop	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenitrothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fensulfothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Malathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Merphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Mevinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Monocrotophos	2	mg/kg	< 2	< 2	< 2	< 2
Naled	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Omethoate	2	mg/kg	< 2	< 2	< 2	< 2
Phorate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pirimiphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2

Client Sample ID			BH03_4.4-4.5	BH03_5.9-6.0	BH04_1.0-1.1	BH04_4.9-5.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09365	S19-Au09366	S19-Au09367	S19-Au09368
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Organophosphorus Pesticides						
Pyrazophos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ronnel	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Terbufos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tetrachlorvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tokuthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Trichloronate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Triphenylphosphate (surr.)	1	%	69	56	69	66
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorodate (surr.)	1	%	73	61	66	56
Tetrachloro-m-xylene (surr.)	1	%	94	79	87	69
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
Phenol-d6 (surr.)	1	%	79	75	85	54
Semivolatile Organics						
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
1-Chloronaphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1-Naphthylamine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			BH03_4.4-4.5	BH03_5.9-6.0	BH04_1.0-1.1	BH04_4.9-5.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09365	S19-Au09366	S19-Au09367	S19-Au09368
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Semivolatile Organics						
1.2.3-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3.4-Tetrachlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3.5-Tetrachlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4.5-Tetrachlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Chloronaphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Methylnaphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
2-Naphthylamine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Nitroaniline	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2-Picoline	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2.3.4.6-Tetrachlorophenol	5	mg/kg	< 5	< 5	< 5	< 5
2.4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2.4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2.4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2.4-Dinitrotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2.4.5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2.4.6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2.6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2.6-Dinitrotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
3-Methylcholanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
3.3'-Dichlorobenzidine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Aminobiphenyl	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromophenyl phenyl ether	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
4-Chlorophenyl phenyl ether	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
4.4'-DDD	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4.4'-DDE	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4.4'-DDT	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
7.12-Dimethylbenz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
a-BHC	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acetophenone	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aniline	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
b-BHC	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			BH03_4.4-4.5	BH03_5.9-6.0	BH04_1.0-1.1	BH04_4.9-5.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09365	S19-Au09366	S19-Au09367	S19-Au09368
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Semivolatile Organics						
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bis(2-chloroethoxy)methane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bis(2-chloroisopropyl)ether	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bis(2-ethylhexyl)phthalate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Butyl benzyl phthalate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
d-BHC	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Di-n-butyl phthalate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Di-n-octyl phthalate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,j)acridine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenzofuran	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dieldrin	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Diethyl phthalate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dimethyl phthalate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dimethylaminoazobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Diphenylamine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Endosulfan I	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Endosulfan II	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Endosulfan sulphate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Endrin	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Endrin aldehyde	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Endrin ketone	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
g-BHC (Lindane)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Heptachlor	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Heptachlor epoxide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Hexachlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Hexachlorocyclopentadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Hexachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Methoxychlor	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
N-Nitrosodibutylamine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
N-Nitrosodipropylamine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
N-Nitrosopiperidine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Nitrobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pentachlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pentachloronitrobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pronamide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trifluralin	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	79	75	85	54

Client Sample ID			BH03_4.4-4.5	BH03_5.9-6.0	BH04_1.0-1.1	BH04_4.9-5.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09365	S19-Au09366	S19-Au09367	S19-Au09368
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Semivolatile Organics						
Nitrobenzene-d5 (surr.)	1	%	74	51	55	92
2-Fluorobiphenyl (surr.)	1	%	96	86	93	117
2,4,6-Tribromophenol (surr.)	1	%	30	29	26	55
Heavy Metals						
Arsenic	2	mg/kg	3.3	3.4	2.2	3.6
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	49	37	110	55
Copper	5	mg/kg	12	31	30	28
Lead	5	mg/kg	12	11	7.7	13
Mercury	0.1	mg/kg	< 0.1	0.1	< 0.1	0.1
Nickel	5	mg/kg	46	160	120	69
Zinc	5	mg/kg	50	140	71	62
% Moisture	1	%	12	18	8.1	22

Client Sample ID			BH05_0-0.1	BH06_0-0.1	BH07_0-0.1	QC_01
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09369	S19-Au09370	S19-Au09371	S19-Au09372
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons - 1999 NEPM Fractions						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	200	< 50	76	64
TRH C29-C36	50	mg/kg	290	< 50	160	< 50
TRH C10-C36 (Total)	50	mg/kg	490	< 50	236	64
BTEX						
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Xylenes - Total	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
4-Bromofluorobenzene (surr.)	1	%	79	116	115	101
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			BH05_0-0.1	BH06_0-0.1	BH07_0-0.1	QC_01
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09369	S19-Au09370	S19-Au09371	S19-Au09372
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Volatile Organics						
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	79	116	115	101
Toluene-d8 (surr.)	1	%	69	96	91	84

Client Sample ID			BH05_0-0.1	BH06_0-0.1	BH07_0-0.1	QC_01
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09369	S19-Au09370	S19-Au09371	S19-Au09372
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons - 2013 NEPM Fractions						
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	390	< 100	180	< 100
TRH >C34-C40	100	mg/kg	170	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	560	< 100	180	< 100
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	97	95	81	51
p-Terphenyl-d14 (surr.)	1	%	103	107	86	76
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-BHC (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05

Client Sample ID			BH05_0-0.1	BH06_0-0.1	BH07_0-0.1	QC_01
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09369	S19-Au09370	S19-Au09371	S19-Au09372
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Organochlorine Pesticides						
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	1	mg/kg	< 1	< 1	< 1	< 1
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorodate (surr.)	1	%	79	73	97	77
Tetrachloro-m-xylene (surr.)	1	%	73	70	82	71
Organophosphorus Pesticides						
Azinphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Bolstar	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorfenvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Coumaphos	2	mg/kg	< 2	< 2	< 2	< 2
Demeton-S	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Demeton-O	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Diazinon	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dichlorvos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dimethoate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Disulfoton	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
EPN	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethoprop	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenitrothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fensulfothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Malathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Merphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Mevinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Monocrotophos	2	mg/kg	< 2	< 2	< 2	< 2
Naled	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Omethoate	2	mg/kg	< 2	< 2	< 2	< 2
Phorate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pirimiphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pyrazophos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ronnel	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Terbufos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tetrachlorvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tokuthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Trichloronate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Triphenylphosphate (surr.)	1	%	71	61	79	93

Client Sample ID			BH05_0-0.1	BH06_0-0.1	BH07_0-0.1	QC_01
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09369	S19-Au09370	S19-Au09371	S19-Au09372
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	79	73	97	77
Tetrachloro-m-xylene (surr.)	1	%	73	70	82	71
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
Phenol-d6 (surr.)	1	%	95	78	69	53
Semivolatile Organics						
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
1-Chloronaphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1-Naphthylamine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,2,3-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,2,3,4-Tetrachlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,2,3,5-Tetrachlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,2,4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,2,4,5-Tetrachlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,3,5-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			BH05_0-0.1	BH06_0-0.1	BH07_0-0.1	QC_01
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09369	S19-Au09370	S19-Au09371	S19-Au09372
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Semivolatile Organics						
2-Chloronaphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Methylnaphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
2-Naphthylamine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Nitroaniline	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2-Picoline	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,3,4,6-Tetrachlorophenol	5	mg/kg	< 5	< 5	< 5	< 5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2,4-Dinitrotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,6-Dinitrotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
3-Methylcholanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
3,3'-Dichlorobenzidine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Aminobiphenyl	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromophenyl phenyl ether	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
4-Chlorophenyl phenyl ether	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
4,4'-DDD	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4,4'-DDE	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4,4'-DDT	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
7,12-Dimethylbenz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
a-BHC	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acetophenone	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aniline	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
b-BHC	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bis(2-chloroethoxy)methane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bis(2-chloroisopropyl)ether	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bis(2-ethylhexyl)phthalate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Butyl benzyl phthalate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
d-BHC	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			BH05_0-0.1	BH06_0-0.1	BH07_0-0.1	QC_01
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09369	S19-Au09370	S19-Au09371	S19-Au09372
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Semivolatile Organics						
Di-n-butyl phthalate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Di-n-octyl phthalate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,j)acridine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenzofuran	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dieldrin	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Diethyl phthalate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dimethyl phthalate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dimethylaminoazobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Diphenylamine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Endosulfan I	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Endosulfan II	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Endosulfan sulphate	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Endrin	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Endrin aldehyde	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Endrin ketone	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
g-BHC (Lindane)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Heptachlor	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Heptachlor epoxide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Hexachlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Hexachlorocyclopentadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Hexachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Methoxychlor	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
N-Nitrosodibutylamine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
N-Nitrosodipropylamine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
N-Nitrosopiperidine	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Nitrobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pentachlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pentachloronitrobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pronamide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trifluralin	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	95	78	69	53
Nitrobenzene-d5 (surr.)	1	%	56	60	76	111
2-Fluorobiphenyl (surr.)	1	%	97	95	81	51
2.4.6-Tribromophenol (surr.)	1	%	54	44	35	34
Heavy Metals						
Arsenic	2	mg/kg	2.6	2.2	2.4	2.3
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	170	110	100	58
Copper	5	mg/kg	44	31	34	20

Client Sample ID			BH05_0-0.1	BH06_0-0.1	BH07_0-0.1	QC_01
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09369	S19-Au09370	S19-Au09371	S19-Au09372
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Heavy Metals						
Lead	5	mg/kg	76	7.6	21	8.4
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Nickel	5	mg/kg	130	120	110	62
Zinc	5	mg/kg	120	87	130	45
% Moisture	1	%	8.5	15	10	14

Client Sample ID			QC_02	TPW1-3_0.0	TPW1-5_0.5	TPW1-2_1.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09373	S19-Au09375	S19-Au09376	S19-Au09377
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons - 1999 NEPM Fractions						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	24	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	100	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	124	< 50	< 50	< 50
BTEX						
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Xylenes - Total	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
4-Bromofluorobenzene (surr.)	1	%	80	94	71	74
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1-Dichloroethene	0.5	mg/kg	< 0.5	-	-	-
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	-	-	-
1.2-Dibromoethane	0.5	mg/kg	< 0.5	-	-	-
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
1.2-Dichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.2-Dichloropropane	0.5	mg/kg	< 0.5	-	-	-
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	-	-	-
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	-	-	-
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
1.3-Dichloropropane	0.5	mg/kg	< 0.5	-	-	-
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	-	-	-
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
2-Butanone (MEK)	0.5	mg/kg	< 0.5	-	-	-
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	-	-	-
4-Chlorotoluene	0.5	mg/kg	< 0.5	-	-	-
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	-	-	-
Allyl chloride	0.5	mg/kg	< 0.5	-	-	-

Client Sample ID			QC_02	TPW1-3_0.0	TPW1-5_0.5	TPW1-2_1.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09373	S19-Au09375	S19-Au09376	S19-Au09377
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Volatile Organics						
Benzene	0.1	mg/kg	< 0.1	-	-	-
Bromobenzene	0.5	mg/kg	< 0.5	-	-	-
Bromochloromethane	0.5	mg/kg	< 0.5	-	-	-
Bromodichloromethane	0.5	mg/kg	< 0.5	-	-	-
Bromoform	0.5	mg/kg	< 0.5	-	-	-
Bromomethane	0.5	mg/kg	< 0.5	-	-	-
Carbon disulfide	0.5	mg/kg	< 0.5	-	-	-
Carbon Tetrachloride	0.5	mg/kg	< 0.5	-	-	-
Chlorobenzene	0.5	mg/kg	< 0.5	-	-	-
Chloroethane	0.5	mg/kg	< 0.5	-	-	-
Chloroform	0.5	mg/kg	< 0.5	-	-	-
Chloromethane	0.5	mg/kg	< 0.5	-	-	-
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	-	-	-
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	-	-	-
Dibromochloromethane	0.5	mg/kg	< 0.5	-	-	-
Dibromomethane	0.5	mg/kg	< 0.5	-	-	-
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	-	-	-
Ethylbenzene	0.1	mg/kg	< 0.1	-	-	-
Iodomethane	0.5	mg/kg	< 0.5	-	-	-
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	-	-	-
m&p-Xylenes	0.2	mg/kg	< 0.2	-	-	-
Methylene Chloride	0.5	mg/kg	< 0.5	-	-	-
o-Xylene	0.1	mg/kg	< 0.1	-	-	-
Styrene	0.5	mg/kg	< 0.5	-	-	-
Tetrachloroethene	0.5	mg/kg	< 0.5	-	-	-
Toluene	0.1	mg/kg	< 0.1	-	-	-
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	-	-	-
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	-	-	-
Trichloroethene	0.5	mg/kg	< 0.5	-	-	-
Trichlorofluoromethane	0.5	mg/kg	< 0.5	-	-	-
Vinyl chloride	0.5	mg/kg	< 0.5	-	-	-
Xylenes - Total	0.3	mg/kg	< 0.3	-	-	-
Total MAH*	0.5	mg/kg	< 0.5	-	-	-
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	-	-	-
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	-	-	-
4-Bromofluorobenzene (surr.)	1	%	80	-	-	-
Toluene-d8 (surr.)	1	%	89	-	-	-
Total Recoverable Hydrocarbons - 2013 NEPM Fractions						
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	57	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	57	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100

Client Sample ID			QC_02	TPW1-3_0.0	TPW1-5_0.5	TPW1-2_1.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09373	S19-Au09375	S19-Au09376	S19-Au09377
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	100	87	64	61
p-Terphenyl-d14 (surr.)	1	%	64	70	55	80
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4.4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4.4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4.4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-BHC (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	1	mg/kg	< 1	< 1	< 1	< 1
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	78	109	78	105
Tetrachloro-m-xylene (surr.)	1	%	52	91	62	57

Client Sample ID			QC_02	TPW1-3_0.0	TPW1-5_0.5	TPW1-2_1.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09373	S19-Au09375	S19-Au09376	S19-Au09377
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Organophosphorus Pesticides						
Azinphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Bolstar	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorfenvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Coumaphos	2	mg/kg	< 2	< 2	< 2	< 2
Demeton-S	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Demeton-O	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Diazinon	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dichlorvos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dimethoate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Disulfoton	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
EPN	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethoprop	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenitrothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fensulfothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Malathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Merphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Mevinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Monocrotophos	2	mg/kg	< 2	< 2	< 2	< 2
Naled	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Omethoate	2	mg/kg	< 2	< 2	< 2	< 2
Phorate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pirimiphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pyrazophos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ronnel	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Terbufos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tetrachlorvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tokuthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Trichloronate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Triphenylphosphate (surr.)	1	%	84	77	58	93
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	-	-	-
Aroclor-1221	0.1	mg/kg	< 0.1	-	-	-
Aroclor-1232	0.1	mg/kg	< 0.1	-	-	-
Aroclor-1242	0.1	mg/kg	< 0.1	-	-	-
Aroclor-1248	0.1	mg/kg	< 0.1	-	-	-
Aroclor-1254	0.1	mg/kg	< 0.1	-	-	-
Aroclor-1260	0.1	mg/kg	< 0.1	-	-	-
Total PCB*	0.1	mg/kg	< 0.1	-	-	-
Dibutylchlorendate (surr.)	1	%	78	-	-	-
Tetrachloro-m-xylene (surr.)	1	%	52	-	-	-

Client Sample ID			QC_02	TPW1-3_0.0	TPW1-5_0.5	TPW1-2_1.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09373	S19-Au09375	S19-Au09376	S19-Au09377
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	-	-	-
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	-	-	-
2,4,5-Trichlorophenol	1	mg/kg	< 1	-	-	-
2,4,6-Trichlorophenol	1	mg/kg	< 1	-	-	-
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	-	-	-
4-Chloro-3-methylphenol	1	mg/kg	< 1	-	-	-
Pentachlorophenol	1	mg/kg	< 1	-	-	-
Tetrachlorophenols - Total	10	mg/kg	< 10	-	-	-
Total Halogenated Phenol*	1	mg/kg	< 1	-	-	-
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	-	-	-
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	-	-	-
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	-	-	-
2-Nitrophenol	1.0	mg/kg	< 1	-	-	-
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	-	-	-
2,4-Dinitrophenol	5	mg/kg	< 5	-	-	-
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	-	-	-
4-Nitrophenol	5	mg/kg	< 5	-	-	-
Dinoseb	20	mg/kg	< 20	-	-	-
Phenol	0.5	mg/kg	< 0.5	-	-	-
Total Non-Halogenated Phenol*	20	mg/kg	< 20	-	-	-
Phenol-d6 (surr.)	1	%	56	-	-	-
Semivolatile Organics						
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	-	-	-
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	-	-	-
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	-	-	-
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	-	-	-
1-Chloronaphthalene	0.5	mg/kg	< 0.5	-	-	-
1-Naphthylamine	0.5	mg/kg	< 0.5	-	-	-
1,2-Dichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
1,2,3-Trichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
1,2,3,4-Tetrachlorobenzene	0.5	mg/kg	< 0.5	-	-	-
1,2,3,5-Tetrachlorobenzene	0.5	mg/kg	< 0.5	-	-	-
1,2,4-Trichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
1,2,4,5-Tetrachlorobenzene	0.5	mg/kg	< 0.5	-	-	-
1,3-Dichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
1,3,5-Trichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
1,4-Dichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
2-Chloronaphthalene	0.5	mg/kg	< 0.5	-	-	-
2-Chlorophenol	0.5	mg/kg	< 0.5	-	-	-
2-Methylnaphthalene	0.5	mg/kg	< 0.5	-	-	-
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	-	-	-
2-Naphthylamine	0.5	mg/kg	< 0.5	-	-	-
2-Nitroaniline	0.5	mg/kg	< 0.5	-	-	-
2-Nitrophenol	1.0	mg/kg	< 1	-	-	-
2-Picoline	0.5	mg/kg	< 0.5	-	-	-
2,3,4,6-Tetrachlorophenol	5	mg/kg	< 5	-	-	-
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	-	-	-
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	-	-	-

Client Sample ID			QC_02	TPW1-3_0.0	TPW1-5_0.5	TPW1-2_1.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09373	S19-Au09375	S19-Au09376	S19-Au09377
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Semivolatile Organics						
2.4-Dinitrophenol	5	mg/kg	< 5	-	-	-
2.4-Dinitrotoluene	0.5	mg/kg	< 0.5	-	-	-
2.4.5-Trichlorophenol	1	mg/kg	< 1	-	-	-
2.4.6-Trichlorophenol	1	mg/kg	< 1	-	-	-
2.6-Dichlorophenol	0.5	mg/kg	< 0.5	-	-	-
2.6-Dinitrotoluene	0.5	mg/kg	< 0.5	-	-	-
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	-	-	-
3-Methylcholanthrene	0.5	mg/kg	< 0.5	-	-	-
3.3'-Dichlorobenzidine	0.5	mg/kg	< 0.5	-	-	-
4-Aminobiphenyl	0.5	mg/kg	< 0.5	-	-	-
4-Bromophenyl phenyl ether	0.5	mg/kg	< 0.5	-	-	-
4-Chloro-3-methylphenol	1	mg/kg	< 1	-	-	-
4-Chlorophenyl phenyl ether	0.5	mg/kg	< 0.5	-	-	-
4-Nitrophenol	5	mg/kg	< 5	-	-	-
4.4'-DDD	0.5	mg/kg	< 0.5	-	-	-
4.4'-DDE	0.5	mg/kg	< 0.5	-	-	-
4.4'-DDT	0.5	mg/kg	< 0.5	-	-	-
7.12-Dimethylbenz(a)anthracene	0.5	mg/kg	< 0.5	-	-	-
a-BHC	0.5	mg/kg	< 0.5	-	-	-
Acenaphthene	0.5	mg/kg	< 0.5	-	-	-
Acenaphthylene	0.5	mg/kg	< 0.5	-	-	-
Acetophenone	0.5	mg/kg	< 0.5	-	-	-
Aldrin	0.5	mg/kg	< 0.5	-	-	-
Aniline	0.5	mg/kg	< 0.5	-	-	-
Anthracene	0.5	mg/kg	< 0.5	-	-	-
b-BHC	0.5	mg/kg	< 0.5	-	-	-
Benz(a)anthracene	0.5	mg/kg	< 0.5	-	-	-
Benzo(a)pyrene	0.5	mg/kg	< 0.5	-	-	-
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	-	-	-
Benzo(g.h.i)perylene	0.5	mg/kg	< 0.5	-	-	-
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	-	-	-
Benzyl chloride	0.5	mg/kg	< 0.5	-	-	-
Bis(2-chloroethoxy)methane	0.5	mg/kg	< 0.5	-	-	-
Bis(2-chloroisopropyl)ether	0.5	mg/kg	< 0.5	-	-	-
Bis(2-ethylhexyl)phthalate	0.5	mg/kg	< 0.5	-	-	-
Butyl benzyl phthalate	0.5	mg/kg	< 0.5	-	-	-
Chrysene	0.5	mg/kg	< 0.5	-	-	-
d-BHC	0.5	mg/kg	< 0.5	-	-	-
Di-n-butyl phthalate	0.5	mg/kg	< 0.5	-	-	-
Di-n-octyl phthalate	0.5	mg/kg	< 0.5	-	-	-
Dibenz(a.h)anthracene	0.5	mg/kg	< 0.5	-	-	-
Dibenz(a.j)acridine	0.5	mg/kg	< 0.5	-	-	-
Dibenzofuran	0.5	mg/kg	< 0.5	-	-	-
Dieldrin	0.5	mg/kg	< 0.5	-	-	-
Diethyl phthalate	0.5	mg/kg	< 0.5	-	-	-
Dimethyl phthalate	0.5	mg/kg	< 0.5	-	-	-
Dimethylaminoazobenzene	0.5	mg/kg	< 0.5	-	-	-
Diphenylamine	0.5	mg/kg	< 0.5	-	-	-
Endosulfan I	0.5	mg/kg	< 0.5	-	-	-

Client Sample ID			QC_02	TPW1-3_0.0	TPW1-5_0.5	TPW1-2_1.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09373	S19-Au09375	S19-Au09376	S19-Au09377
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Semivolatile Organics						
Endosulfan II	0.5	mg/kg	< 0.5	-	-	-
Endosulfan sulphate	0.5	mg/kg	< 0.5	-	-	-
Endrin	0.5	mg/kg	< 0.5	-	-	-
Endrin aldehyde	0.5	mg/kg	< 0.5	-	-	-
Endrin ketone	0.5	mg/kg	< 0.5	-	-	-
Fluoranthene	0.5	mg/kg	< 0.5	-	-	-
Fluorene	0.5	mg/kg	< 0.5	-	-	-
γ-BHC (Lindane)	0.5	mg/kg	< 0.5	-	-	-
Heptachlor	0.5	mg/kg	< 0.5	-	-	-
Heptachlor epoxide	0.5	mg/kg	< 0.5	-	-	-
Hexachlorobenzene	0.5	mg/kg	< 0.5	-	-	-
Hexachlorobutadiene	0.5	mg/kg	< 0.5	-	-	-
Hexachlorocyclopentadiene	0.5	mg/kg	< 0.5	-	-	-
Hexachloroethane	0.5	mg/kg	< 0.5	-	-	-
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	-	-	-
Methoxychlor	0.5	mg/kg	< 0.5	-	-	-
N-Nitrosodibutylamine	0.5	mg/kg	< 0.5	-	-	-
N-Nitrosodipropylamine	0.5	mg/kg	< 0.5	-	-	-
N-Nitrosopiperidine	0.5	mg/kg	< 0.5	-	-	-
Naphthalene	0.5	mg/kg	< 0.5	-	-	-
Nitrobenzene	0.5	mg/kg	< 0.5	-	-	-
Pentachlorobenzene	0.5	mg/kg	< 0.5	-	-	-
Pentachloronitrobenzene	0.5	mg/kg	< 0.5	-	-	-
Pentachlorophenol	1	mg/kg	< 1	-	-	-
Phenanthrene	0.5	mg/kg	< 0.5	-	-	-
Phenol	0.5	mg/kg	< 0.5	-	-	-
Pronamide	0.5	mg/kg	< 0.5	-	-	-
Pyrene	0.5	mg/kg	< 0.5	-	-	-
Trifluralin	0.5	mg/kg	< 0.5	-	-	-
Phenol-d6 (surr.)	1	%	56	-	-	-
Nitrobenzene-d5 (surr.)	1	%	114	-	-	-
2-Fluorobiphenyl (surr.)	1	%	100	-	-	-
2.4.6-Tribromophenol (surr.)	1	%	65	-	-	-
Heavy Metals						
Arsenic	2	mg/kg	3.3	2.8	2.9	3.1
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	130	120	88	120
Copper	5	mg/kg	33	32	28	34
Lead	5	mg/kg	8.3	7.4	7.5	8.1
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Nickel	5	mg/kg	130	120	91	120
Zinc	5	mg/kg	85	76	59	70
% Moisture						
	1	%	15	11	13	13

Client Sample ID			TPW2-1_0.0	TPW2-2_0.5	TPW2-3_0.5	TPW3-1_0.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09378	S19-Au09379	S19-Au09380	S19-Au09381
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons - 1999 NEPM Fractions						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
BTEX						
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Xylenes - Total	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
4-Bromofluorobenzene (surr.)	1	%	74	89	74	64
Total Recoverable Hydrocarbons - 2013 NEPM Fractions						
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	69	55	68	85
p-Terphenyl-d14 (surr.)	1	%	58	81	90	74

Client Sample ID			TPW2-1_0.0	TPW2-2_0.5	TPW2-3_0.5	TPW3-1_0.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09378	S19-Au09379	S19-Au09380	S19-Au09381
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4.4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4.4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4.4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-BHC (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	1	mg/kg	< 1	< 1	< 1	< 1
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	83	55	66	109
Tetrachloro-m-xylene (surr.)	1	%	70	61	66	92
Organophosphorus Pesticides						
Azinphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Bolstar	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorfenvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Coumaphos	2	mg/kg	< 2	< 2	< 2	< 2
Demeton-S	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Demeton-O	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Diazinon	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dichlorvos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dimethoate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Disulfoton	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
EPN	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethoprop	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenitrothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fensulfothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Malathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Merphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2

Client Sample ID			TPW2-1_0.0	TPW2-2_0.5	TPW2-3_0.5	TPW3-1_0.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09378	S19-Au09379	S19-Au09380	S19-Au09381
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Organophosphorus Pesticides						
Methyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Mevinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Monocrotophos	2	mg/kg	< 2	< 2	< 2	< 2
Naled	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Omethoate	2	mg/kg	< 2	< 2	< 2	< 2
Phorate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pirimiphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pyrazophos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ronnel	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Terbufos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tetrachlorvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tokuthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Trichloronate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Triphenylphosphate (surr.)	1	%	65	101	116	85
Heavy Metals						
Arsenic	2	mg/kg	2.4	< 2	3.1	2.7
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	120	71	160	75
Copper	5	mg/kg	30	22	35	25
Lead	5	mg/kg	7.9	13	11	7.6
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Nickel	5	mg/kg	120	72	150	80
Zinc	5	mg/kg	72	64	110	62
% Moisture	1	%	15	12	12	13

Client Sample ID			TPW3-1_0.5	TPW3-5_1.0	TPE1-5_0.0	TPE1-3_0.5
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09382	S19-Au09383	S19-Au09384	S19-Au09385
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons - 1999 NEPM Fractions						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	62	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	62	55
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	124	55
BTEX						
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Xylenes - Total	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
4-Bromofluorobenzene (surr.)	1	%	60	103	86	63

Client Sample ID			TPW3-1_0.5	TPW3-5_1.0	TPE1-5_0.0	TPE1-3_0.5
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09382	S19-Au09383	S19-Au09384	S19-Au09385
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons - 2013 NEPM Fractions						
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	101	67	96	87
p-Terphenyl-d14 (surr.)	1	%	87	98	85	71
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-BHC (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05

Client Sample ID			TPW3-1_0.5	TPW3-5_1.0	TPE1-5_0.0	TPE1-3_0.5
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09382	S19-Au09383	S19-Au09384	S19-Au09385
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Organochlorine Pesticides						
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	1	mg/kg	< 1	< 1	< 1	< 1
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	127	77	128	109
Tetrachloro-m-xylene (surr.)	1	%	110	70	104	91
Organophosphorus Pesticides						
Azinphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Bolstar	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorfenvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Coumaphos	2	mg/kg	< 2	< 2	< 2	< 2
Demeton-S	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Demeton-O	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Diazinon	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dichlorvos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dimethoate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Disulfoton	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
EPN	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethoprop	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenitrothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fensulfothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Malathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Merphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Mevinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Monocrotophos	2	mg/kg	< 2	< 2	< 2	< 2
Naled	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Omethoate	2	mg/kg	< 2	< 2	< 2	< 2
Phorate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pirimiphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pyrazophos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ronnel	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Terbufos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tetrachlorvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tokuthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Trichloronate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Triphenylphosphate (surr.)	1	%	98	52	101	86

Client Sample ID			TPW3-1_0.5	TPW3-5_1.0	TPE1-5_0.0	TPE1-3_0.5
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09382	S19-Au09383	S19-Au09384	S19-Au09385
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Heavy Metals						
Arsenic	2	mg/kg	3.0	2.2	3.0	2.2
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	58	120	11	9.0
Copper	5	mg/kg	19	29	13	9.7
Lead	5	mg/kg	12	5.9	15	16
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Nickel	5	mg/kg	56	130	8.8	6.8
Zinc	5	mg/kg	65	78	43	37
% Moisture	1	%	14	17	8.5	9.0

Client Sample ID			TPE1-2_1.0	TPE2-3_0.0	TPE2-1_0.5	TPE2-2_1.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09386	S19-Au09387	S19-Au09388	S19-Au09389
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons - 1999 NEPM Fractions						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	68	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	98	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	166	< 50	< 50
BTEX						
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Xylenes - Total	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
4-Bromofluorobenzene (surr.)	1	%	86	122	105	66
Total Recoverable Hydrocarbons - 2013 NEPM Fractions						
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	120	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	120	< 100	< 100
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			TPE1-2_1.0	TPE2-3_0.0	TPE2-1_0.5	TPE2-2_1.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09386	S19-Au09387	S19-Au09388	S19-Au09389
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Polycyclic Aromatic Hydrocarbons						
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	0.8	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	0.9	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	1.7	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	52	55	57	57
p-Terphenyl-d14 (surr.)	1	%	83	86	93	100
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4.4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4.4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4.4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-BHC (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	0.08	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	1	mg/kg	< 1	< 1	< 1	< 1
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	88	95	96	67
Tetrachloro-m-xylene (surr.)	1	%	77	81	84	58
Organophosphorus Pesticides						
Azinphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Bolstar	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorfenvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Coumaphos	2	mg/kg	< 2	< 2	< 2	< 2

Client Sample ID			TPE1-2_1.0	TPE2-3_0.0	TPE2-1_0.5	TPE2-2_1.0
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09386	S19-Au09387	S19-Au09388	S19-Au09389
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Organophosphorus Pesticides						
Demeton-S	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Demeton-O	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Diazinon	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dichlorvos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dimethoate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Disulfoton	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
EPN	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethoprop	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenitrothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fensulfothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Malathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Merphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Mevinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Monocrotophos	2	mg/kg	< 2	< 2	< 2	< 2
Naled	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Omethoate	2	mg/kg	< 2	< 2	< 2	< 2
Phorate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pirimiphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pyrazophos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ronnel	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Terbufos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tetrachlorvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tokuthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Trichloronate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Triphenylphosphate (surr.)	1	%	98	109	110	50
Heavy Metals						
Arsenic	2	mg/kg	2.3	6.0	2.3	3.2
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	8.0	17	15	50
Copper	5	mg/kg	12	24	7.6	14
Lead	5	mg/kg	17	45	14	11
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Nickel	5	mg/kg	< 5	13	11	50
Zinc	5	mg/kg	14	67	36	62
% Moisture	1	%	11	10	8.7	10

Client Sample ID			TPE3-3_0.0	TPE3-1_0.5	TPE3-3_0.8	QA01
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09390	S19-Au09391	S19-Au09392	S19-Au09393
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons - 1999 NEPM Fractions						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	110	110	< 50	59
TRH C29-C36	50	mg/kg	130	200	58	54
TRH C10-C36 (Total)	50	mg/kg	240	310	58	113
BTEX						
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Xylenes - Total	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
4-Bromofluorobenzene (surr.)	1	%	74	58	108	113
Total Recoverable Hydrocarbons - 2013 NEPM Fractions						
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	180	220	< 100	< 100
TRH >C34-C40	100	mg/kg	110	170	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	290	390	< 100	< 100
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	1.0	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	1.0	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	2	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	108	97	106	106
p-Terphenyl-d14 (surr.)	1	%	114	105	110	110

Client Sample ID			TPE3-3_0.0	TPE3-1_0.5	TPE3-3_0.8	QA01
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09390	S19-Au09391	S19-Au09392	S19-Au09393
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4.4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4.4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4.4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-BHC	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-BHC (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	1	mg/kg	< 1	< 1	< 1	< 1
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	101	88	94	97
Tetrachloro-m-xylene (surr.)	1	%	103	92	102	101
Organophosphorus Pesticides						
Azinphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Bolstar	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorfenvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Coumaphos	2	mg/kg	< 2	< 2	< 2	< 2
Demeton-S	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Demeton-O	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Diazinon	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dichlorvos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dimethoate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Disulfoton	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
EPN	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethoprop	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenitrothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fensulfothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Malathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Merphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2

Client Sample ID			TPE3-3_0.0	TPE3-1_0.5	TPE3-3_0.8	QA01
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au09390	S19-Au09391	S19-Au09392	S19-Au09393
Date Sampled			Aug 06, 2019	Aug 06, 2019	Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit				
Organophosphorus Pesticides						
Methyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Mevinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Monocrotophos	2	mg/kg	< 2	< 2	< 2	< 2
Naled	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Omethoate	2	mg/kg	< 2	< 2	< 2	< 2
Phorate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pirimiphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pyrazophos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ronnel	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Terbufos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tetrachlorvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tokuthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Trichloronate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Triphenylphosphate (surr.)	1	%	99	91	96	94
Heavy Metals						
Arsenic	2	mg/kg	3.2	3.7	2.4	3.3
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	14	20	15	170
Copper	5	mg/kg	15	21	11	38
Lead	5	mg/kg	22	43	29	15
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Nickel	5	mg/kg	9.7	11	12	160
Zinc	5	mg/kg	49	57	50	110
% Moisture	1	%	9.8	9.0	9.2	12

Client Sample ID			QA03
Sample Matrix			Soil
Eurofins Sample No.			S19-Au09394
Date Sampled			Aug 06, 2019
Test/Reference	LOR	Unit	
Total Recoverable Hydrocarbons - 1999 NEPM Fractions			
TRH C6-C9	20	mg/kg	< 20
TRH C10-C14	20	mg/kg	< 20
TRH C15-C28	50	mg/kg	< 50
TRH C29-C36	50	mg/kg	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50
BTEX			
Benzene	0.1	mg/kg	< 0.1
Toluene	0.1	mg/kg	< 0.1
Ethylbenzene	0.1	mg/kg	< 0.1
m&p-Xylenes	0.2	mg/kg	< 0.2
o-Xylene	0.1	mg/kg	< 0.1
Xylenes - Total	0.3	mg/kg	< 0.3
4-Bromofluorobenzene (surr.)	1	%	116

Client Sample ID			QA03
Sample Matrix			Soil
Eurofins Sample No.			S19-Au09394
Date Sampled			Aug 06, 2019
Test/Reference	LOR	Unit	
Total Recoverable Hydrocarbons - 2013 NEPM Fractions			
Naphthalene ^{N02}	0.5	mg/kg	< 0.5
TRH C6-C10	20	mg/kg	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20
TRH >C10-C16	50	mg/kg	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50
TRH >C16-C34	100	mg/kg	< 100
TRH >C34-C40	100	mg/kg	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100
Polycyclic Aromatic Hydrocarbons			
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2
Acenaphthene	0.5	mg/kg	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5
Anthracene	0.5	mg/kg	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5
Chrysene	0.5	mg/kg	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5
Fluorene	0.5	mg/kg	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5
Naphthalene	0.5	mg/kg	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5
Pyrene	0.5	mg/kg	< 0.5
Total PAH*	0.5	mg/kg	< 0.5
2-Fluorobiphenyl (surr.)	1	%	108
p-Terphenyl-d14 (surr.)	1	%	114
Organochlorine Pesticides			
Chlordanes - Total	0.1	mg/kg	< 0.1
4.4'-DDD	0.05	mg/kg	< 0.05
4.4'-DDE	0.05	mg/kg	< 0.05
4.4'-DDT	0.05	mg/kg	< 0.05
a-BHC	0.05	mg/kg	< 0.05
Aldrin	0.05	mg/kg	< 0.05
b-BHC	0.05	mg/kg	< 0.05
d-BHC	0.05	mg/kg	< 0.05
Dieldrin	0.05	mg/kg	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05
Endrin	0.05	mg/kg	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05
g-BHC (Lindane)	0.05	mg/kg	< 0.05
Heptachlor	0.05	mg/kg	< 0.05

Client Sample ID			QA03
Sample Matrix			Soil
Eurofins Sample No.			S19-Au09394
Date Sampled			Aug 06, 2019
Test/Reference	LOR	Unit	
Organochlorine Pesticides			
Heptachlor epoxide	0.05	mg/kg	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05
Toxaphene	1	mg/kg	< 1
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1
Dibutylchlorodate (surr.)	1	%	92
Tetrachloro-m-xylene (surr.)	1	%	104
Organophosphorus Pesticides			
Azinphos-methyl	0.2	mg/kg	< 0.2
Bolstar	0.2	mg/kg	< 0.2
Chlorfenvinphos	0.2	mg/kg	< 0.2
Chlorpyrifos	0.2	mg/kg	< 0.2
Chlorpyrifos-methyl	0.2	mg/kg	< 0.2
Coumaphos	2	mg/kg	< 2
Demeton-S	0.2	mg/kg	< 0.2
Demeton-O	0.2	mg/kg	< 0.2
Diazinon	0.2	mg/kg	< 0.2
Dichlorvos	0.2	mg/kg	< 0.2
Dimethoate	0.2	mg/kg	< 0.2
Disulfoton	0.2	mg/kg	< 0.2
EPN	0.2	mg/kg	< 0.2
Ethion	0.2	mg/kg	< 0.2
Ethoprop	0.2	mg/kg	< 0.2
Ethyl parathion	0.2	mg/kg	< 0.2
Fenitrothion	0.2	mg/kg	< 0.2
Fensulfothion	0.2	mg/kg	< 0.2
Fenthion	0.2	mg/kg	< 0.2
Malathion	0.2	mg/kg	< 0.2
Merphos	0.2	mg/kg	< 0.2
Methyl parathion	0.2	mg/kg	< 0.2
Mevinphos	0.2	mg/kg	< 0.2
Monocrotophos	2	mg/kg	< 2
Naled	0.2	mg/kg	< 0.2
Omethoate	2	mg/kg	< 2
Phorate	0.2	mg/kg	< 0.2
Pirimiphos-methyl	0.2	mg/kg	< 0.2
Pyrazophos	0.2	mg/kg	< 0.2
Ronnel	0.2	mg/kg	< 0.2
Terbufos	0.2	mg/kg	< 0.2
Tetrachlorvinphos	0.2	mg/kg	< 0.2
Tokuthion	0.2	mg/kg	< 0.2
Trichloronate	0.2	mg/kg	< 0.2
Triphenylphosphate (surr.)	1	%	96

Client Sample ID			QA03
Sample Matrix			Soil
Eurofins Sample No.			S19-Au09394
Date Sampled			Aug 06, 2019
Test/Reference	LOR	Unit	
Heavy Metals			
Arsenic	2	mg/kg	2.9
Cadmium	0.4	mg/kg	< 0.4
Chromium	5	mg/kg	12
Copper	5	mg/kg	9.4
Lead	5	mg/kg	15
Mercury	0.1	mg/kg	< 0.1
Nickel	5	mg/kg	7.1
Zinc	5	mg/kg	41
% Moisture			
	1	%	8.3

Sample History

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported. A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
Eurofins mgt Suite B7A			
Total Recoverable Hydrocarbons - 1999 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	Aug 14, 2019	14 Days
BTEX - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	Aug 14, 2019	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	Aug 14, 2019	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	Aug 14, 2019	14 Days
Polycyclic Aromatic Hydrocarbons - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	Aug 14, 2019	14 Days
Phenols (Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	Aug 13, 2019	14 Days
Phenols (non-Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	Aug 13, 2019	14 Days
Metals M8 - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Melbourne	Aug 14, 2019	180 Days
Volatile Organics - Method: LTM-ORG-2150 VOCs in Soils Liquid and other Aqueous Matrices (USEPA 8260)	Melbourne	Aug 13, 2019	7 Days
Semivolatile Organics - Method: LTM-ORG-2190 SVOC in Water & Soil by GC-MS	Melbourne	Aug 13, 2019	14 Days
Eurofins mgt Suite B10			
Organochlorine Pesticides - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8270)	Melbourne	Aug 14, 2019	14 Days
Organophosphorus Pesticides - Method: LTM-ORG-2200 Organophosphorus Pesticides by GC-MS (USEPA 8081)	Melbourne	Aug 14, 2019	14 Days
Eurofins mgt Suite B15			
Polychlorinated Biphenyls - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8082)	Melbourne	Aug 13, 2019	28 Days
% Moisture - Method: LTM-GEN-7080 Moisture	Melbourne	Aug 07, 2019	14 Days

Company Name: GHD Pty Ltd NSW	Order No.:	Received: Aug 7, 2019 1:59 PM
Address: Level 15, 133 Castlereagh Street Sydney NSW 2000	Report #: 670027	Due: Aug 14, 2019
	Phone: 02 9239 7100	Priority: 5 Day
	Fax: 02 9239 7199	Contact Name: Emma Harrison
Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION		
Project ID: 2126457-26		

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
External Laboratory																		
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID													
1	GS01_0-0.1	Aug 06, 2019		Soil	S19-Au09356										X	X		
2	GS02_0-0.1	Aug 06, 2019		Soil	S19-Au09357										X	X		
3	GS03_0-0.1	Aug 06, 2019		Soil	S19-Au09358										X	X		
4	SW_01	Aug 06, 2019		Water	S19-Au09359		X	X	X	X	X		X					
5	BH01_0-0.1	Aug 06, 2019		Soil	S19-Au09360							X		X		X	X	
6	BH01_2.0-2.1	Aug 06, 2019		Soil	S19-Au09361							X		X		X	X	
7	BH02_0.5-0.6	Aug 06, 2019		Soil	S19-Au09362							X		X		X	X	
8	BH02_3.0-3.1	Aug 06, 2019		Soil	S19-Au09363							X		X		X	X	
9	BH03_4.0-4.1	Aug 06, 2019		Soil	S19-Au09364							X		X		X	X	

Company Name: GHD Pty Ltd NSW
Address: Level 15, 133 Castlereagh Street
Sydney
NSW 2000

Order No.:
Report #: 670027
Phone: 02 9239 7100
Fax: 02 9239 7199

Received: Aug 7, 2019 1:59 PM
Due: Aug 14, 2019
Priority: 5 Day
Contact Name: Emma Harrison

Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION
Project ID: 2126457-26

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
10	BH03_4.4-4.5	Aug 06, 2019		Soil	S19-Au09365								X	X		X	X	
11	BH03_5.9-6.0	Aug 06, 2019		Soil	S19-Au09366								X	X		X	X	
12	BH04_1.0-1.1	Aug 06, 2019		Soil	S19-Au09367								X	X		X	X	
13	BH04_4.9-5.0	Aug 06, 2019		Soil	S19-Au09368								X	X		X	X	
14	BH05_0-0.1	Aug 06, 2019		Soil	S19-Au09369								X	X		X	X	
15	BH06_0-0.1	Aug 06, 2019		Soil	S19-Au09370								X	X		X	X	
16	BH07_0-0.1	Aug 06, 2019		Soil	S19-Au09371								X	X		X	X	
17	QC_01	Aug 06, 2019		Soil	S19-Au09372								X	X		X	X	
18	QC_02	Aug 06, 2019		Soil	S19-Au09373								X	X		X	X	
19	QR02	Aug 06, 2019		Water	S19-Au09374			X	X	X	X		X					
20	TPW1-3_0.0	Aug 06, 2019		Soil	S19-Au09375									X	X			
21	TPW1-5_0.5	Aug 06, 2019		Soil	S19-Au09376									X	X			

Company Name: GHD Pty Ltd NSW
Address: Level 15, 133 Castlereagh Street
Sydney
NSW 2000

Order No.:
Report #: 670027
Phone #: 02 9239 7100
Fax: 02 9239 7199

Received: Aug 7, 2019 1:59 PM
Due: Aug 14, 2019
Priority: 5 Day
Contact Name: Emma Harrison

Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION
Project ID: 2126457-26

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
22	TPW1-2_1.0	Aug 06, 2019		Soil	S19-Au09377										X	X		
23	TPW2-1_0.0	Aug 06, 2019		Soil	S19-Au09378										X	X		
24	TPW2-2_0.5	Aug 06, 2019		Soil	S19-Au09379										X	X		
25	TPW2-3_0.5	Aug 06, 2019		Soil	S19-Au09380										X	X		
26	TPW3-1_0.0	Aug 06, 2019		Soil	S19-Au09381										X	X		
27	TPW3-1_0.5	Aug 06, 2019		Soil	S19-Au09382										X	X		
28	TPW3-5_1.0	Aug 06, 2019		Soil	S19-Au09383										X	X		
29	TPE1-5_0.0	Aug 06, 2019		Soil	S19-Au09384										X	X		
30	TPE1-3_0.5	Aug 06, 2019		Soil	S19-Au09385										X	X		
31	TPE1-2_1.0	Aug 06, 2019		Soil	S19-Au09386										X	X		
32	TPE2-3_0.0	Aug 06, 2019		Soil	S19-Au09387										X	X		
33	TPE2-1_0.5	Aug 06, 2019		Soil	S19-Au09388										X	X		

Company Name: GHD Pty Ltd NSW
Address: Level 15, 133 Castlereagh Street
Sydney
NSW 2000

Order No.:
Report #: 670027
Phone: 02 9239 7100
Fax: 02 9239 7199

Received: Aug 7, 2019 1:59 PM
Due: Aug 14, 2019
Priority: 5 Day
Contact Name: Emma Harrison

Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION
Project ID: 2126457-26

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail			HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC	
Melbourne Laboratory - NATA Site # 1254 & 14271			X		X	X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217				X												
Brisbane Laboratory - NATA Site # 20794																
Perth Laboratory - NATA Site # 23736																
34	TPE2-2_1.0	Aug 06, 2019										X	X			
35	TPE3-3_0.0	Aug 06, 2019										X	X			
36	TPE3-1_0.5	Aug 06, 2019										X	X			
37	TPE3-3_0.8	Aug 06, 2019										X	X			
38	QA01	Aug 06, 2019										X	X			
39	QA03	Aug 06, 2019										X	X			
40	BH01_0.5-0.6	Aug 06, 2019														X
41	BH01_1.0-1.1	Aug 06, 2019														X
42	BH01_3.0-3.1	Aug 06, 2019														X
43	BH01_4.0-4.1	Aug 06, 2019														X
44	BH02_0-0.1	Aug 06, 2019														X
45	BH02_1.0-1.1	Aug 06, 2019														X

Company Name: GHD Pty Ltd NSW
Address: Level 15, 133 Castlereagh Street
Sydney
NSW 2000

Order No.:
Report #: 670027
Phone: 02 9239 7100
Fax: 02 9239 7199

Received: Aug 7, 2019 1:59 PM
Due: Aug 14, 2019
Priority: 5 Day
Contact Name: Emma Harrison

Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION
Project ID: 2126457-26

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
46	BH02_2.0-2.1	Aug 06, 2019		Soil	S19-Au09401	X												
47	BH02_4.0-4.1	Aug 06, 2019		Soil	S19-Au09402	X												
48	BH03_0-0.1	Aug 06, 2019		Soil	S19-Au09403	X												
49	BH03_0.5-0.6	Aug 06, 2019		Soil	S19-Au09404	X												
50	BH03_1.0-1.1	Aug 06, 2019		Soil	S19-Au09405	X												
51	BH03_2.0-2.1	Aug 06, 2019		Soil	S19-Au09406	X												
52	BH03_3.0-3.1	Aug 06, 2019		Soil	S19-Au09407	X												
53	BH03_5.0-5.1	Aug 06, 2019		Soil	S19-Au09408	X												
54	BH04_0-0.1	Aug 06, 2019		Soil	S19-Au09409	X												
55	BH04_0.5-0.6	Aug 06, 2019		Soil	S19-Au09410	X												
56	BH04_2.0-2.1	Aug 06, 2019		Soil	S19-Au09411	X												
57	BH04_3.0-3.1	Aug 06, 2019		Soil	S19-Au09412	X												

Company Name: GHD Pty Ltd NSW
Address: Level 15, 133 Castlereagh Street
Sydney
NSW 2000

Order No.:
Report #: 670027
Phone: 02 9239 7100
Fax: 02 9239 7199

Received: Aug 7, 2019 1:59 PM
Due: Aug 14, 2019
Priority: 5 Day
Contact Name: Emma Harrison

Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION
Project ID: 2126457-26

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
58	BH04_4.0-4.1	Aug 06, 2019		Soil	S19-Au09413	X												
59	TPW1-1_0.0	Aug 06, 2019		Soil	S19-Au09414	X												
60	TPW1-2_0.0	Aug 06, 2019		Soil	S19-Au09415	X												
61	TPW1-4_0.0	Aug 06, 2019		Soil	S19-Au09416	X												
62	TPW1-5_0.0	Aug 06, 2019		Soil	S19-Au09417	X												
63	TPW1-1_0.5	Aug 06, 2019		Soil	S19-Au09418	X												
64	TPW1-2_0.5	Aug 06, 2019		Soil	S19-Au09419	X												
65	TPW1-3_0.5	Aug 06, 2019		Soil	S19-Au09420	X												
66	TPW1-4_0.5	Aug 06, 2019		Soil	S19-Au09421	X												
67	TPW1-1_1.0	Aug 06, 2019		Soil	S19-Au09422	X												
68	TPW1-3_1.0	Aug 06, 2019		Soil	S19-Au09423	X												
69	TPW1-4_1.0	Aug 06, 2019		Soil	S19-Au09424	X												

Company Name: GHD Pty Ltd NSW
Address: Level 15, 133 Castlereagh Street
Sydney
NSW 2000

Order No.:
Report #: 670027
Phone: 02 9239 7100
Fax: 02 9239 7199

Received: Aug 7, 2019 1:59 PM
Due: Aug 14, 2019
Priority: 5 Day
Contact Name: Emma Harrison

Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION
Project ID: 2126457-26

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
70	TPW1-5_1.0	Aug 06, 2019		Soil	S19-Au09425	X												
71	TPW2-2_0.0	Aug 06, 2019		Soil	S19-Au09426	X												
72	TPW2-3_0.0	Aug 06, 2019		Soil	S19-Au09427	X												
73	TPW2-4_0.0	Aug 06, 2019		Soil	S19-Au09428	X												
74	TPW2-5_0.0	Aug 06, 2019		Soil	S19-Au09429	X												
75	TPW2-1_0.5	Aug 06, 2019		Soil	S19-Au09430	X												
76	TPW2-4_0.5	Aug 06, 2019		Soil	S19-Au09431	X												
77	TPW2-5_0.5	Aug 06, 2019		Soil	S19-Au09432	X												
78	TPW2-1_1.0	Aug 06, 2019		Soil	S19-Au09433	X												
79	TPW2-2_1.0	Aug 06, 2019		Soil	S19-Au09434	X												
80	TPW2-3_1.0	Aug 06, 2019		Soil	S19-Au09435	X												
81	TPW2-4_1.0	Aug 06, 2019		Soil	S19-Au09436	X												

Company Name: GHD Pty Ltd NSW
Address: Level 15, 133 Castlereagh Street
Sydney
NSW 2000

Order No.:
Report #: 670027
Phone: 02 9239 7100
Fax: 02 9239 7199

Received: Aug 7, 2019 1:59 PM
Due: Aug 14, 2019
Priority: 5 Day
Contact Name: Emma Harrison

Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION
Project ID: 2126457-26

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
82	TPW2-5_1.0	Aug 06, 2019		Soil	S19-Au09437	X												
83	TPW3-2_0.0	Aug 06, 2019		Soil	S19-Au09438	X												
84	TPW3-3_0.0	Aug 06, 2019		Soil	S19-Au09439	X												
85	TPW3-4_0.0	Aug 06, 2019		Soil	S19-Au09440	X												
86	TPW3-5_0.0	Aug 06, 2019		Soil	S19-Au09441	X												
87	TPW3-2_0.5	Aug 06, 2019		Soil	S19-Au09442	X												
88	TPW3-3_0.5	Aug 06, 2019		Soil	S19-Au09443	X												
89	TPW3-4_0.5	Aug 06, 2019		Soil	S19-Au09444	X												
90	TPW3-5_0.5	Aug 06, 2019		Soil	S19-Au09445	X												
91	TPW3-1_1.0	Aug 06, 2019		Soil	S19-Au09446	X												
92	TPW3-2_1.0	Aug 06, 2019		Soil	S19-Au09447	X												
93	TPW3-3_1.0	Aug 06, 2019		Soil	S19-Au09448	X												

Company Name:	GHD Pty Ltd NSW	Order No.:		Received:	Aug 7, 2019 1:59 PM
Address:	Level 15, 133 Castlereagh Street Sydney NSW 2000	Report #:	670027	Due:	Aug 14, 2019
Project Name:	HORNSBY QUARRY CONTAMINATION INVESTIGATION	Phone:	02 9239 7100	Priority:	5 Day
Project ID:	2126457-26	Fax:	02 9239 7199	Contact Name:	Emma Harrison

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
94	TPW3-4_1.0	Aug 06, 2019		Soil	S19-Au09449	X												
95	TPE1-1_0.0	Aug 06, 2019		Soil	S19-Au09450	X												
96	TPE1-2_0.0	Aug 06, 2019		Soil	S19-Au09451	X												
97	TPE1-3_0.0	Aug 06, 2019		Soil	S19-Au09452	X												
98	TPE1-4_0.0	Aug 06, 2019		Soil	S19-Au09453	X												
99	TPE1-1_0.5	Aug 06, 2019		Soil	S19-Au09454	X												
100	TPE1-2_0.5	Aug 06, 2019		Soil	S19-Au09455	X												
101	TPE1-4_0.5	Aug 06, 2019		Soil	S19-Au09456	X												
102	TPE1-5_0.5	Aug 06, 2019		Soil	S19-Au09457	X												
103	TPE1-1_1.0	Aug 06, 2019		Soil	S19-Au09458	X												
104	TPE1-3_1.0	Aug 06, 2019		Soil	S19-Au09459	X												
105	TPE1-4_1.0	Aug 06, 2019		Soil	S19-Au09460	X												

Company Name:	GHD Pty Ltd NSW	Order No.:		Received:	Aug 7, 2019 1:59 PM
Address:	Level 15, 133 Castlereagh Street Sydney NSW 2000	Report #:	670027	Due:	Aug 14, 2019
Project Name:	HORNSBY QUARRY CONTAMINATION INVESTIGATION	Phone:	02 9239 7100	Priority:	5 Day
Project ID:	2126457-26	Fax:	02 9239 7199	Contact Name:	Emma Harrison

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
106	TPE1-5_1.0	Aug 06, 2019		Soil	S19-Au09461	X												
107	TPE2-1_0.0	Aug 06, 2019		Soil	S19-Au09462	X												
108	TPE2-2_0.0	Aug 06, 2019		Soil	S19-Au09463	X												
109	TPE2-2_0.5	Aug 06, 2019		Soil	S19-Au09464	X												
110	TPE2-3_0.5	Aug 06, 2019		Soil	S19-Au09465	X												
111	TPE2-1_1.0	Aug 06, 2019		Soil	S19-Au09466	X												
112	TPE2-3_1.0	Aug 06, 2019		Soil	S19-Au09467	X												
113	TPE3-1_0.0	Aug 06, 2019		Soil	S19-Au09468	X												
114	TPE3-2_0.0	Aug 06, 2019		Soil	S19-Au09469	X												
115	TPE3-2_0.5	Aug 06, 2019		Soil	S19-Au09470	X												
116	TPE3-3_0.5	Aug 06, 2019		Soil	S19-Au09471	X												
117	TPE3-1_0.8	Aug 06, 2019		Soil	S19-Au09472	X												

Company Name: GHD Pty Ltd NSW	Order No.:	Received: Aug 7, 2019 1:59 PM
Address: Level 15, 133 Castlereagh Street Sydney NSW 2000	Report #: 670027	Due: Aug 14, 2019
Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION	Phone: 02 9239 7100	Priority: 5 Day
Project ID: 2126457-26	Fax: 02 9239 7199	Contact Name: Emma Harrison

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
118	TPE3-2_0.8	Aug 06, 2019		Soil	S19-Au09473	X												
119	RB01	Aug 06, 2019		Water	S19-Au09474	X												
120	TRIP BLANK	Aug 06, 2019		Soil	S19-Au09475		X											
121	TRIP SPIKE	Aug 06, 2019		Soil	S19-Au10358		X											
122	TRIP SPIKE LAB	Aug 06, 2019		Soil	S19-Au10359		X											
Test Counts						83	83	2	2	2	2	14	2	37	23	14	14	

Internal Quality Control Review and Glossary

General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

****NOTE:** pH duplicates are reported as a range NOT as RPD

Units

mg/kg: milligrams per kilogram

mg/L: milligrams per litre

ug/L: micrograms per litre

ppm: Parts per million

ppb: Parts per billion

%: Percentage

org/100mL: Organisms per 100 millilitres

NTU: Nephelometric Turbidity Units

MPN/100mL: Most Probable Number of organisms per 100 millilitres

Terms

Dry	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
LOR	Limit of Reporting.
SPIKE	Addition of the analyte to the sample and reported as percentage recovery.
RPD	Relative Percent Difference between two Duplicate pieces of analysis.
LCS	Laboratory Control Sample - reported as percent recovery.
CRM	Certified Reference Material - reported as percent recovery.
Method Blank	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
Surr - Surrogate	The addition of a like compound to the analyte target and reported as percentage recovery.
Duplicate	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
USEPA	United States Environmental Protection Agency
APHA	American Public Health Association
TCLP	Toxicity Characteristic Leaching Procedure
COC	Chain of Custody
SRA	Sample Receipt Advice
QSM	US Department of Defense Quality Systems Manual Version 5.3
CP	Client Parent - QC was performed on samples pertaining to this report
NCP	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
TEQ	Toxic Equivalency Quotient

QC - Acceptance Criteria

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Method Blank						
Total Recoverable Hydrocarbons - 1999 NEPM Fractions						
TRH C6-C9	mg/kg	< 20		20	Pass	
TRH C10-C14	mg/kg	< 20		20	Pass	
TRH C15-C28	mg/kg	< 50		50	Pass	
TRH C29-C36	mg/kg	< 50		50	Pass	
Method Blank						
BTEX						
Benzene	mg/kg	< 0.1		0.1	Pass	
Toluene	mg/kg	< 0.1		0.1	Pass	
Ethylbenzene	mg/kg	< 0.1		0.1	Pass	
m&p-Xylenes	mg/kg	< 0.2		0.2	Pass	
o-Xylene	mg/kg	< 0.1		0.1	Pass	
Xylenes - Total	mg/kg	< 0.3		0.3	Pass	
Method Blank						
Volatile Organics						
1.1-Dichloroethane	mg/kg	< 0.5		0.5	Pass	
1.1-Dichloroethene	mg/kg	< 0.5		0.5	Pass	
1.1.1-Trichloroethane	mg/kg	< 0.5		0.5	Pass	
1.1.1.2-Tetrachloroethane	mg/kg	< 0.5		0.5	Pass	
1.1.2-Trichloroethane	mg/kg	< 0.5		0.5	Pass	
1.1.2.2-Tetrachloroethane	mg/kg	< 0.5		0.5	Pass	
1.2-Dibromoethane	mg/kg	< 0.5		0.5	Pass	
1.2-Dichlorobenzene	mg/kg	< 0.5		0.5	Pass	
1.2-Dichloroethane	mg/kg	< 0.5		0.5	Pass	
1.2-Dichloropropane	mg/kg	< 0.5		0.5	Pass	
1.2.3-Trichloropropane	mg/kg	< 0.5		0.5	Pass	
1.2.4-Trimethylbenzene	mg/kg	< 0.5		0.5	Pass	
1.3-Dichlorobenzene	mg/kg	< 0.5		0.5	Pass	
1.3-Dichloropropane	mg/kg	< 0.5		0.5	Pass	
1.3.5-Trimethylbenzene	mg/kg	< 0.5		0.5	Pass	
1.4-Dichlorobenzene	mg/kg	< 0.5		0.5	Pass	
2-Butanone (MEK)	mg/kg	< 0.5		0.5	Pass	
2-Propanone (Acetone)	mg/kg	< 0.5		0.5	Pass	
4-Chlorotoluene	mg/kg	< 0.5		0.5	Pass	
4-Methyl-2-pentanone (MIBK)	mg/kg	< 0.5		0.5	Pass	
Allyl chloride	mg/kg	< 0.5		0.5	Pass	
Benzene	mg/kg	< 0.1		0.1	Pass	
Bromobenzene	mg/kg	< 0.5		0.5	Pass	
Bromochloromethane	mg/kg	< 0.5		0.5	Pass	
Bromodichloromethane	mg/kg	< 0.5		0.5	Pass	
Bromoform	mg/kg	< 0.5		0.5	Pass	
Bromomethane	mg/kg	< 0.5		0.5	Pass	
Carbon disulfide	mg/kg	< 0.5		0.5	Pass	
Carbon Tetrachloride	mg/kg	< 0.5		0.5	Pass	
Chlorobenzene	mg/kg	< 0.5		0.5	Pass	
Chloroethane	mg/kg	< 0.5		0.5	Pass	
Chloroform	mg/kg	< 0.5		0.5	Pass	
Chloromethane	mg/kg	< 0.5		0.5	Pass	
cis-1.2-Dichloroethene	mg/kg	< 0.5		0.5	Pass	
cis-1.3-Dichloropropene	mg/kg	< 0.5		0.5	Pass	
Dibromochloromethane	mg/kg	< 0.5		0.5	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Dibromomethane	mg/kg	< 0.5			0.5	Pass	
Dichlorodifluoromethane	mg/kg	< 0.5			0.5	Pass	
Ethylbenzene	mg/kg	< 0.1			0.1	Pass	
Iodomethane	mg/kg	< 0.5			0.5	Pass	
Isopropyl benzene (Cumene)	mg/kg	< 0.5			0.5	Pass	
m&p-Xylenes	mg/kg	< 0.2			0.2	Pass	
Methylene Chloride	mg/kg	< 0.5			0.5	Pass	
o-Xylene	mg/kg	< 0.1			0.1	Pass	
Styrene	mg/kg	< 0.5			0.5	Pass	
Tetrachloroethene	mg/kg	< 0.5			0.5	Pass	
Toluene	mg/kg	< 0.1			0.1	Pass	
trans-1,2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
trans-1,3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	
Trichloroethene	mg/kg	< 0.5			0.5	Pass	
Trichlorofluoromethane	mg/kg	< 0.5			0.5	Pass	
Vinyl chloride	mg/kg	< 0.5			0.5	Pass	
Xylenes - Total	mg/kg	< 0.3			0.3	Pass	
Method Blank							
Total Recoverable Hydrocarbons - 2013 NEPM Fractions							
Naphthalene	mg/kg	< 0.5			0.5	Pass	
TRH C6-C10	mg/kg	< 20			20	Pass	
TRH >C10-C16	mg/kg	< 50			50	Pass	
TRH >C16-C34	mg/kg	< 100			100	Pass	
TRH >C34-C40	mg/kg	< 100			100	Pass	
Method Blank							
Polycyclic Aromatic Hydrocarbons							
Acenaphthene	mg/kg	< 0.5			0.5	Pass	
Acenaphthylene	mg/kg	< 0.5			0.5	Pass	
Anthracene	mg/kg	< 0.5			0.5	Pass	
Benz(a)anthracene	mg/kg	< 0.5			0.5	Pass	
Benzo(a)pyrene	mg/kg	< 0.5			0.5	Pass	
Benzo(b&j)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Benzo(g,h,i)perylene	mg/kg	< 0.5			0.5	Pass	
Benzo(k)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Chrysene	mg/kg	< 0.5			0.5	Pass	
Dibenz(a,h)anthracene	mg/kg	< 0.5			0.5	Pass	
Fluoranthene	mg/kg	< 0.5			0.5	Pass	
Fluorene	mg/kg	< 0.5			0.5	Pass	
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.5			0.5	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
Phenanthrene	mg/kg	< 0.5			0.5	Pass	
Pyrene	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Organochlorine Pesticides							
Chlordanes - Total	mg/kg	< 0.1			0.1	Pass	
4,4'-DDD	mg/kg	< 0.05			0.05	Pass	
4,4'-DDE	mg/kg	< 0.05			0.05	Pass	
4,4'-DDT	mg/kg	< 0.05			0.05	Pass	
a-BHC	mg/kg	< 0.05			0.05	Pass	
Aldrin	mg/kg	< 0.05			0.05	Pass	
b-BHC	mg/kg	< 0.05			0.05	Pass	
d-BHC	mg/kg	< 0.05			0.05	Pass	
Dieldrin	mg/kg	< 0.05			0.05	Pass	
Endosulfan I	mg/kg	< 0.05			0.05	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Endosulfan II	mg/kg	< 0.05			0.05	Pass	
Endosulfan sulphate	mg/kg	< 0.05			0.05	Pass	
Endrin	mg/kg	< 0.05			0.05	Pass	
Endrin aldehyde	mg/kg	< 0.05			0.05	Pass	
Endrin ketone	mg/kg	< 0.05			0.05	Pass	
g-BHC (Lindane)	mg/kg	< 0.05			0.05	Pass	
Heptachlor	mg/kg	< 0.05			0.05	Pass	
Heptachlor epoxide	mg/kg	< 0.05			0.05	Pass	
Hexachlorobenzene	mg/kg	< 0.05			0.05	Pass	
Methoxychlor	mg/kg	< 0.05			0.05	Pass	
Toxaphene	mg/kg	< 1			1	Pass	
Method Blank							
Organophosphorus Pesticides							
Azinphos-methyl	mg/kg	< 0.2			0.2	Pass	
Bolstar	mg/kg	< 0.2			0.2	Pass	
Chlorfenvinphos	mg/kg	< 0.2			0.2	Pass	
Chlorpyrifos	mg/kg	< 0.2			0.2	Pass	
Chlorpyrifos-methyl	mg/kg	< 0.2			0.2	Pass	
Coumaphos	mg/kg	< 2			2	Pass	
Demeton-S	mg/kg	< 0.2			0.2	Pass	
Demeton-O	mg/kg	< 0.2			0.2	Pass	
Diazinon	mg/kg	< 0.2			0.2	Pass	
Dichlorvos	mg/kg	< 0.2			0.2	Pass	
Dimethoate	mg/kg	< 0.2			0.2	Pass	
Disulfoton	mg/kg	< 0.2			0.2	Pass	
EPN	mg/kg	< 0.2			0.2	Pass	
Ethion	mg/kg	< 0.2			0.2	Pass	
Ethoprop	mg/kg	< 0.2			0.2	Pass	
Ethyl parathion	mg/kg	< 0.2			0.2	Pass	
Fenitrothion	mg/kg	< 0.2			0.2	Pass	
Fensulfothion	mg/kg	< 0.2			0.2	Pass	
Fenthion	mg/kg	< 0.2			0.2	Pass	
Malathion	mg/kg	< 0.2			0.2	Pass	
Merphos	mg/kg	< 0.2			0.2	Pass	
Methyl parathion	mg/kg	< 0.2			0.2	Pass	
Mevinphos	mg/kg	< 0.2			0.2	Pass	
Monocrotophos	mg/kg	< 2			2	Pass	
Naled	mg/kg	< 0.2			0.2	Pass	
Omethoate	mg/kg	< 2			2	Pass	
Phorate	mg/kg	< 0.2			0.2	Pass	
Pirimiphos-methyl	mg/kg	< 0.2			0.2	Pass	
Pyrazophos	mg/kg	< 0.2			0.2	Pass	
Ronnel	mg/kg	< 0.2			0.2	Pass	
Terbufos	mg/kg	< 0.2			0.2	Pass	
Tetrachlorvinphos	mg/kg	< 0.2			0.2	Pass	
Tokuthion	mg/kg	< 0.2			0.2	Pass	
Trichloronate	mg/kg	< 0.2			0.2	Pass	
Method Blank							
Polychlorinated Biphenyls							
Aroclor-1016	mg/kg	< 0.1			0.1	Pass	
Aroclor-1221	mg/kg	< 0.1			0.1	Pass	
Aroclor-1232	mg/kg	< 0.1			0.1	Pass	
Aroclor-1242	mg/kg	< 0.1			0.1	Pass	
Aroclor-1248	mg/kg	< 0.1			0.1	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Aroclor-1254	mg/kg	< 0.1			0.1	Pass	
Aroclor-1260	mg/kg	< 0.1			0.1	Pass	
Total PCB*	mg/kg	< 0.1			0.1	Pass	
Method Blank							
Phenols (Halogenated)							
2-Chlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4,5-Trichlorophenol	mg/kg	< 1			1	Pass	
2,4,6-Trichlorophenol	mg/kg	< 1			1	Pass	
2,6-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
4-Chloro-3-methylphenol	mg/kg	< 1			1	Pass	
Pentachlorophenol	mg/kg	< 1			1	Pass	
Tetrachlorophenols - Total	mg/kg	< 10			10	Pass	
Method Blank							
Phenols (non-Halogenated)							
2-Cyclohexyl-4,6-dinitrophenol	mg/kg	< 20			20	Pass	
2-Methyl-4,6-dinitrophenol	mg/kg	< 5			5	Pass	
2-Methylphenol (o-Cresol)	mg/kg	< 0.2			0.2	Pass	
2-Nitrophenol	mg/kg	< 1			1.0	Pass	
2,4-Dimethylphenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dinitrophenol	mg/kg	< 5			5	Pass	
3&4-Methylphenol (m&p-Cresol)	mg/kg	< 0.4			0.4	Pass	
4-Nitrophenol	mg/kg	< 5			5	Pass	
Dinoseb	mg/kg	< 20			20	Pass	
Phenol	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Semivolatile Organics							
2-Methyl-4,6-dinitrophenol	mg/kg	< 5			5	Pass	
1-Chloronaphthalene	mg/kg	< 0.5			0.5	Pass	
1-Naphthylamine	mg/kg	< 0.5			0.5	Pass	
1,2-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1,2,3-Trichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1,2,3,4-Tetrachlorobenzene	mg/kg	< 0.5			0.5	Pass	
1,2,3,5-Tetrachlorobenzene	mg/kg	< 0.5			0.5	Pass	
1,2,4-Trichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1,2,4,5-Tetrachlorobenzene	mg/kg	< 0.5			0.5	Pass	
1,3-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1,3,5-Trichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1,4-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
2-Chloronaphthalene	mg/kg	< 0.5			0.5	Pass	
2-Chlorophenol	mg/kg	< 0.5			0.5	Pass	
2-Methylnaphthalene	mg/kg	< 0.5			0.5	Pass	
2-Methylphenol (o-Cresol)	mg/kg	< 0.2			0.2	Pass	
2-Naphthylamine	mg/kg	< 0.5			0.5	Pass	
2-Nitroaniline	mg/kg	< 0.5			0.5	Pass	
2-Nitrophenol	mg/kg	< 1			1.0	Pass	
2-Picoline	mg/kg	< 0.5			0.5	Pass	
2,3,4,6-Tetrachlorophenol	mg/kg	< 5			5	Pass	
2,4-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dimethylphenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dinitrophenol	mg/kg	< 5			5	Pass	
2,4-Dinitrotoluene	mg/kg	< 0.5			0.5	Pass	
2,4,5-Trichlorophenol	mg/kg	< 1			1	Pass	
2,4,6-Trichlorophenol	mg/kg	< 1			1	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
2.6-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
2.6-Dinitrotoluene	mg/kg	< 0.5			0.5	Pass	
3&4-Methylphenol (m&p-Cresol)	mg/kg	< 0.4			0.4	Pass	
3-Methylcholanthrene	mg/kg	< 0.5			0.5	Pass	
3.3'-Dichlorobenzidine	mg/kg	< 0.5			0.5	Pass	
4-Aminobiphenyl	mg/kg	< 0.5			0.5	Pass	
4-Bromophenyl phenyl ether	mg/kg	< 0.5			0.5	Pass	
4-Chloro-3-methylphenol	mg/kg	< 1			1	Pass	
4-Chlorophenyl phenyl ether	mg/kg	< 0.5			0.5	Pass	
4-Nitrophenol	mg/kg	< 5			5	Pass	
4.4'-DDD	mg/kg	< 0.5			0.5	Pass	
4.4'-DDE	mg/kg	< 0.5			0.5	Pass	
4.4'-DDT	mg/kg	< 0.5			0.5	Pass	
7.12-Dimethylbenz(a)anthracene	mg/kg	< 0.5			0.5	Pass	
a-BHC	mg/kg	< 0.5			0.5	Pass	
Acenaphthene	mg/kg	< 0.5			0.5	Pass	
Acenaphthylene	mg/kg	< 0.5			0.5	Pass	
Acetophenone	mg/kg	< 0.5			0.5	Pass	
Aldrin	mg/kg	< 0.5			0.5	Pass	
Aniline	mg/kg	< 0.5			0.5	Pass	
Anthracene	mg/kg	< 0.5			0.5	Pass	
b-BHC	mg/kg	< 0.5			0.5	Pass	
Benz(a)anthracene	mg/kg	< 0.5			0.5	Pass	
Benzo(a)pyrene	mg/kg	< 0.5			0.5	Pass	
Benzo(b&j)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Benzo(g,h,i)perylene	mg/kg	< 0.5			0.5	Pass	
Benzo(k)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Benzyl chloride	mg/kg	< 0.5			0.5	Pass	
Bis(2-chloroethoxy)methane	mg/kg	< 0.5			0.5	Pass	
Bis(2-chloroisopropyl)ether	mg/kg	< 0.5			0.5	Pass	
Bis(2-ethylhexyl)phthalate	mg/kg	< 0.5			0.5	Pass	
Butyl benzyl phthalate	mg/kg	< 0.5			0.5	Pass	
Chrysene	mg/kg	< 0.5			0.5	Pass	
d-BHC	mg/kg	< 0.5			0.5	Pass	
Di-n-butyl phthalate	mg/kg	< 0.5			0.5	Pass	
Di-n-octyl phthalate	mg/kg	< 0.5			0.5	Pass	
Dibenz(a,h)anthracene	mg/kg	< 0.5			0.5	Pass	
Dibenz(a,j)acridine	mg/kg	< 0.5			0.5	Pass	
Dibenzofuran	mg/kg	< 0.5			0.5	Pass	
Dieldrin	mg/kg	< 0.5			0.5	Pass	
Diethyl phthalate	mg/kg	< 0.5			0.5	Pass	
Dimethyl phthalate	mg/kg	< 0.5			0.5	Pass	
Dimethylaminoazobenzene	mg/kg	< 0.5			0.5	Pass	
Diphenylamine	mg/kg	< 0.5			0.5	Pass	
Endosulfan I	mg/kg	< 0.5			0.5	Pass	
Endosulfan II	mg/kg	< 0.5			0.5	Pass	
Endosulfan sulphate	mg/kg	< 0.5			0.5	Pass	
Endrin	mg/kg	< 0.5			0.5	Pass	
Endrin aldehyde	mg/kg	< 0.5			0.5	Pass	
Endrin ketone	mg/kg	< 0.5			0.5	Pass	
Fluoranthene	mg/kg	< 0.5			0.5	Pass	
Fluorene	mg/kg	< 0.5			0.5	Pass	
g-BHC (Lindane)	mg/kg	< 0.5			0.5	Pass	
Heptachlor	mg/kg	< 0.5			0.5	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Heptachlor epoxide	mg/kg	< 0.5			0.5	Pass	
Hexachlorobenzene	mg/kg	< 0.5			0.5	Pass	
Hexachlorobutadiene	mg/kg	< 0.5			0.5	Pass	
Hexachlorocyclopentadiene	mg/kg	< 0.5			0.5	Pass	
Hexachloroethane	mg/kg	< 0.5			0.5	Pass	
Indeno(1.2.3-cd)pyrene	mg/kg	< 0.5			0.5	Pass	
Methoxychlor	mg/kg	< 0.5			0.5	Pass	
N-Nitrosodibutylamine	mg/kg	< 0.5			0.5	Pass	
N-Nitrosodipropylamine	mg/kg	< 0.5			0.5	Pass	
N-Nitrosopiperidine	mg/kg	< 0.5			0.5	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
Nitrobenzene	mg/kg	< 0.5			0.5	Pass	
Pentachlorobenzene	mg/kg	< 0.5			0.5	Pass	
Pentachloronitrobenzene	mg/kg	< 0.5			0.5	Pass	
Pentachlorophenol	mg/kg	< 1			1	Pass	
Phenanthrene	mg/kg	< 0.5			0.5	Pass	
Phenol	mg/kg	< 0.5			0.5	Pass	
Pronamide	mg/kg	< 0.5			0.5	Pass	
Pyrene	mg/kg	< 0.5			0.5	Pass	
Trifluralin	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Heavy Metals							
Arsenic	mg/kg	< 2			2	Pass	
Cadmium	mg/kg	< 0.4			0.4	Pass	
Chromium	mg/kg	< 5			5	Pass	
Copper	mg/kg	< 5			5	Pass	
Lead	mg/kg	< 5			5	Pass	
Mercury	mg/kg	< 0.1			0.1	Pass	
Nickel	mg/kg	< 5			5	Pass	
Zinc	mg/kg	< 5			5	Pass	
LCS - % Recovery							
Total Recoverable Hydrocarbons - 1999 NEPM Fractions							
TRH C6-C9	%	90			70-130	Pass	
TRH C10-C14	%	129			70-130	Pass	
LCS - % Recovery							
BTEX							
Benzene	%	97			70-130	Pass	
Toluene	%	119			70-130	Pass	
Ethylbenzene	%	114			70-130	Pass	
m&p-Xylenes	%	106			70-130	Pass	
Xylenes - Total	%	110			70-130	Pass	
LCS - % Recovery							
Volatile Organics							
1.1-Dichloroethene	%	87			70-130	Pass	
1.1.1-Trichloroethane	%	96			70-130	Pass	
1.2-Dichlorobenzene	%	88			70-130	Pass	
1.2-Dichloroethane	%	103			70-130	Pass	
Benzene	%	91			70-130	Pass	
Ethylbenzene	%	86			70-130	Pass	
m&p-Xylenes	%	91			70-130	Pass	
Toluene	%	93			70-130	Pass	
Trichloroethene	%	81			70-130	Pass	
Xylenes - Total	%	115			70-130	Pass	
LCS - % Recovery							

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Total Recoverable Hydrocarbons - 2013 NEPM Fractions							
Naphthalene	%	91			70-130	Pass	
TRH C6-C10	%	87			70-130	Pass	
TRH >C10-C16	%	125			70-130	Pass	
LCS - % Recovery							
Polycyclic Aromatic Hydrocarbons							
Acenaphthene	%	78			70-130	Pass	
Acenaphthylene	%	77			70-130	Pass	
Anthracene	%	91			70-130	Pass	
Benz(a)anthracene	%	88			70-130	Pass	
Benzo(a)pyrene	%	84			70-130	Pass	
Benzo(b&i)fluoranthene	%	80			70-130	Pass	
Benzo(g,h,i)perylene	%	86			70-130	Pass	
Benzo(k)fluoranthene	%	77			70-130	Pass	
Chrysene	%	88			70-130	Pass	
Dibenz(a,h)anthracene	%	84			70-130	Pass	
Fluoranthene	%	74			70-130	Pass	
Fluorene	%	79			70-130	Pass	
Indeno(1,2,3-cd)pyrene	%	120			70-130	Pass	
Naphthalene	%	78			70-130	Pass	
Phenanthrene	%	71			70-130	Pass	
Pyrene	%	80			70-130	Pass	
LCS - % Recovery							
Organochlorine Pesticides							
Chlordanes - Total	%	106			70-130	Pass	
4,4'-DDD	%	95			70-130	Pass	
4,4'-DDE	%	110			70-130	Pass	
4,4'-DDT	%	90			70-130	Pass	
a-BHC	%	101			70-130	Pass	
Aldrin	%	103			70-130	Pass	
b-BHC	%	94			70-130	Pass	
d-BHC	%	101			70-130	Pass	
Dieldrin	%	110			70-130	Pass	
Endosulfan I	%	111			70-130	Pass	
Endosulfan II	%	98			70-130	Pass	
Endosulfan sulphate	%	92			70-130	Pass	
Endrin	%	81			70-130	Pass	
Endrin aldehyde	%	80			70-130	Pass	
Endrin ketone	%	100			70-130	Pass	
g-BHC (Lindane)	%	112			70-130	Pass	
Heptachlor	%	89			70-130	Pass	
Heptachlor epoxide	%	97			70-130	Pass	
Hexachlorobenzene	%	113			70-130	Pass	
Methoxychlor	%	72			70-130	Pass	
LCS - % Recovery							
Organophosphorus Pesticides							
Diazinon	%	116			70-130	Pass	
Dimethoate	%	108			70-130	Pass	
Ethion	%	72			70-130	Pass	
Fenitrothion	%	85			70-130	Pass	
Methyl parathion	%	92			70-130	Pass	
Mevinphos	%	119			70-130	Pass	
LCS - % Recovery							
Polychlorinated Biphenyls							

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Aroclor-1260	%	126			70-130	Pass	
LCS - % Recovery							
Phenols (Halogenated)							
2-Chlorophenol	%	82			30-130	Pass	
2.4-Dichlorophenol	%	76			30-130	Pass	
2.4.5-Trichlorophenol	%	78			30-130	Pass	
2.4.6-Trichlorophenol	%	81			30-130	Pass	
2.6-Dichlorophenol	%	81			30-130	Pass	
4-Chloro-3-methylphenol	%	76			30-130	Pass	
Pentachlorophenol	%	104			30-130	Pass	
Tetrachlorophenols - Total	%	81			30-130	Pass	
LCS - % Recovery							
Phenols (non-Halogenated)							
2-Cyclohexyl-4.6-dinitrophenol	%	65			30-130	Pass	
2-Methyl-4.6-dinitrophenol	%	79			30-130	Pass	
2-Methylphenol (o-Cresol)	%	79			30-130	Pass	
2-Nitrophenol	%	74			30-130	Pass	
2.4-Dimethylphenol	%	81			30-130	Pass	
2.4-Dinitrophenol	%	94			30-130	Pass	
3&4-Methylphenol (m&p-Cresol)	%	77			30-130	Pass	
4-Nitrophenol	%	104			30-130	Pass	
Dinoseb	%	69			30-130	Pass	
Phenol	%	76			30-130	Pass	
LCS - % Recovery							
Semivolatile Organics							
2-Methyl-4.6-dinitrophenol	%	74			30-130	Pass	
1.2-Dichlorobenzene	%	87			75-125	Pass	
1.2.3-Trichlorobenzene	%	82			75-125	Pass	
1.2.4-Trichlorobenzene	%	81			70-130	Pass	
1.4-Dichlorobenzene	%	81			70-130	Pass	
2-Chlorophenol	%	114			30-130	Pass	
2-Methylphenol (o-Cresol)	%	73			30-130	Pass	
2-Nitrophenol	%	68			30-130	Pass	
2.4-Dichlorophenol	%	65			30-130	Pass	
2.4-Dimethylphenol	%	67			30-130	Pass	
2.4-Dinitrophenol	%	53			30-130	Pass	
2.4-Dinitrotoluene	%	94			70-130	Pass	
2.4.5-Trichlorophenol	%	80			30-130	Pass	
2.4.6-Trichlorophenol	%	78			30-130	Pass	
2.6-Dichlorophenol	%	65			30-130	Pass	
3&4-Methylphenol (m&p-Cresol)	%	74			30-130	Pass	
4-Chloro-3-methylphenol	%	114			30-130	Pass	
4-Nitrophenol	%	62			30-130	Pass	
Acenaphthene	%	84			70-130	Pass	
Acenaphthylene	%	83			70-130	Pass	
Anthracene	%	73			70-130	Pass	
Benz(a)anthracene	%	80			70-130	Pass	
Benzo(a)pyrene	%	86			70-130	Pass	
Benzo(b&j)fluoranthene	%	112			70-130	Pass	
Benzo(g,h,i)perylene	%	72			70-130	Pass	
Benzo(k)fluoranthene	%	129			70-130	Pass	
Chrysene	%	85			70-130	Pass	
Dibenz(a,h)anthracene	%	101			70-130	Pass	
Fluoranthene	%	86			70-130	Pass	

Test	Units	Result 1	Acceptance Limits	Pass Limits	Qualifying Code		
Fluorene	%	86	70-130	Pass			
Indeno(1.2.3-cd)pyrene	%	103	70-130	Pass			
N-Nitrosodipropylamine	%	116	70-130	Pass			
Naphthalene	%	82	70-130	Pass			
Pentachlorophenol	%	97	30-130	Pass			
Phenanthrene	%	87	70-130	Pass			
Phenol	%	89	30-130	Pass			
Pyrene	%	86	70-130	Pass			
LCS - % Recovery							
Heavy Metals							
Arsenic	%	86	80-120	Pass			
Cadmium	%	98	80-120	Pass			
Chromium	%	84	80-120	Pass			
Copper	%	90	80-120	Pass			
Lead	%	103	80-120	Pass			
Mercury	%	92	75-125	Pass			
Nickel	%	82	80-120	Pass			
Zinc	%	106	80-120	Pass			
Test	Lab Sample ID	QA Source	Units	Result 1	Acceptance Limits	Pass Limits	Qualifying Code
Spike - % Recovery							
Total Recoverable Hydrocarbons - 1999 NEPM Fractions				Result 1			
TRH C6-C9	S19-Au09357	CP	%	92	70-130	Pass	
Spike - % Recovery							
BTEX				Result 1			
Benzene	S19-Au09357	CP	%	76	70-130	Pass	
Toluene	S19-Au09357	CP	%	89	70-130	Pass	
Ethylbenzene	S19-Au09357	CP	%	101	70-130	Pass	
m&p-Xylenes	S19-Au09357	CP	%	101	70-130	Pass	
o-Xylene	S19-Au09357	CP	%	100	70-130	Pass	
Xylenes - Total	S19-Au09357	CP	%	101	70-130	Pass	
Spike - % Recovery							
Total Recoverable Hydrocarbons - 2013 NEPM Fractions				Result 1			
Naphthalene	S19-Au09357	CP	%	103	70-130	Pass	
TRH C6-C10	S19-Au09357	CP	%	90	70-130	Pass	
Spike - % Recovery							
Total Recoverable Hydrocarbons - 1999 NEPM Fractions				Result 1			
TRH C10-C14	S19-Au09358	CP	%	126	70-130	Pass	
Spike - % Recovery							
Total Recoverable Hydrocarbons - 2013 NEPM Fractions				Result 1			
TRH >C10-C16	S19-Au09358	CP	%	122	70-130	Pass	
Spike - % Recovery							
Organochlorine Pesticides				Result 1			
Chlordanes - Total	M19-Au07788	NCP	%	97	70-130	Pass	
4.4'-DDD	M19-Au07788	NCP	%	88	70-130	Pass	
4.4'-DDE	M19-Au07788	NCP	%	95	70-130	Pass	
4.4'-DDT	M19-Au07788	NCP	%	74	70-130	Pass	
a-BHC	M19-Au07788	NCP	%	100	70-130	Pass	
Aldrin	M19-Au07788	NCP	%	92	70-130	Pass	
b-BHC	M19-Au07788	NCP	%	92	70-130	Pass	
d-BHC	M19-Au07788	NCP	%	98	70-130	Pass	
Dieldrin	M19-Au07788	NCP	%	96	70-130	Pass	
Endosulfan I	M19-Au07788	NCP	%	84	70-130	Pass	
Endosulfan II	M19-Au07788	NCP	%	82	70-130	Pass	
Endosulfan sulphate	M19-Au07788	NCP	%	78	70-130	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Endrin	M19-Au07788	NCP	%	84		70-130	Pass	
Endrin aldehyde	M19-Au07788	NCP	%	92		70-130	Pass	
Endrin ketone	M19-Au07788	NCP	%	93		70-130	Pass	
γ-BHC (Lindane)	M19-Au07788	NCP	%	102		70-130	Pass	
Heptachlor	M19-Au07788	NCP	%	100		70-130	Pass	
Heptachlor epoxide	M19-Au07788	NCP	%	88		70-130	Pass	
Hexachlorobenzene	M19-Au07788	NCP	%	72		70-130	Pass	
Spike - % Recovery								
Volatile Organics				Result 1				
1.1-Dichloroethene	M19-Au10042	NCP	%	88		70-130	Pass	
1.1.1-Trichloroethane	M19-Au10042	NCP	%	90		70-130	Pass	
1.2-Dichlorobenzene	M19-Au10042	NCP	%	78		70-130	Pass	
1.2-Dichloroethane	M19-Au10042	NCP	%	85		70-130	Pass	
Trichloroethene	M19-Au10042	NCP	%	71		70-130	Pass	
Spike - % Recovery								
Polychlorinated Biphenyls				Result 1				
Aroclor-1016	M19-Au07788	NCP	%	110		70-130	Pass	
Aroclor-1260	M19-Au07788	NCP	%	115		70-130	Pass	
Spike - % Recovery								
Phenols (non-Halogenated)				Result 1				
2,4-Dinitrophenol	S19-Au11231	NCP	%	41		30-130	Pass	
Spike - % Recovery								
Polycyclic Aromatic Hydrocarbons				Result 1				
Acenaphthene	S19-Au09372	CP	%	73		70-130	Pass	
Acenaphthylene	S19-Au09372	CP	%	74		70-130	Pass	
Anthracene	S19-Au09372	CP	%	101		70-130	Pass	
Benz(a)anthracene	S19-Au09372	CP	%	71		70-130	Pass	
Benzo(a)pyrene	S19-Au09372	CP	%	75		70-130	Pass	
Benzo(b&j)fluoranthene	S19-Au09372	CP	%	77		70-130	Pass	
Benzo(g,h,i)perylene	S19-Au09372	CP	%	81		70-130	Pass	
Benzo(k)fluoranthene	S19-Au09372	CP	%	79		70-130	Pass	
Chrysene	S19-Au09372	CP	%	82		70-130	Pass	
Dibenz(a,h)anthracene	S19-Au09372	CP	%	90		70-130	Pass	
Fluoranthene	S19-Au09372	CP	%	112		70-130	Pass	
Fluorene	S19-Au09372	CP	%	78		70-130	Pass	
Indeno(1,2,3-cd)pyrene	S19-Au09372	CP	%	83		70-130	Pass	
Naphthalene	S19-Au09372	CP	%	84		70-130	Pass	
Phenanthrene	S19-Au09372	CP	%	106		70-130	Pass	
Pyrene	S19-Au09372	CP	%	113		70-130	Pass	
Spike - % Recovery								
Phenols (Halogenated)				Result 1				
2-Chlorophenol	S19-Au09372	CP	%	98		30-130	Pass	
2,4-Dichlorophenol	S19-Au09372	CP	%	75		30-130	Pass	
2,4,5-Trichlorophenol	S19-Au09372	CP	%	94		30-130	Pass	
2,4,6-Trichlorophenol	S19-Au09372	CP	%	98		30-130	Pass	
2,6-Dichlorophenol	S19-Au09372	CP	%	74		30-130	Pass	
4-Chloro-3-methylphenol	S19-Au09372	CP	%	69		30-130	Pass	
Pentachlorophenol	S19-Au09372	CP	%	58		30-130	Pass	
Tetrachlorophenols - Total	S19-Au09372	CP	%	98		30-130	Pass	
Spike - % Recovery								
Phenols (non-Halogenated)				Result 1				
2-Cyclohexyl-4,6-dinitrophenol	S19-Au09372	CP	%	33		30-130	Pass	
2-Methyl-4,6-dinitrophenol	S19-Au09372	CP	%	51		30-130	Pass	
2-Methylphenol (o-Cresol)	S19-Au09372	CP	%	92		30-130	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
2-Nitrophenol	S19-Au09372	CP	%	79			30-130	Pass	
2,4-Dimethylphenol	S19-Au09372	CP	%	83			30-130	Pass	
3&4-Methylphenol (m&p-Cresol)	S19-Au09372	CP	%	89			30-130	Pass	
4-Nitrophenol	S19-Au09372	CP	%	53			30-130	Pass	
Dinoseb	S19-Au09372	CP	%	48			30-130	Pass	
Phenol	S19-Au09372	CP	%	86			30-130	Pass	
Spike - % Recovery									
Organochlorine Pesticides				Result 1					
Methoxychlor	S19-Au07185	NCP	%	76			70-130	Pass	
Spike - % Recovery									
Organophosphorus Pesticides				Result 1					
Diazinon	M19-Au19507	NCP	%	92			70-130	Pass	
Dimethoate	M19-Au19507	NCP	%	78			70-130	Pass	
Ethion	M19-Au19507	NCP	%	80			70-130	Pass	
Fenitrothion	M19-Au19507	NCP	%	99			70-130	Pass	
Methyl parathion	M19-Au19507	NCP	%	91			70-130	Pass	
Mevinphos	M19-Au19507	NCP	%	84			70-130	Pass	
Spike - % Recovery									
Heavy Metals				Result 1					
Arsenic	S19-Au09376	CP	%	94			75-125	Pass	
Cadmium	S19-Au09376	CP	%	76			75-125	Pass	
Chromium	S19-Au09376	CP	%	150			75-125	Fail	Q08
Copper	S19-Au09376	CP	%	103			75-125	Pass	
Lead	S19-Au09376	CP	%	96			75-125	Pass	
Mercury	S19-Au09376	CP	%	89			70-130	Pass	
Nickel	S19-Au09376	CP	%	109			75-125	Pass	
Zinc	S19-Au09376	CP	%	112			75-125	Pass	
Spike - % Recovery									
Total Recoverable Hydrocarbons - 1999 NEPM Fractions				Result 1					
TRH C10-C14	S19-Au09377	CP	%	109			70-130	Pass	
Spike - % Recovery									
Total Recoverable Hydrocarbons - 2013 NEPM Fractions				Result 1					
TRH >C10-C16	S19-Au09377	CP	%	104			70-130	Pass	
Spike - % Recovery									
Total Recoverable Hydrocarbons - 1999 NEPM Fractions				Result 1					
TRH C10-C14	S19-Au09380	CP	%	127			70-130	Pass	
Spike - % Recovery									
Total Recoverable Hydrocarbons - 2013 NEPM Fractions				Result 1					
TRH >C10-C16	S19-Au09380	CP	%	117			70-130	Pass	
Spike - % Recovery									
Heavy Metals				Result 1					
Arsenic	S19-Au09386	CP	%	107			75-125	Pass	
Cadmium	S19-Au09386	CP	%	85			75-125	Pass	
Chromium	S19-Au09386	CP	%	117			75-125	Pass	
Copper	S19-Au09386	CP	%	121			75-125	Pass	
Lead	S19-Au09386	CP	%	118			75-125	Pass	
Mercury	S19-Au09386	CP	%	98			70-130	Pass	
Nickel	S19-Au09386	CP	%	112			75-125	Pass	
Zinc	S19-Au09386	CP	%	126			75-125	Fail	Q08
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Duplicate									
Total Recoverable Hydrocarbons - 1999 NEPM Fractions				Result 1	Result 2	RPD			
TRH C6-C9	S19-Au09356	CP	mg/kg	< 20	< 20	<1	30%	Pass	

Duplicate								
BTEX				Result 1	Result 2	RPD		
Benzene	S19-Au09356	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Toluene	S19-Au09356	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Ethylbenzene	S19-Au09356	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
m&p-Xylenes	S19-Au09356	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
o-Xylene	S19-Au09356	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Xylenes - Total	S19-Au09356	CP	mg/kg	< 0.3	< 0.3	<1	30%	Pass
Duplicate								
Total Recoverable Hydrocarbons - 2013 NEPM Fractions				Result 1	Result 2	RPD		
Naphthalene	S19-Au09356	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
TRH C6-C10	S19-Au09356	CP	mg/kg	< 20	< 20	<1	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
% Moisture	M19-Au09857	NCP	%	13	13	<1	30%	Pass
Duplicate								
Total Recoverable Hydrocarbons - 1999 NEPM Fractions				Result 1	Result 2	RPD		
TRH C10-C14	S19-Au09357	CP	mg/kg	< 20	< 20	<1	30%	Pass
TRH C15-C28	S19-Au09357	CP	mg/kg	< 50	< 50	<1	30%	Pass
TRH C29-C36	S19-Au09357	CP	mg/kg	< 50	< 50	<1	30%	Pass
Duplicate								
Total Recoverable Hydrocarbons - 2013 NEPM Fractions				Result 1	Result 2	RPD		
TRH >C10-C16	S19-Au09357	CP	mg/kg	< 50	< 50	<1	30%	Pass
TRH >C16-C34	S19-Au09357	CP	mg/kg	< 100	< 100	<1	30%	Pass
TRH >C34-C40	S19-Au09357	CP	mg/kg	< 100	< 100	<1	30%	Pass
Duplicate								
Organochlorine Pesticides				Result 1	Result 2	RPD		
Chlordanes - Total	S19-Au09361	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
4,4'-DDD	S19-Au09361	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDE	S19-Au09361	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDT	S19-Au09361	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
a-BHC	S19-Au09361	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Aldrin	S19-Au09361	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
b-BHC	S19-Au09361	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
d-BHC	S19-Au09361	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Dieldrin	S19-Au09361	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan I	S19-Au09361	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan II	S19-Au09361	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan sulphate	S19-Au09361	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin	S19-Au09361	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin aldehyde	S19-Au09361	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin ketone	S19-Au09361	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
g-BHC (Lindane)	S19-Au09361	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor	S19-Au09361	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor epoxide	S19-Au09361	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Hexachlorobenzene	S19-Au09361	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Methoxychlor	S19-Au09361	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Organophosphorus Pesticides				Result 1	Result 2	RPD		
Azinphos-methyl	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Bolstar	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Chlorfenvinphos	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Chlorpyrifos	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Chlorpyrifos-methyl	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Coumaphos	S19-Au09361	CP	mg/kg	< 2	< 2	<1	30%	Pass
Demeton-S	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass

Duplicate								
Organophosphorus Pesticides				Result 1	Result 2	RPD		
Demeton-O	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Diazinon	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Dichlorvos	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Dimethoate	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Disulfoton	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
EPN	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Ethion	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Ethoprop	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Ethyl parathion	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Fenitrothion	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Fensulfothion	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Fenthion	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Malathion	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Merphos	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Methyl parathion	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Mevinphos	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Monocrotophos	S19-Au09361	CP	mg/kg	< 2	< 2	<1	30%	Pass
Naled	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Omethoate	S19-Au09361	CP	mg/kg	< 2	< 2	<1	30%	Pass
Phorate	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Pirimiphos-methyl	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Pyrazophos	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Ronnel	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Terbufos	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Tetrachlorvinphos	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Tokuthion	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Trichloronate	S19-Au09361	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Duplicate								
Total Recoverable Hydrocarbons - 1999 NEPM Fractions				Result 1	Result 2	RPD		
TRH C6-C9	S19-Au09367	CP	mg/kg	< 20	< 20	<1	30%	Pass
Duplicate								
BTEX				Result 1	Result 2	RPD		
Benzene	S19-Au09367	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Toluene	S19-Au09367	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Ethylbenzene	S19-Au09367	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
m&p-Xylenes	S19-Au09367	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
o-Xylene	S19-Au09367	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Xylenes - Total	S19-Au09367	CP	mg/kg	< 0.3	< 0.3	<1	30%	Pass
Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
1.1-Dichloroethane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1-Dichloroethene	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.1-Trichloroethane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.1.2-Tetrachloroethane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.2-Trichloroethane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.2.2-Tetrachloroethane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dibromoethane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichlorobenzene	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichloroethane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichloropropane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.3-Trichloropropane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.4-Trimethylbenzene	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3-Dichlorobenzene	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3-Dichloropropane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass

Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
1.3.5-Trimethylbenzene	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.4-Dichlorobenzene	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Butanone (MEK)	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Propanone (Acetone)	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chlorotoluene	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Methyl-2-pentanone (MIBK)	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Allyl chloride	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromobenzene	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromochloromethane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromodichloromethane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromoform	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromomethane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon disulfide	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon Tetrachloride	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chlorobenzene	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroethane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroform	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloromethane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.2-Dichloroethene	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.3-Dichloropropene	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromochloromethane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromomethane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dichlorodifluoromethane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Iodomethane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Isopropyl benzene (Cumene)	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Methylene Chloride	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Styrene	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Tetrachloroethene	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
trans-1.2-Dichloroethene	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
trans-1.3-Dichloropropene	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichloroethene	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichlorofluoromethane	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Vinyl chloride	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Total Recoverable Hydrocarbons - 2013 NEPM Fractions				Result 1	Result 2	RPD		
Naphthalene	S19-Au09367	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
TRH C6-C10	S19-Au09367	CP	mg/kg	< 20	< 20	<1	30%	Pass
Duplicate								
Organochlorine Pesticides				Result 1	Result 2	RPD		
Toxaphene	M19-Au16342	NCP	mg/kg	< 1	< 1	<1	30%	Pass
Duplicate								
Polychlorinated Biphenyls				Result 1	Result 2	RPD		
Aroclor-1016	M19-Au09981	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1221	M19-Au09981	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1232	M19-Au09981	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1242	M19-Au09981	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1248	M19-Au09981	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1254	M19-Au09981	NCP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
Aroclor-1260	M19-Au09981	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Total PCB*	M19-Au09981	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Total Recoverable Hydrocarbons - 1999 NEPM Fractions				Result 1	Result 2	RPD		
TRH C10-C14	S19-Au09376	CP	mg/kg	< 20	< 20	<1	30%	Pass
TRH C15-C28	S19-Au09376	CP	mg/kg	< 50	< 50	<1	30%	Pass
TRH C29-C36	S19-Au09376	CP	mg/kg	< 50	< 50	<1	30%	Pass

Duplicate								
Total Recoverable Hydrocarbons - 2013 NEPM Fractions				Result 1	Result 2	RPD		
TRH >C10-C16	S19-Au09376	CP	mg/kg	< 50	< 50	<1	30%	Pass
TRH >C16-C34	S19-Au09376	CP	mg/kg	< 100	< 100	<1	30%	Pass
TRH >C34-C40	S19-Au09376	CP	mg/kg	< 100	< 100	<1	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Arsenic	S19-Au09376	CP	mg/kg	2.9	3.0	2.0	30%	Pass
Cadmium	S19-Au09376	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
Chromium	S19-Au09376	CP	mg/kg	88	90	2.0	30%	Pass
Copper	S19-Au09376	CP	mg/kg	28	29	1.0	30%	Pass
Lead	S19-Au09376	CP	mg/kg	7.5	7.6	1.0	30%	Pass
Mercury	S19-Au09376	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Nickel	S19-Au09376	CP	mg/kg	91	93	2.0	30%	Pass
Zinc	S19-Au09376	CP	mg/kg	59	60	2.0	30%	Pass
Duplicate								
Total Recoverable Hydrocarbons - 1999 NEPM Fractions				Result 1	Result 2	RPD		
TRH C10-C14	S19-Au09379	CP	mg/kg	< 20	< 20	<1	30%	Pass
TRH C15-C28	S19-Au09379	CP	mg/kg	< 50	< 50	<1	30%	Pass
TRH C29-C36	S19-Au09379	CP	mg/kg	< 50	< 50	<1	30%	Pass
Duplicate								
Total Recoverable Hydrocarbons - 2013 NEPM Fractions				Result 1	Result 2	RPD		
TRH >C10-C16	S19-Au09379	CP	mg/kg	< 50	< 50	<1	30%	Pass
TRH >C16-C34	S19-Au09379	CP	mg/kg	< 100	< 100	<1	30%	Pass
TRH >C34-C40	S19-Au09379	CP	mg/kg	< 100	< 100	<1	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Arsenic	S19-Au09385	CP	mg/kg	2.2	2.5	14	30%	Pass
Cadmium	S19-Au09385	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
Chromium	S19-Au09385	CP	mg/kg	9.0	10	11	30%	Pass
Copper	S19-Au09385	CP	mg/kg	9.7	12	20	30%	Pass
Lead	S19-Au09385	CP	mg/kg	16	14	11	30%	Pass
Mercury	S19-Au09385	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Nickel	S19-Au09385	CP	mg/kg	6.8	7.9	15	30%	Pass
Zinc	S19-Au09385	CP	mg/kg	37	41	11	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Arsenic	S19-Au09386	CP	mg/kg	2.3	2.4	3.0	30%	Pass
Cadmium	S19-Au09386	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
Chromium	S19-Au09386	CP	mg/kg	8.0	8.2	3.0	30%	Pass
Copper	S19-Au09386	CP	mg/kg	12	12	3.0	30%	Pass
Lead	S19-Au09386	CP	mg/kg	17	17	3.0	30%	Pass
Mercury	S19-Au09386	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Nickel	S19-Au09386	CP	mg/kg	< 5	< 5	<1	30%	Pass
Zinc	S19-Au09386	CP	mg/kg	14	15	4.0	30%	Pass

Comments
Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

Qualifier Codes/Comments

Code	Description
N01	F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis).
N02	Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid.
N04	F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes.
N07	Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs
Q08	The matrix spike recovery is outside of the recommended acceptance criteria. An acceptable recovery was obtained for the laboratory control sample indicating a sample matrix interference

Authorised By

Alena Bounkeua	Analytical Services Manager
Joseph Edouard	Senior Analyst-Organic (VIC)
Harry Bacalis	Senior Analyst-Volatile (VIC)
Emily Rosenberg	Senior Analyst-Metal (VIC)


**Glenn Jackson
General Manager**

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

GHD Pty Ltd NSW
 Level 15, 133 Castlereagh Street
 Sydney
 NSW 2000



NATA Accredited
 Accreditation Number 1261
 Site Number 18217

Accredited for compliance with ISO/IEC 17025 – Testing
 The results of the tests, calibrations and/or
 measurements included in this document are traceable
 to Australian/national standards.

Attention: **Emma Harrison**

Report **670027-W**
 Project name **HORNSBY QUARRY CONTAMINATION INVESTIGATION**
 Project ID **2126457-26**
 Received Date **Aug 07, 2019**

Client Sample ID			SW_01	QR02
Sample Matrix			Water	Water
Eurofins Sample No.			S19-Au09359	S19-Au09374
Date Sampled			Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit		
Total Recoverable Hydrocarbons - 1999 NEPM Fractions				
TRH C10-C14	0.05	mg/L	< 0.05	< 0.05
TRH C15-C28	0.1	mg/L	< 0.1	< 0.1
TRH C29-C36	0.1	mg/L	< 0.1	< 0.1
TRH C10-C36 (Total)	0.1	mg/L	< 0.1	< 0.1
Polycyclic Aromatic Hydrocarbons				
Acenaphthene	0.001	mg/L	< 0.001	< 0.001
Acenaphthylene	0.001	mg/L	< 0.001	< 0.001
Anthracene	0.001	mg/L	< 0.001	< 0.001
Benz(a)anthracene	0.001	mg/L	< 0.001	< 0.001
Benzo(a)pyrene	0.001	mg/L	< 0.001	< 0.001
Benzo(b&j)fluoranthene ^{N07}	0.001	mg/L	< 0.001	< 0.001
Benzo(g,h,i)perylene	0.001	mg/L	< 0.001	< 0.001
Benzo(k)fluoranthene	0.001	mg/L	< 0.001	< 0.001
Chrysene	0.001	mg/L	< 0.001	< 0.001
Dibenz(a,h)anthracene	0.001	mg/L	< 0.001	< 0.001
Fluoranthene	0.001	mg/L	< 0.001	< 0.001
Fluorene	0.001	mg/L	< 0.001	< 0.001
Indeno(1.2.3-cd)pyrene	0.001	mg/L	< 0.001	< 0.001
Naphthalene	0.001	mg/L	< 0.001	< 0.001
Phenanthrene	0.001	mg/L	< 0.001	< 0.001
Pyrene	0.001	mg/L	< 0.001	< 0.001
Total PAH*	0.001	mg/L	< 0.001	< 0.001
2-Fluorobiphenyl (surr.)	1	%	82	73
p-Terphenyl-d14 (surr.)	1	%	59	55
Organochlorine Pesticides				
Chlordanes - Total	0.001	mg/L	< 0.001	< 0.001
4,4'-DDD	0.0001	mg/L	< 0.0001	< 0.0001
4,4'-DDE	0.0001	mg/L	< 0.0001	< 0.0001
4,4'-DDT	0.0001	mg/L	< 0.0001	< 0.0001
a-BHC	0.0001	mg/L	< 0.0001	< 0.0001
Aldrin	0.0001	mg/L	< 0.0001	< 0.0001
b-BHC	0.0001	mg/L	< 0.0001	< 0.0001
d-BHC	0.0001	mg/L	< 0.0001	< 0.0001
Dieldrin	0.0001	mg/L	< 0.0001	< 0.0001
Endosulfan I	0.0001	mg/L	< 0.0001	< 0.0001

Client Sample ID			SW_01	QR02
Sample Matrix			Water	Water
Eurofins Sample No.			S19-Au09359	S19-Au09374
Date Sampled			Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit		
Organochlorine Pesticides				
Endosulfan II	0.0001	mg/L	< 0.0001	< 0.0001
Endosulfan sulphate	0.0001	mg/L	< 0.0001	< 0.0001
Endrin	0.0001	mg/L	< 0.0001	< 0.0001
Endrin aldehyde	0.0001	mg/L	< 0.0001	< 0.0001
Endrin ketone	0.0001	mg/L	< 0.0001	< 0.0001
g-BHC (Lindane)	0.0001	mg/L	< 0.0001	< 0.0001
Heptachlor	0.0001	mg/L	< 0.0001	< 0.0001
Heptachlor epoxide	0.0001	mg/L	< 0.0001	< 0.0001
Hexachlorobenzene	0.0001	mg/L	< 0.0001	< 0.0001
Methoxychlor	0.0001	mg/L	< 0.0001	< 0.0001
Toxaphene	0.01	mg/L	< 0.01	< 0.01
Aldrin and Dieldrin (Total)*	0.0001	mg/L	< 0.0001	< 0.0001
DDT + DDE + DDD (Total)*	0.0001	mg/L	< 0.0001	< 0.0001
Vic EPA IWRG 621 OCP (Total)*	0.001	mg/L	< 0.001	< 0.001
Vic EPA IWRG 621 Other OCP (Total)*	0.001	mg/L	< 0.001	< 0.001
Dibutylchloroendate (surr.)	1	%	73	68
Tetrachloro-m-xylene (surr.)	1	%	84	77
Organophosphorus Pesticides				
Azinphos-methyl	0.002	mg/L	< 0.002	< 0.002
Bolstar	0.002	mg/L	< 0.002	< 0.002
Chlorfenvinphos	0.002	mg/L	< 0.002	< 0.002
Chlorpyrifos	0.02	mg/L	< 0.02	< 0.02
Chlorpyrifos-methyl	0.002	mg/L	< 0.002	< 0.002
Coumaphos	0.02	mg/L	< 0.02	< 0.02
Demeton-S	0.02	mg/L	< 0.02	< 0.02
Demeton-O	0.002	mg/L	< 0.002	< 0.002
Diazinon	0.002	mg/L	< 0.002	< 0.002
Dichlorvos	0.002	mg/L	< 0.002	< 0.002
Dimethoate	0.002	mg/L	< 0.002	< 0.002
Disulfoton	0.002	mg/L	< 0.002	< 0.002
EPN	0.002	mg/L	< 0.002	< 0.002
Ethion	0.002	mg/L	< 0.002	< 0.002
Ethoprop	0.002	mg/L	< 0.002	< 0.002
Ethyl parathion	0.002	mg/L	< 0.002	< 0.002
Fenitrothion	0.002	mg/L	< 0.002	< 0.002
Fensulfothion	0.002	mg/L	< 0.002	< 0.002
Fenthion	0.002	mg/L	< 0.002	< 0.002
Malathion	0.002	mg/L	< 0.002	< 0.002
Merphos	0.002	mg/L	< 0.002	< 0.002
Methyl parathion	0.002	mg/L	< 0.002	< 0.002
Mevinphos	0.002	mg/L	< 0.002	< 0.002
Monocrotophos	0.002	mg/L	< 0.002	< 0.002
Naled	0.002	mg/L	< 0.002	< 0.002
Omethoate	0.002	mg/L	< 0.002	< 0.002
Phorate	0.002	mg/L	< 0.002	< 0.002
Pirimiphos-methyl	0.02	mg/L	< 0.02	< 0.02
Pyrazophos	0.002	mg/L	< 0.002	< 0.002
Ronnel	0.002	mg/L	< 0.002	< 0.002
Terbufos	0.002	mg/L	< 0.002	< 0.002

Client Sample ID			SW_01	QR02
Sample Matrix			Water	Water
Eurofins Sample No.			S19-Au09359	S19-Au09374
Date Sampled			Aug 06, 2019	Aug 06, 2019
Test/Reference	LOR	Unit		
Organophosphorus Pesticides				
Tetrachlorvinphos	0.002	mg/L	< 0.002	< 0.002
Tokuthion	0.002	mg/L	< 0.002	< 0.002
Trichloronate	0.002	mg/L	< 0.002	< 0.002
Triphenylphosphate (surr.)	1	%	77	72
Total Recoverable Hydrocarbons - 2013 NEPM Fractions				
TRH >C10-C16	0.05	mg/L	< 0.05	< 0.05
TRH >C16-C34	0.1	mg/L	< 0.1	< 0.1
TRH >C34-C40	0.1	mg/L	< 0.1	< 0.1
TRH >C10-C40 (total)*	0.1	mg/L	< 0.1	< 0.1
Heavy Metals				
Arsenic	0.001	mg/L	< 0.001	< 0.001
Cadmium	0.0002	mg/L	< 0.0002	< 0.0002
Chromium	0.001	mg/L	< 0.001	< 0.001
Copper	0.001	mg/L	< 0.001	< 0.001
Lead	0.001	mg/L	< 0.001	< 0.001
Mercury	0.0001	mg/L	< 0.0001	< 0.0001
Nickel	0.001	mg/L	< 0.001	< 0.001
Zinc	0.005	mg/L	< 0.005	< 0.005

Sample History

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported. A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
Eurofins mgt Suite B7A			
Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Melbourne	Aug 14, 2019	7 Days
- Method: LTM-ORG-2010 TRH C6-C40			
Polycyclic Aromatic Hydrocarbons	Melbourne	Aug 14, 2019	7 Days
- Method: LTM-ORG-2130 PAH and Phenols in Soil and Water			
Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Melbourne	Aug 14, 2019	
- Method: LTM-ORG-2010 TRH C6-C40			
Metals M8	Melbourne	Aug 12, 2019	180 Days
- Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS			
Eurofins mgt Suite B10			
Organochlorine Pesticides	Melbourne	Aug 14, 2019	7 Days
- Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8270)			
Organophosphorus Pesticides	Melbourne	Aug 14, 2019	7 Days
- Method: LTM-ORG-2200 Organophosphorus Pesticides by GC-MS (USEPA 8081)			

Company Name: GHD Pty Ltd NSW	Order No.:	Received: Aug 7, 2019 1:59 PM
Address: Level 15, 133 Castlereagh Street Sydney NSW 2000	Report #: 670027	Due: Aug 14, 2019
Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION	Phone: 02 9239 7100	Priority: 5 Day
Project ID: 2126457-26	Fax: 02 9239 7199	Contact Name: Emma Harrison

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
External Laboratory																		
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID													
1	GS01_0-0.1	Aug 06, 2019		Soil	S19-Au09356										X	X		
2	GS02_0-0.1	Aug 06, 2019		Soil	S19-Au09357										X	X		
3	GS03_0-0.1	Aug 06, 2019		Soil	S19-Au09358										X	X		
4	SW_01	Aug 06, 2019		Water	S19-Au09359		X	X	X	X	X		X					
5	BH01_0-0.1	Aug 06, 2019		Soil	S19-Au09360							X		X		X	X	
6	BH01_2.0-2.1	Aug 06, 2019		Soil	S19-Au09361							X		X		X	X	
7	BH02_0.5-0.6	Aug 06, 2019		Soil	S19-Au09362							X		X		X	X	
8	BH02_3.0-3.1	Aug 06, 2019		Soil	S19-Au09363							X		X		X	X	
9	BH03_4.0-4.1	Aug 06, 2019		Soil	S19-Au09364							X		X		X	X	

Company Name: GHD Pty Ltd NSW
Address: Level 15, 133 Castlereagh Street
Sydney
NSW 2000

Order No.:
Report #: 670027
Phone: 02 9239 7100
Fax: 02 9239 7199

Received: Aug 7, 2019 1:59 PM
Due: Aug 14, 2019
Priority: 5 Day
Contact Name: Emma Harrison

Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION
Project ID: 2126457-26

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail			HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC	
Melbourne Laboratory - NATA Site # 1254 & 14271			X		X	X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217				X												
Brisbane Laboratory - NATA Site # 20794																
Perth Laboratory - NATA Site # 23736																
10	BH03_4.4-4.5	Aug 06, 2019								X		X		X	X	
11	BH03_5.9-6.0	Aug 06, 2019								X		X		X	X	
12	BH04_1.0-1.1	Aug 06, 2019								X		X		X	X	
13	BH04_4.9-5.0	Aug 06, 2019								X		X		X	X	
14	BH05_0-0.1	Aug 06, 2019								X		X		X	X	
15	BH06_0-0.1	Aug 06, 2019								X		X		X	X	
16	BH07_0-0.1	Aug 06, 2019								X		X		X	X	
17	QC_01	Aug 06, 2019								X		X		X	X	
18	QC_02	Aug 06, 2019								X		X		X	X	
19	QR02	Aug 06, 2019			X	X	X	X	X		X					
20	TPW1-3_0.0	Aug 06, 2019										X	X			
21	TPW1-5_0.5	Aug 06, 2019										X	X			

Company Name: GHD Pty Ltd NSW
Address: Level 15, 133 Castlereagh Street
Sydney
NSW 2000

Order No.:
Report #: 670027
Phone: 02 9239 7100
Fax: 02 9239 7199

Received: Aug 7, 2019 1:59 PM
Due: Aug 14, 2019
Priority: 5 Day
Contact Name: Emma Harrison

Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION
Project ID: 2126457-26

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
22	TPW1-2_1.0	Aug 06, 2019		Soil	S19-Au09377									X	X			
23	TPW2-1_0.0	Aug 06, 2019		Soil	S19-Au09378									X	X			
24	TPW2-2_0.5	Aug 06, 2019		Soil	S19-Au09379									X	X			
25	TPW2-3_0.5	Aug 06, 2019		Soil	S19-Au09380									X	X			
26	TPW3-1_0.0	Aug 06, 2019		Soil	S19-Au09381									X	X			
27	TPW3-1_0.5	Aug 06, 2019		Soil	S19-Au09382									X	X			
28	TPW3-5_1.0	Aug 06, 2019		Soil	S19-Au09383									X	X			
29	TPE1-5_0.0	Aug 06, 2019		Soil	S19-Au09384									X	X			
30	TPE1-3_0.5	Aug 06, 2019		Soil	S19-Au09385									X	X			
31	TPE1-2_1.0	Aug 06, 2019		Soil	S19-Au09386									X	X			
32	TPE2-3_0.0	Aug 06, 2019		Soil	S19-Au09387									X	X			
33	TPE2-1_0.5	Aug 06, 2019		Soil	S19-Au09388									X	X			

Company Name: GHD Pty Ltd NSW
Address: Level 15, 133 Castlereagh Street
Sydney
NSW 2000

Order No.:
Report #: 670027
Phone: 02 9239 7100
Fax: 02 9239 7199

Received: Aug 7, 2019 1:59 PM
Due: Aug 14, 2019
Priority: 5 Day
Contact Name: Emma Harrison

Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION
Project ID: 2126457-26

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail			HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC	
Melbourne Laboratory - NATA Site # 1254 & 14271			X		X	X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217				X												
Brisbane Laboratory - NATA Site # 20794																
Perth Laboratory - NATA Site # 23736																
34	TPE2-2_1.0	Aug 06, 2019										X	X			
35	TPE3-3_0.0	Aug 06, 2019										X	X			
36	TPE3-1_0.5	Aug 06, 2019										X	X			
37	TPE3-3_0.8	Aug 06, 2019										X	X			
38	QA01	Aug 06, 2019										X	X			
39	QA03	Aug 06, 2019										X	X			
40	BH01_0.5-0.6	Aug 06, 2019														X
41	BH01_1.0-1.1	Aug 06, 2019														X
42	BH01_3.0-3.1	Aug 06, 2019														X
43	BH01_4.0-4.1	Aug 06, 2019														X
44	BH02_0-0.1	Aug 06, 2019														X
45	BH02_1.0-1.1	Aug 06, 2019														X

Company Name: GHD Pty Ltd NSW
Address: Level 15, 133 Castlereagh Street
Sydney
NSW 2000

Order No.:
Report #: 670027
Phone: 02 9239 7100
Fax: 02 9239 7199

Received: Aug 7, 2019 1:59 PM
Due: Aug 14, 2019
Priority: 5 Day
Contact Name: Emma Harrison

Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION
Project ID: 2126457-26

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail			HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC	
Melbourne Laboratory - NATA Site # 1254 & 14271			X		X	X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217				X												
Brisbane Laboratory - NATA Site # 20794																
Perth Laboratory - NATA Site # 23736																
46	BH02_2.0-2.1	Aug 06, 2019														
47	BH02_4.0-4.1	Aug 06, 2019														
48	BH03_0-0.1	Aug 06, 2019														
49	BH03_0.5-0.6	Aug 06, 2019														
50	BH03_1.0-1.1	Aug 06, 2019														
51	BH03_2.0-2.1	Aug 06, 2019														
52	BH03_3.0-3.1	Aug 06, 2019														
53	BH03_5.0-5.1	Aug 06, 2019														
54	BH04_0-0.1	Aug 06, 2019														
55	BH04_0.5-0.6	Aug 06, 2019														
56	BH04_2.0-2.1	Aug 06, 2019														
57	BH04_3.0-3.1	Aug 06, 2019														

Company Name:	GHD Pty Ltd NSW	Order No.:		Received:	Aug 7, 2019 1:59 PM
Address:	Level 15, 133 Castlereagh Street Sydney NSW 2000	Report #:	670027	Due:	Aug 14, 2019
Project Name:	HORNSBY QUARRY CONTAMINATION INVESTIGATION	Phone:	02 9239 7100	Priority:	5 Day
Project ID:	2126457-26	Fax:	02 9239 7199	Contact Name:	Emma Harrison

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
58	BH04_4.0-4.1	Aug 06, 2019		Soil	S19-Au09413	X												
59	TPW1-1_0.0	Aug 06, 2019		Soil	S19-Au09414	X												
60	TPW1-2_0.0	Aug 06, 2019		Soil	S19-Au09415	X												
61	TPW1-4_0.0	Aug 06, 2019		Soil	S19-Au09416	X												
62	TPW1-5_0.0	Aug 06, 2019		Soil	S19-Au09417	X												
63	TPW1-1_0.5	Aug 06, 2019		Soil	S19-Au09418	X												
64	TPW1-2_0.5	Aug 06, 2019		Soil	S19-Au09419	X												
65	TPW1-3_0.5	Aug 06, 2019		Soil	S19-Au09420	X												
66	TPW1-4_0.5	Aug 06, 2019		Soil	S19-Au09421	X												
67	TPW1-1_1.0	Aug 06, 2019		Soil	S19-Au09422	X												
68	TPW1-3_1.0	Aug 06, 2019		Soil	S19-Au09423	X												
69	TPW1-4_1.0	Aug 06, 2019		Soil	S19-Au09424	X												

Company Name:	GHD Pty Ltd NSW	Order No.:		Received:	Aug 7, 2019 1:59 PM
Address:	Level 15, 133 Castlereagh Street Sydney NSW 2000	Report #:	670027	Due:	Aug 14, 2019
Project Name:	HORNSBY QUARRY CONTAMINATION INVESTIGATION	Phone:	02 9239 7100	Priority:	5 Day
Project ID:	2126457-26	Fax:	02 9239 7199	Contact Name:	Emma Harrison

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
70	TPW1-5_1.0	Aug 06, 2019		Soil	S19-Au09425	X												
71	TPW2-2_0.0	Aug 06, 2019		Soil	S19-Au09426	X												
72	TPW2-3_0.0	Aug 06, 2019		Soil	S19-Au09427	X												
73	TPW2-4_0.0	Aug 06, 2019		Soil	S19-Au09428	X												
74	TPW2-5_0.0	Aug 06, 2019		Soil	S19-Au09429	X												
75	TPW2-1_0.5	Aug 06, 2019		Soil	S19-Au09430	X												
76	TPW2-4_0.5	Aug 06, 2019		Soil	S19-Au09431	X												
77	TPW2-5_0.5	Aug 06, 2019		Soil	S19-Au09432	X												
78	TPW2-1_1.0	Aug 06, 2019		Soil	S19-Au09433	X												
79	TPW2-2_1.0	Aug 06, 2019		Soil	S19-Au09434	X												
80	TPW2-3_1.0	Aug 06, 2019		Soil	S19-Au09435	X												
81	TPW2-4_1.0	Aug 06, 2019		Soil	S19-Au09436	X												

Company Name: GHD Pty Ltd NSW
Address: Level 15, 133 Castlereagh Street
Sydney
NSW 2000

Order No.:
Report #: 670027
Phone: 02 9239 7100
Fax: 02 9239 7199

Received: Aug 7, 2019 1:59 PM
Due: Aug 14, 2019
Priority: 5 Day
Contact Name: Emma Harrison

Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION
Project ID: 2126457-26

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
82	TPW2-5_1.0	Aug 06, 2019		Soil	S19-Au09437	X												
83	TPW3-2_0.0	Aug 06, 2019		Soil	S19-Au09438	X												
84	TPW3-3_0.0	Aug 06, 2019		Soil	S19-Au09439	X												
85	TPW3-4_0.0	Aug 06, 2019		Soil	S19-Au09440	X												
86	TPW3-5_0.0	Aug 06, 2019		Soil	S19-Au09441	X												
87	TPW3-2_0.5	Aug 06, 2019		Soil	S19-Au09442	X												
88	TPW3-3_0.5	Aug 06, 2019		Soil	S19-Au09443	X												
89	TPW3-4_0.5	Aug 06, 2019		Soil	S19-Au09444	X												
90	TPW3-5_0.5	Aug 06, 2019		Soil	S19-Au09445	X												
91	TPW3-1_1.0	Aug 06, 2019		Soil	S19-Au09446	X												
92	TPW3-2_1.0	Aug 06, 2019		Soil	S19-Au09447	X												
93	TPW3-3_1.0	Aug 06, 2019		Soil	S19-Au09448	X												

Company Name:	GHD Pty Ltd NSW	Order No.:		Received:	Aug 7, 2019 1:59 PM
Address:	Level 15, 133 Castlereagh Street Sydney NSW 2000	Report #:	670027	Due:	Aug 14, 2019
Project Name:	HORNSBY QUARRY CONTAMINATION INVESTIGATION	Phone:	02 9239 7100	Priority:	5 Day
Project ID:	2126457-26	Fax:	02 9239 7199	Contact Name:	Emma Harrison

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
94	TPW3-4_1.0	Aug 06, 2019		Soil	S19-Au09449	X												
95	TPE1-1_0.0	Aug 06, 2019		Soil	S19-Au09450	X												
96	TPE1-2_0.0	Aug 06, 2019		Soil	S19-Au09451	X												
97	TPE1-3_0.0	Aug 06, 2019		Soil	S19-Au09452	X												
98	TPE1-4_0.0	Aug 06, 2019		Soil	S19-Au09453	X												
99	TPE1-1_0.5	Aug 06, 2019		Soil	S19-Au09454	X												
100	TPE1-2_0.5	Aug 06, 2019		Soil	S19-Au09455	X												
101	TPE1-4_0.5	Aug 06, 2019		Soil	S19-Au09456	X												
102	TPE1-5_0.5	Aug 06, 2019		Soil	S19-Au09457	X												
103	TPE1-1_1.0	Aug 06, 2019		Soil	S19-Au09458	X												
104	TPE1-3_1.0	Aug 06, 2019		Soil	S19-Au09459	X												
105	TPE1-4_1.0	Aug 06, 2019		Soil	S19-Au09460	X												

Company Name:	GHD Pty Ltd NSW	Order No.:		Received:	Aug 7, 2019 1:59 PM
Address:	Level 15, 133 Castlereagh Street Sydney NSW 2000	Report #:	670027	Due:	Aug 14, 2019
Project Name:	HORNSBY QUARRY CONTAMINATION INVESTIGATION	Phone:	02 9239 7100	Priority:	5 Day
Project ID:	2126457-26	Fax:	02 9239 7199	Contact Name:	Emma Harrison

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
106	TPE1-5_1.0	Aug 06, 2019		Soil	S19-Au09461	X												
107	TPE2-1_0.0	Aug 06, 2019		Soil	S19-Au09462	X												
108	TPE2-2_0.0	Aug 06, 2019		Soil	S19-Au09463	X												
109	TPE2-2_0.5	Aug 06, 2019		Soil	S19-Au09464	X												
110	TPE2-3_0.5	Aug 06, 2019		Soil	S19-Au09465	X												
111	TPE2-1_1.0	Aug 06, 2019		Soil	S19-Au09466	X												
112	TPE2-3_1.0	Aug 06, 2019		Soil	S19-Au09467	X												
113	TPE3-1_0.0	Aug 06, 2019		Soil	S19-Au09468	X												
114	TPE3-2_0.0	Aug 06, 2019		Soil	S19-Au09469	X												
115	TPE3-2_0.5	Aug 06, 2019		Soil	S19-Au09470	X												
116	TPE3-3_0.5	Aug 06, 2019		Soil	S19-Au09471	X												
117	TPE3-1_0.8	Aug 06, 2019		Soil	S19-Au09472	X												

Company Name:	GHD Pty Ltd NSW	Order No.:		Received:	Aug 7, 2019 1:59 PM
Address:	Level 15, 133 Castlereagh Street Sydney NSW 2000	Report #:	670027	Due:	Aug 14, 2019
Project Name:	HORNSBY QUARRY CONTAMINATION INVESTIGATION	Phone:	02 9239 7100	Priority:	5 Day
Project ID:	2126457-26	Fax:	02 9239 7199	Contact Name:	Emma Harrison

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						HOLD	HOLD	Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Polycyclic Aromatic Hydrocarbons	Organochlorine Pesticides	Organophosphorus Pesticides	Metals M8	Eurofins mgt Suite B15	Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Moisture Set	Eurofins mgt Suite B10	Eurofins mgt Suite B7A	Eurofins mgt Suite SVV: SVOC/VOC
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X	X	X	X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217							X											
Brisbane Laboratory - NATA Site # 20794																		
Perth Laboratory - NATA Site # 23736																		
118	TPE3-2_0.8	Aug 06, 2019		Soil	S19-Au09473	X												
119	RB01	Aug 06, 2019		Water	S19-Au09474	X												
120	TRIP BLANK	Aug 06, 2019		Soil	S19-Au09475		X											
121	TRIP SPIKE	Aug 06, 2019		Soil	S19-Au10358		X											
122	TRIP SPIKE LAB	Aug 06, 2019		Soil	S19-Au10359		X											
Test Counts						83	83	2	2	2	2	2	14	2	37	23	14	14

Internal Quality Control Review and Glossary
General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

****NOTE:** pH duplicates are reported as a range NOT as RPD

Units

mg/kg: milligrams per kilogram

mg/L: milligrams per litre

ug/L: micrograms per litre

ppm: Parts per million

ppb: Parts per billion

%: Percentage

org/100mL: Organisms per 100 millilitres

NTU: Nephelometric Turbidity Units

MPN/100mL: Most Probable Number of organisms per 100 millilitres

Terms

Dry	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
LOR	Limit of Reporting.
SPIKE	Addition of the analyte to the sample and reported as percentage recovery.
RPD	Relative Percent Difference between two Duplicate pieces of analysis.
LCS	Laboratory Control Sample - reported as percent recovery.
CRM	Certified Reference Material - reported as percent recovery.
Method Blank	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
Surr - Surrogate	The addition of a like compound to the analyte target and reported as percentage recovery.
Duplicate	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
USEPA	United States Environmental Protection Agency
APHA	American Public Health Association
TCLP	Toxicity Characteristic Leaching Procedure
COC	Chain of Custody
SRA	Sample Receipt Advice
QSM	US Department of Defense Quality Systems Manual Version 5.3
CP	Client Parent - QC was performed on samples pertaining to this report
NCP	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
TEQ	Toxic Equivalency Quotient

QC - Acceptance Criteria

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
Method Blank								
Total Recoverable Hydrocarbons - 1999 NEPM Fractions								
TRH C10-C14	mg/L	< 0.05			0.05	Pass		
TRH C15-C28	mg/L	< 0.1			0.1	Pass		
TRH C29-C36	mg/L	< 0.1			0.1	Pass		
Method Blank								
Total Recoverable Hydrocarbons - 2013 NEPM Fractions								
TRH >C10-C16	mg/L	< 0.05			0.05	Pass		
TRH >C16-C34	mg/L	< 0.1			0.1	Pass		
TRH >C34-C40	mg/L	< 0.1			0.1	Pass		
Method Blank								
Heavy Metals								
Arsenic	mg/L	< 0.001			0.001	Pass		
Cadmium	mg/L	< 0.0002			0.0002	Pass		
Chromium	mg/L	< 0.001			0.001	Pass		
Copper	mg/L	< 0.001			0.001	Pass		
Lead	mg/L	< 0.001			0.001	Pass		
Mercury	mg/L	< 0.0001			0.0001	Pass		
Nickel	mg/L	< 0.001			0.001	Pass		
Zinc	mg/L	< 0.005			0.005	Pass		
LCS - % Recovery								
Total Recoverable Hydrocarbons - 1999 NEPM Fractions								
TRH C10-C14	%	79			70-130	Pass		
LCS - % Recovery								
Total Recoverable Hydrocarbons - 2013 NEPM Fractions								
TRH >C10-C16	%	72			70-130	Pass		
LCS - % Recovery								
Heavy Metals								
Arsenic	%	118			80-120	Pass		
Cadmium	%	94			80-120	Pass		
Chromium	%	92			80-120	Pass		
Copper	%	80			80-120	Pass		
Lead	%	96			80-120	Pass		
Mercury	%	90			75-125	Pass		
Nickel	%	86			80-120	Pass		
Zinc	%	90			80-120	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Spike - % Recovery								
Total Recoverable Hydrocarbons - 1999 NEPM Fractions								
TRH C10-C14	M19-Au15008	NCP	%	119		70-130	Pass	
Spike - % Recovery								
Total Recoverable Hydrocarbons - 2013 NEPM Fractions								
TRH >C10-C16	M19-Au15008	NCP	%	100		70-130	Pass	
Spike - % Recovery								
Heavy Metals								
Arsenic	M19-Au10485	NCP	%	118		75-125	Pass	
Cadmium	M19-Au10485	NCP	%	94		75-125	Pass	
Chromium	M19-Au10485	NCP	%	93		75-125	Pass	
Copper	M19-Au10485	NCP	%	82		75-125	Pass	
Lead	M19-Au10485	NCP	%	96		75-125	Pass	
Mercury	M19-Au10485	NCP	%	95		70-130	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Nickel	M19-Au10485	NCP	%	84			75-125	Pass	
Zinc	M19-Au10485	NCP	%	87			75-125	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Duplicate									
Total Recoverable Hydrocarbons - 1999 NEPM Fractions				Result 1	Result 2	RPD			
TRH C10-C14	M19-Au14639	NCP	mg/L	< 0.05	< 0.05	<1	30%	Pass	
TRH C15-C28	M19-Au14639	NCP	mg/L	< 0.1	< 0.1	<1	30%	Pass	
TRH C29-C36	M19-Au14639	NCP	mg/L	< 0.1	< 0.1	<1	30%	Pass	
Duplicate									
Total Recoverable Hydrocarbons - 2013 NEPM Fractions				Result 1	Result 2	RPD			
TRH >C10-C16	M19-Au14639	NCP	mg/L	< 0.05	< 0.05	<1	30%	Pass	
TRH >C16-C34	M19-Au14639	NCP	mg/L	< 0.1	< 0.1	<1	30%	Pass	
TRH >C34-C40	M19-Au14639	NCP	mg/L	< 0.1	< 0.1	<1	30%	Pass	
Duplicate									
Heavy Metals				Result 1	Result 2	RPD			
Arsenic	M19-Au10485	NCP	mg/L	0.007	0.007	5.0	30%	Pass	
Cadmium	M19-Au10485	NCP	mg/L	< 0.0002	< 0.0002	<1	30%	Pass	
Chromium	M19-Au10485	NCP	mg/L	0.014	0.013	5.0	30%	Pass	
Copper	M19-Au10485	NCP	mg/L	0.005	0.005	3.0	30%	Pass	
Lead	M19-Au10485	NCP	mg/L	0.006	0.006	4.0	30%	Pass	
Mercury	M19-Au10485	NCP	mg/L	< 0.0001	< 0.0001	<1	30%	Pass	
Nickel	M19-Au10485	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass	
Zinc	M19-Au10485	NCP	mg/L	0.033	0.032	1.0	30%	Pass	

Comments
Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

Qualifier Codes/Comments

Code	Description
N07	Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs

Authorised By

Alena Bounkeua	Analytical Services Manager
Joseph Edouard	Senior Analyst-Organic (VIC)
Emily Rosenberg	Senior Analyst-Metal (VIC)


**Glenn Jackson
General Manager**

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.



CHAIN OF CUSTODY RECORD

ABN 50 005 085 521

Sydney Laboratory
Unit F3 Bld.F, 16 Mars Rd, Lane Cove West, NSW 2066
02 9900 8400 EnviroSampleNSW@eurofins.com

Brisbane Laboratory
Unit 1, 21 Smallwood Pl., Murarie, QLD 4172
07 3902 4600 EnviroSampleQLD@eurofins.com

Perth Laboratory
Unit 2, 91 Leach Highway, Kewdale WA 6105
08 9251 9600 EnviroSampleWA@eurofins.com

Melbourne Laboratory
2 Kingston Town Close, Oakleigh, VIC 3166
03 8564 5000 EnviroSampleVic@eurofins.com

Company		GHD Pty Ltd		Project No		2126457-26		Project Manager		Emma Harrison		Relinquished by					
Address		Level 15, 133 Castlereagh St Sydney, 2000		Project Name		Hornsby Quarry Contamination Investigation		Report Format		ESDat		Email for Results					
Contact Name		Emma Harrison		Analysis (Note: Where metals are requested, please specify 'Total' or 'Filtered') Suite B10: TRH, BTEXN, PAH, OCP, OPP, Metals Suite B7A: TRH, BTEXN, PAH, Pherols, Metals Suite B15: OCP, OPP, PCB Suite SVV: SVOC, VOC Asbestos ID in soil													
Phone No		0408 401 511															
Special Direction		Please email results to: emma.harrison@ghd.com felicity.harrison@ghd.com															
Purchase Order																	
Quote ID No		181121GHDN															
Containers		Turn Around Requirements															
1L Plastic		<input type="checkbox"/> Overnight (9am)*															
250mL Plastic		<input type="checkbox"/> 1 Day* <input type="checkbox"/> 2 Day*															
125mL Plastic		<input type="checkbox"/> 3 Day* <input checked="" type="checkbox"/> 5 Day															
200mL Amber Glass		<input type="checkbox"/> Other ()															
40mL vial		* Surcharges apply															
125mL Amber Glass Jar		Sample Comments / DG Hazard Warning															
Other ()																	
No	Client Sample ID	Date	Matrix														
1	BH01_0_0.1						X										
2	BH05_0_0.1						X										
3	BH06_0_0.1						X										
4	BH07_0_0.1						X										
5																	
6																	
7																	
8																	
9																	
10																	
Total Counts							#										
Method of Shipment		<input type="checkbox"/> Courier (#) <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Postal		Name		Signature		Date		Time		Date		Time			
Laboratory Use Only		Received By <i>Grace Turnwell</i>		SYD BNE MEL PER ADL NEW DAR		<i>Turnwell</i>		Date <i>27/8/19</i>		Time <i>9:04</i>		Date		Temperature			
		Received By		SYD BNE MEL PER ADL NEW DAR		Signature		Date		Time		Date		Report No <i>673397</i>			

Submission of samples to the laboratory will be deemed as acceptance of Eurofins | mgmt Standard Terms and Conditions unless agreed otherwise. A copy of Eurofins | mgmt Standard Terms and Conditions is available on request.

Melbourne

6 Monterey Road
Dandenong South Vic 3175
Phone : +61 3 8564 5000
NATA # 1261
Site # 1254 & 14271

Sydney

Unit F3, Building F
16 Mars Road
Lane Cove West NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane

1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Perth

2/91 Leach Highway
Kewdale WA 6105
Phone : +61 8 9251 9600
NATA # 1261 Site # 23736

Sample Receipt Advice

Company name: **GHD Pty Ltd NSW**
Contact name: Emma Harrison
Project name: **HORNSBY QUARRY CONTAMINATION INVESTIGATION**
Project ID: 2126457-26
COC number: Not provided
Turn around time: Same day
Date/Time received: Aug 27, 2019 9:04 AM
Eurofins reference: **673397**

Sample information

- A detailed list of analytes logged into our LIMS, is included in the attached summary table.
- Sample Temperature of a random sample selected from the batch as recorded by Eurofins Sample Receipt : 8.2 degrees Celsius.
- All samples have been received as described on the above COC.
- COC has been completed correctly.
- N/A Attempt to chill was evident.
- Appropriately preserved sample containers have been used.
- All samples were received in good condition.
- Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
- Appropriate sample containers have been used.
- Split sample sent to requested external lab.
- Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

Contact notes

If you have any questions with respect to these samples please contact:

Alena Bounkeua on Phone : or by e.mail: AlenaBounkeua@eurofins.com

Results will be delivered electronically via e.mail to Emma Harrison - emma.harrison@ghd.com.

Company Name: GHD Pty Ltd NSW	Order No.:	Received: Aug 27, 2019 9:04 AM
Address: Level 15, 133 Castlereagh Street Sydney NSW 2000	Report #: 673397	Due: Aug 27, 2019
	Phone: 02 9239 7100	Priority: Same day
	Fax: 02 9239 7199	Contact Name: Emma Harrison
Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION		
Project ID: 2126457-26		

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						Asbestos - AS4964
Melbourne Laboratory - NATA Site # 1254 & 14271						
Sydney Laboratory - NATA Site # 18217						X
Brisbane Laboratory - NATA Site # 20794						
Perth Laboratory - NATA Site # 23736						
External Laboratory						
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID	
1	BH01_0_0.1	Aug 06, 2019		Soil	S19-Au37842	X
2	BH05_0_0.1	Aug 06, 2019		Soil	S19-Au37843	X
3	BH06_0_0.1	Aug 06, 2019		Soil	S19-Au37844	X
4	BH07_0_0.1	Aug 06, 2019		Soil	S19-Au37845	X
Test Counts						4

GHD Pty Ltd NSW
Level 15, 133 Castlereagh Street
Sydney
NSW 2000



NATA Accredited
Accreditation Number 1261
Site Number 18217

Accredited for compliance with ISO/IEC 17025–Testing
 The results of the tests, calibrations and/or
 measurements included in this document are traceable
 to Australian/national standards.

Attention: Emma Harrison
Report 673397-AID
Project Name HORNSBY QUARRY CONTAMINATION INVESTIGATION
Project ID 2126457-26
Received Date Aug 27, 2019
Date Reported Aug 27, 2019

Methodology:

Asbestos Fibre Identification Conducted in accordance with the Australian Standard AS 4964 – 2004: Method for the Qualitative Identification of Asbestos in Bulk Samples and in-house Method LTM-ASB-8020 by polarised light microscopy (PLM) and dispersion staining (DS) techniques.
NOTE: Positive Trace Analysis results indicate the sample contains detectable respirable fibres.

Unknown Mineral Fibres Mineral fibres of unknown type, as determined by PLM with DS, may require another analytical technique, such as Electron Microscopy, to confirm unequivocal identity.
NOTE: While Actinolite, Anthophyllite and Tremolite asbestos may be detected by PLM with DS, due to variability in the optical properties of these materials, AS4964 requires that these are reported as UMF unless confirmed by an independent technique.

Subsampling Soil Samples The whole sample submitted is first dried and then passed through a 10mm sieve followed by a 2mm sieve. All fibrous matter greater than 10mm, greater than 2mm as well as the material passing through the 2mm sieve are retained and analysed for the presence of asbestos. If the sub 2mm fraction is greater than approximately 30 to 60g then a sub-sampling routine based on ISO 3082:2009(E) is employed.
NOTE: Depending on the nature and size of the soil sample, the sub-2 mm residue material may need to be sub-sampled for trace analysis, in accordance with AS 4964-2004.

Bonded asbestos-containing material (ACM) The material is first examined and any fibres isolated for identification by PLM and DS. Where required, interfering matrices may be removed by disintegration using a range of heat, chemical or physical treatments, possibly in combination. The resultant material is then further examined in accordance with AS 4964 - 2004.
NOTE: Even after disintegration it may be difficult to detect the presence of asbestos in some asbestos-containing bulk materials using PLM and DS. This is due to the low grade or small length or diameter of the asbestos fibres present in the material, or to the fact that very fine fibres have been distributed intimately throughout the materials. Vinyl/asbestos floor tiles, some asbestos-containing sealants and mastics, asbestos-containing epoxy resins and some ore samples are examples of these types of material, which are difficult to analyse.

Limit of Reporting The performance limitation of the AS 4964 (2004) method for non-homogeneous samples is around 0.1 g/kg (equivalent to 0.01% (w/w)). Where no asbestos is found by PLM and DS, including Trace Analysis, this is considered to be at the nominal reporting limit of 0.01% (w/w).
 The NEPM screening level of 0.001% (w/w) is intended as an on-site determination, not a laboratory Limit of Reporting (LOR), per se. Examination of a large sample size (e.g. 500 mL) may improve the likelihood of detecting asbestos, particularly AF, to aid assessment against the NEPM criteria. Gravimetric determinations to this level of accuracy are outside of AS 4964 and hence NATA Accreditation does not cover the performance of this service (non-NATA results shown with an asterisk).
NOTE: NATA News March 2014, p.7, states in relation to AS 4964: "This is a qualitative method with a nominal reporting limit of 0.01 % " and that currently in Australia "there is no validated method available for the quantification of asbestos". This report is consistent with the analytical procedures and reporting recommendations in the NEPM and the WA DoH.

Project Name HORNSBY QUARRY CONTAMINATION INVESTIGATION
Project ID 2126457-26
Date Sampled Aug 06, 2019
Report 673397-AID

Client Sample ID	Eurofins Sample No.	Date Sampled	Sample Description	Result
BH01_0_0.1	19-Au37842	Aug 06, 2019	Approximate Sample 187g Sample consisted of: Brown coarse-grained soil and rocks	No asbestos detected at the reporting limit of 0.01% w/w. Organic fibre detected. No trace asbestos detected.
BH05_0_0.1	19-Au37843	Aug 06, 2019	Approximate Sample 199g Sample consisted of: Brown coarse-grained soil and rocks	No asbestos detected at the reporting limit of 0.01% w/w. Organic fibre detected. No trace asbestos detected.
BH06_0_0.1	19-Au37844	Aug 06, 2019	Approximate Sample 234g Sample consisted of: Brown coarse-grained soil and rocks	No asbestos detected at the reporting limit of 0.01% w/w. Organic fibre detected. No trace asbestos detected.
BH07_0_0.1	19-Au37845	Aug 06, 2019	Approximate Sample 224g Sample consisted of: Brown coarse-grained soil and rocks	No asbestos detected at the reporting limit of 0.01% w/w. Organic fibre detected. No trace asbestos detected.

Sample History

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported. A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
Asbestos - LTM-ASB-8020	Sydney	Aug 27, 2019	Indefinite

Company Name: GHD Pty Ltd NSW	Order No.:	Received: Aug 27, 2019 9:04 AM
Address: Level 15, 133 Castlereagh Street Sydney NSW 2000	Report #: 673397	Due: Aug 27, 2019
	Phone: 02 9239 7100	Priority: Same day
	Fax: 02 9239 7199	Contact Name: Emma Harrison
Project Name: HORNSBY QUARRY CONTAMINATION INVESTIGATION		
Project ID: 2126457-26		

Eurofins Analytical Services Manager : Alena Bounkeua

Sample Detail						Asbestos - AS4964
Melbourne Laboratory - NATA Site # 1254 & 14271						
Sydney Laboratory - NATA Site # 18217						X
Brisbane Laboratory - NATA Site # 20794						
Perth Laboratory - NATA Site # 23736						
External Laboratory						
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID	
1	BH01_0_0.1	Aug 06, 2019		Soil	S19-Au37842	X
2	BH05_0_0.1	Aug 06, 2019		Soil	S19-Au37843	X
3	BH06_0_0.1	Aug 06, 2019		Soil	S19-Au37844	X
4	BH07_0_0.1	Aug 06, 2019		Soil	S19-Au37845	X
Test Counts						4

Internal Quality Control Review and Glossary
General

1. QC data may be available on request.
2. All soil results are reported on a dry basis, unless otherwise stated.
3. Samples were analysed on an 'as received' basis.
4. Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
5. This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the Sample Receipt Advice.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

Units

% w/w: weight for weight basis	grams per kilogram
Filter loading:	fibres/100 graticule areas
Reported Concentration:	fibres/mL
Flowrate:	L/min

Terms

Dry	Sample is dried by heating prior to analysis
LOR	Limit of Reporting
COC	Chain of Custody
SRA	Sample Receipt Advice
ISO	International Standards Organisation
AS	Australian Standards
WA DOH	Reference document for the NEPM. Government of Western Australia, Guidelines for the Assessment, Remediation and Management of Asbestos-Contaminated Sites in Western Australia (2009), including supporting document Recommended Procedures for Laboratory Analysis of Asbestos in Soil (2011)
NEPM	National Environment Protection (Assessment of Site Contamination) Measure, 2013 (as amended)
ACM	Asbestos Containing Materials. Asbestos contained within a non-asbestos matrix, typically presented in bonded and/or sound condition. For the purposes of the NEPM, ACM is generally restricted to those materials that do not pass a 7mm x 7mm sieve.
AF	Asbestos Fines. Asbestos containing materials, including friable, weathered and bonded materials, able to pass a 7mm x 7mm sieve. Considered under the NEPM as equivalent to "non-bonded / friable".
FA	Fibrous Asbestos. Asbestos containing materials in a friable and/or severely weathered condition. For the purposes of the NEPM, FA is generally restricted to those materials that do not pass a 7mm x 7mm sieve.
Friable	Asbestos-containing materials of any size that may be broken or crumbled by hand pressure. For the purposes of the NEPM, this includes both AF and FA. It is outside of the laboratory's remit to assess degree of friability.
Trace Analysis	Analytical procedure used to detect the presence of respirable fibres in the matrix.

Comments**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	N/A
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

Qualifier Codes/Comments

Code	Description
N/A	Not applicable

Asbestos Counter/Identifier:

Chamath JHM Annakkage Senior Analyst-Asbestos (NSW)

Authorised by:

Sayed Abu Senior Analyst-Asbestos (NSW)



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Appendix G – Airmet Certificate

PID Calibration Certificate

Instrument **PhoCheck Tiger**
 Serial No. **T-107189**



Air-Met Scientific Pty Ltd
 1300 137 067

Item	Test	Pass	Comments			
Battery	Charge Condition	✓				
	Fuses	✓				
	Capacity	✓				
	Recharge OK?	✓				
Switch/keypad	Operation	✓				
Display	Intensity	✓				
	Operation (segments)	✓				
Grill Filter	Condition	✓				
	Seal	✓				
Pump	Operation	✓				
	Filter	✓				
	Flow	✓				
	Valves, Diaphragm	✓				
PCB	Condition	✓				
Connectors	Condition	✓				
Sensor	PID	✓	10.6 ev			
Alarms	Beeper	✓	Low	High	TWA	STEL
	Settings	✓	50ppm	100ppm		
Software	Version	✓				
Data logger	Operation	✓				
Download	Operation	✓				
Other tests:						

Certificate of Calibration

This is to certify that the above instrument has been calibrated to the following specifications:

Diffusion mode Aspirated mode

Sensor	Serial no	Calibration gas and concentration	Certified	Gas bottle No	Instrument Reading
PID Lamp		92ppm Isobutylene	NATA	SY245	91.6ppm

Calibrated by: *Sarah Lian* Sarah Lian

Calibration date: 2/08/2019

Next calibration due: 29/01/2020

GHD



Level 15

133 Castlereagh St, Sydney 2000

T: 61 2 9239 7100 F: 61 2 9239 7199 E: sydmail@ghd.com

© GHD 2019

This document is and shall remain the property of GHD. The document may only be used for the purpose for which it was commissioned and in accordance with the Terms of Engagement for the commission. Unauthorised use of this document in any form whatsoever is prohibited.

Revision	Author	Reviewer		Approved for Issue		
		Name	Signature	Name	Signature	Date
Draft	F. Harrison E. Harrison J. Ewing	H. Milne				
Rev 0	E Harrison	H. Milne		D. Gamble		25/09/2018

www.ghd.com

